

**Editors**

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., ALLAN C. BARNES, *Emeritus Editors*

**Advisory committee on policy**

C. D. Christian

Leo J. Dunn

David Figge

Fred T. Given

A. Brian Little

Edgar L. Makowski

George D. Malkasian

Roy T. Parker

W. Ann Reynolds

J. C. G. Whetham

**Board of corresponding editors**

Oscar Aguero, *Caracas*

Frederick Kubli, *Heidelberg*

Pierre O. Hubinont, *Brussels*

Malcolm Symonds, *Nottingham*

Ichiro Taki, *Fukuoka*

Volume 137

May-August, 1980

The C. V. Mosby Company

St. Louis

1980

*in addition to those listed on the front cover  
the Journal is the official publication  
of the following societies*

NEW YORK OBSTETRICAL SOCIETY  
OBSTETRICAL SOCIETY OF PHILADELPHIA  
BROOKLYN GYNECOLOGICAL SOCIETY  
ST. LOUIS GYNECOLOGICAL SOCIETY  
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY  
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND  
CHICAGO GYNECOLOGICAL SOCIETY  
CINCINNATI OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
WASHINGTON GYNECOLOGICAL SOCIETY  
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
BOSTON OBSTETRICAL SOCIETY  
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
SEATTLE GYNECOLOGICAL SOCIETY  
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS  
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
KANSAS CITY GYNECOLOGICAL SOCIETY  
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS  
AND OBSTETRICIANS  
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY  
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS  
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
NEW YORK GYNECOLOGICAL SOCIETY  
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION  
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
SAN FRANCISCO GYNECOLOGICAL SOCIETY  
JACKSON GYNECIC SOCIETY  
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
THE MINNESOTA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

*Volume 137  
Copyright © 1980 by The C. V. Mosby Company  
(All rights reserved)*

*Printed in the United States of America*

# Index to volume 137

## Author index\*

### A

AARONSON, STUART A. (see ROSEN ET AL.), 525  
ABRAMOVICH, DAVID R. (see GRAY and ABRAMOVICH), 491  
ADAM, ERVIN, DREESMAN, GORDON E., KAUFMAN, RAYMOND H., and MELNICK, JOSEPH L. Asymptomatic virus shedding after herpes genitalis, 827  
— (see KAUFMAN ET AL.), 299  
ADAMSONS, KARLIS (see MUELLER-HEUBACH, MYERS, and ADAMSONS), 48  
AMIN, EL-SAYED, EL-SAYED, MOHAMED M., EL-GAMEL, BASIUNY A., and NAYEL, SAYED A. Comparative study of the effect of oral contraceptives containing 50 µg of estrogen and those containing 20 µg of estrogen on adrenal cortical function, 831  
AMSTEVY, MARVIN S., LEWIN, EDWARD, and COLAICE, JOYCE. Vaginal colonization with invasive *Escherichia coli* during pregnancy, 534  
ANDERSON, CRAIG W., and CORDERO, LAELAND. Changes in amniotic fluid optical density at 450 mµ in Rh-sensitized patients after maternal hydrocortisone treatment, 820  
ANDERSON, DEBRA F., PHERNETTON, TERRANCE M., and RANKIN, JOHN H. G. Prediction of fetal drug concentrations, 735  
ANDRINOPoulos, GEORGE C. (see O'LEARY, ANDRINOPoulos, and GIORDANO), 704  
ANTONIOLI, DONALD A., BURKE, LOUIS, and FRIEDMAN, EMANUEL A. Natural history of diethylstilbestrol-associated genital tract lesions: Cervical ectopy and cervicovaginal hood, 847  
APPELBAUM, PETER C., SHULMAN, GERALD, CHAMBERS, NANCY L., SIMON, NICOLAS V., GRANADOS, JUAN L., FAIRBROTHER, PAUL F., and NAEYE, RICHARD L. Studies on the growth-inhibiting property of amniotic fluids from two United States population groups, 579  
APUZZIO, J. (see MIDDLETON ET AL.), 144  
ARCHER, DAVID F., SALAZAR, HERNANDO, MAROON, JOSEPH C., and HOUGH, LINDA J. Prolactin-secreting pituitary adenomas: Serum and tissue prolactin levels with ultrastructural correlation, 646  
ARNOLD, KATHLEEN A. (see EDWARDS ET AL.), 583  
ASCH, RICARDO H. (see NEZHAT, ASCH, and GREENBLATT), 604  
ASSALI, N. S. (see NUWAYHID ET AL.), 25  
ATIENZA, MILAGROS F. (see KING, ATIENZA, and BURKMAN), 530  
AUSTIN, J. MAX (see PARTRIDGE ET AL.), 412, 419  
AZOURY, RAMEZ S. (see ISSA ET AL.), 608

B  
BAER, HERMAN (see MONIF ET AL.), 432  
BAKER, CAROL J., WEBB, BETTE J., KASPER, DENNIS L., YOW, MARTHA D., and BEACHLER, CRAIG W. The natural history of group B streptococcal colonization in the pregnant woman and her offspring. II. Determination of serum antibody to capsular polysaccharide from type III, group B Streptococcus, 39  
BAKER, ELIZABETH R. (see WILLIAMSON ET AL.), 893  
BAMMANN, BARBARA L., COULAM, CAROLYN B., and JIANG, NAI-SIANG. Total and free testosterone during pregnancy, 293  
BARBENEL, J. C. (see LOWE ET AL.), 840  
BARFORD, DONALD A. G. (see LEVY ET AL.), 701  
BARTON, JOHN J., ROVNER, SCOTT, PULS, KATHERINE, and READ, PATRICIA A. Alternative birthing center: Experience in a teaching obstetrics service, 377  
BARTON, JUDITH L. (see MARTINEZ and BARTON), 78  
BAUMGARTEN, KURT (see GRUBER and BAUMGARTEN), 8  
BEACHLER, CRAIG W. (see BAKER ET AL.), 39  
— (see YOW ET AL.), 34  
BENEDET, J. L., TURKO, M., BOYES, D. A., NICKERSON, K. G., and BIENKOWSKA, B. T. Radical hysterectomy in the treatment of cervical cancer, 254

BENEDETTI, THOMAS J., and QUILLIGAN, E. J. Cerebral edema in severe pregnancy-induced hypertension, 860 (Comm. in brief)  
BENIRSCHKE, KURT (see KAPLAN, BENIRSCHKE, and TARZY), 858  
BERGER, GARY S. (see HULKAT ET AL.), 92  
BERGLUND, K. (see RUBIO ET AL.), 843  
BERKOWITZ, RICHARD L., and RAFFERTY, TERENCE D. Invasive hemodynamic monitoring in critically ill pregnant patients: Role of Swan-Ganz catheterization, 127 (Current developments)  
— (see FINE, BRACKEN, and BERKOWITZ), 15  
BERKUS, MICHAEL, and DALY, JAMES W. Cone biopsy: An outpatient procedure, 953  
BERNSTEIN, A. (see HAWRYLYSHYN, ORGAN, and BERNSTEIN), 801  
— (see ORGAN, BERNSTEIN, and HAWRYLYSHYN), 810  
BIENKOWSKA, B. T. (see BENEDET ET AL.), 254  
BINDER, GARY L. (see KAUFMAN ET AL.), 299  
BIRK, SHARON A. (see GELMAN ET AL.), 459  
— (see SPELLACY ET AL.), 109  
BISONNETTE, JOHN M., HOHIMER, A., ROGER, CRONAN, JAMES Z., and PAUL, MARILYN S. Effect of oxygen and of carbon dioxide tension on the incidence of apnea in fetal lambs, 575  
BLANKSTEIN, J., FUJIEDA, K., REYES, F. I., FAIMAN, C., and WINTER, J. S. D. Cortisol, 11-desoxycortisol, and 21-desoxycortisol concentrations in amniotic fluid during normal pregnancy, 781  
— (see FUJIEDA ET AL.), 962  
BLECHNER, JACK N. (see RAYE, DUBIN, and BLECHNER), 505  
BLUSZTAJN, JAN K. (see ZEISLER, MILUNSKY, and BLUSZTAJN), 481  
BOEHM, JOHN J. (see DEPP ET AL.), 338  
BOLAN, JEAN (see DESSOUKY and BOLAN), 147  
BONAMO, J. (see MIDDLETON ET AL.), 144  
BONGIOVI, VALERI (see HARPER ET AL.), 617  
BOOTS, LARRY R. (see HATCH ET AL.), 122  
BOWES, CHRISTINE (see BOWES, GABBE, and BOWES), 791  
BOWES, WATSON A., JR., GABBE, STEVEN G., and BOWES, CHRISTINE. Fetal heart rate monitoring in premature infants weighing 1,500 grams or less, 791  
BOYES, D. A. (see BENEDET ET AL.), 254  
BRACKEN, MICHAEL (see FINE, BRACKEN, and BERKOWITZ), 15  
BRERETON, HARMAR D. (see GRUMBINE ET AL.), 959  
BRIHI, EMILE (see ISSA ET AL.), 608  
BRINK, GARY W. (see RESNIK and BRINK), 267  
BRINKMAN, C. R., III (see NUWAYHID ET AL.), 25  
BRITTON, JOHN J. Sterilization by cesarean hysterectomy, 887  
BROSENS, I. (see DE WOLF ET AL.), 58  
BUHI, WILLIAM C. (see GELMAN ET AL.), 459  
— (see SPELLACY ET AL.), 109  
BULLER, RICHARD E. (see JONES and BULLER), 882  
BURKE, LOUIS (see ANTONIOLI, BURKE, and FRIEDMAN), 847  
BURKMAN, RONALD T. (see KING, ATIENZA, and BURKMAN), 530  
BURROWS, STANLEY. Serum enzymes in the diagnosis of ovarian malignancy, 140 (Comm. in brief)  
BUSCEMA, J., STERN, J., and WOODRUFF, J. D. The significance of the histologic alterations adjacent to invasive vulvar carcinoma, 902  
BUTTRAM, VEASY C., JR. (see MALINAK ET AL.), 332  
— (see SIMPSON ET AL.), 327

C  
CABALUM, M. T. (see NUWAYHID ET AL.), 25  
CALVERT, IDA S. (see ROSEN ET AL.), 525  
CARITIS, STEVE N. (see MUELLER-HEUBACH ET AL.), 758  
CARSON, JOHN (see VESTERINEN ET AL.), 681  
CASTILLO, MARIA S. (see SCHENKEN ET AL.), 773  
CASTRACANE, V. DANIEL (see SHAIKH, SHAIKH, and CASTRACANE), 672  
Cavanagh, Denis (see PRAPHAT ET AL.), 514  
CEDERQVIST, LARS L. (see LAUERSEN, CEDERQVIST, and WILSON), 753

\*May 1, 1-154; May 15, 155-276; June 1, 277-400; June 15, 401-520; July 1, 521-634; July 15, 635-752; August 1, 753-872; August 15, 873-1010.

CEFALO, R. C., LEWIS, P. E., O'BRIEN, W. F., FLETCHER, J. R., and RAMWELL, P. W. The role of prostaglandins in endotoxemia: Comparisons in response in the nonpregnant, maternal, and fetal models. I. Prostaglandins and the pulmonary effect of experimental endotoxemia, 53

CHAMBERS, NANCY L. (see APPELBAUM ET AL.), 579

CHARD, T. (see GRUDZINSKAS ET AL.), 866

CHAVKIN, J. (see VAGO and CHAVKIN), 511

CHEIN, CONNIE (see COLLEA, CHEIN, and QUILLIGAN), 235

CHICHONI, EDUARDO (see NAVES, MONTI, and CHICHONI), 136

CHRISTIAN, C. D. (see GROSSE ET AL.), 569

CHRISTIAN, JOE C. (see SANDBERG and CHRISTIAN), 220

CLARK, DOROTHY J. (see YOW ET AL.), 34

CLARK, LAUREN (see KOBBERMANN, CLARK, and GRIFFIN), 742

CLEARY, R. E. (see YOUNG ET AL.), 284

COLLEA, JOSEPH V., CHEIN, CONNIE, and QUILLIGAN, EDWARD J. The randomized management of term frank breech presentation: A study of 208 cases, 235

COLLIER, ALBERT M. (see VESTERINEN ET AL.), 681

COOPERMAN, NORMAN R., KASIM, MEHMET, and RAJASHEKARIAH, K. R. Clinical significance of amniotic fluid, amniotic membranes, and endometrial biopsy cultures at the time of cesarean section, 536

COPELAND, WILLIAM J. (see PRAPHAT ET AL.), 514

CORDERO, LEANDRO (see ANDERSON and CORDERO), 820

COTTON, DAVID B., READ, JOHN A., PAUL, RICHARD H., and QUILLIGAN, EDWARD J. The conservative aggressive management of placenta previa, 687

COULAM, CAROLYN B. (see BAMMANN, COULAM, and JIANG), 293

CREASMAN, WILLIAM T. (see JELOVSEK ET AL.), 85

CREASY, ROBERT K., GOLBUS, MITCHELL S., LAROS, RUSSELL K., JR., PARER, JULIAN T., and ROBERTS, JAMES M. Oral ritodrine maintenance in the treatment of preterm labor, 212

CRISP, WILLIAM E. (see MARIN and CRISP), 852

— (see RICHART ET AL.), 823

CRONAN, JAMES Z. (see BISSONNETTE ET AL.), 575

CROXATTO, HORACIO B. (see DÍAZ, ORTIZ, and CROXATTO), 116

CUTLER, WINNIFRED BERG. Lunar and menstrual phase locking, 834

**D**

DALY, JAMES W. (see BERKUS and DALY), 953

DAVIES, I. JOHN (see FRIGOLETTI ET AL.), 521

DE WOLF, F., DE WOLF-PEETERS, C., BROSENS, I., and ROBERTSON, W. B. The human placental bed: Electron microscopic study of trophoblastic invasion of spiral arteries, 58

DE WOLF-PEETERS, C. (see DE WOLF ET AL.), 58

DEMERS, LAURENCE M., and JONES, D. E. DARNELL. Serum concentration of bile acids in maternal blood and cord blood at parturition, 146 (Comm. in brief)

DEPETRILLO, AMODIO (see RICHART ET AL.), 823

DEPP, RICHARD, BOEHM, JOHN J., NOSEK, JANET A., DOOLEY, SHARON L., and HOBART, JOHN M. Antenatal corticosteroids to prevent neonatal respiratory distress syndrome: Risk versus benefit considerations, 338

DESSOUKY, DESSOUKY AHMAD, and BOLAN, JEAN. Uteroabdominal sinus following cesarean section, 147 (Comm. in brief)

DEVOE, LAWRENCE D. Clinical implications of prospective antepartum fetal heart rate testing, 983

DEVORE, JAY S., and KOSKELA, MOLLIE. The language barrier in obstetric anesthesia, 745 (Comm. in brief)

DÍAZ, SOLEDAD, ORTIZ, MARÍA-ELÉNA, and CROXATTO, HORACIO B. Studies on the duration of ovum transport by the human oviduct. III. Time interval between the luteinizing hormone peak and recovery of ova by transcervical flushing of the uterus in normal women, 116

DILLING, LOUISE A. (see HAWORTH ET AL.), 719

DOMINGUE, JAMES N., RICHMOND, ISABELLE L., and WILSON, CHARLES B. Results of surgery in 114 patients with prolactin-secreting pituitary adenomas, 102

DONOWITZ, LEIGH G., and WENZEL, RICHARD P. Endometritis following cesarean section, 467

DOOLEY, SHARON L. (see DEPP ET AL.), 338

DOVE, DOUGLAS J. Chorea associated with oral contraceptive therapy, 740 (Comm. in brief)

DRAFFIN, RICHARD (see JELOVSEK ET AL.), 85

DREESMAN, GORDON E. (see ADAM ET AL.), 827

DRUMMOND, M. M. (see LOWE ET AL.), 840

DRUZIN, MAURICE L., GRATACOS, JOSÉ, and PAUL, RICHARD H. Antepartum fetal heart rate testing. VI. Predictive reliability of "normal" tests in the prevention of antepartum death, 746 (Comm. in brief)

DUBIN, JOSEPH W. (see RAYE, DUBIN, and BLECHNER), 505

DUNN, L. J. (see KREBS ET AL.), 936

**E**

EDDY, CARLTON A. Ovum transport in the rhesus monkey following postovulatory intravaginal 15(S)-15-methyl prostaglandin F<sub>2</sub>-methyl ester administration, 966

EDELSTONE, DANIEL I. (see MUELLER-HEUBACH ET AL.), 758

EDWARDS, LAURA E., STEINMAN, MARY E., ARNOLD, KATHLEEN A., and HAKANSON, ERICK Y. Adolescent contraceptive use: Experience in 1,762 teenagers, 583

EHRLICH, C. E. (see YOUNG ET AL.), 284

EINHORN, L. H. (see YOUNG ET AL.), 284

EL-GAMEL, BASIUNY A. (see AMIN ET AL.), 831

EL-MAHGOUB, S., and YASEEN, S. A positive proof of coelomic metaplasia, 137 (Comm. in brief)

EL-SAYED, MOHAMED M. (see AMIN ET AL.), 831

ELGER, W. (see SCHMIDT-GOLLWITZER ET AL.), 867

ELIAS, SHERMAN (see MALINAK ET AL.), 332

— (see SIMPSON ET AL.), 327

ELLENBERG, JOHN F. (see MCCOY, ELLENBERG, and KILLAM), 739

ELLESTAD-SAYED, J. J. (see HAWORTH ET AL.), 719

ELLMORE, NELSON (see ROSEN ET AL.), 525

EPSTEIN, CHARLES J. (see STEPHENS ET AL.), 747

**F**

FAIMAN, C. (see BLANKSTEIN ET AL.), 781

— (see FUJIEDA ET AL.), 962

FAIRBROTHER, PAUL F. (see APPELBAUM ET AL.), 579

FANAROFF, AVROY A. (see HACK ET AL.), 797

FEJGIN, MOSHE D. (see JAVAHERI and FEJGIN), 588

FERENCY, ALEX (see RICHART ET AL.), 823

FINE, EMILY A., BRACKEN, MICHAEL, and BERKOWITZ, RICHARD L. An evaluation of the usefulness of x-ray pelvimetry: Comparison of the Thoms and modified Ball methods with manual pelvimetry, 15

FISHBURNE, J. I., MEIS, P. J., URBAN, R. B., GREISS, F. C., WHEELER, A. S., JAMES, F. M., SWAIN, M. F., and RHYNE, A. L. Vascular and uterine responses to dobutamine and dopamine in the gravid ewe, 944

FISHER, KENNETH F. (see SINGSON, FISHER, and LINDHEIMER), 857

FLETCHER, J. R. (see CEFALO ET AL.), 53

FORBES, C. D. (see LOWE ET AL.), 840

FOWLER, WESLEY C., JR. (see HULKA ET AL.), 92

FRIEDMAN, EMANUEL A. (see ANTONIOLI, BURKE, and FRIEDMAN), 847

FRIEDMAN, WILLIAM F. (see HOSKINS and FRIEDMAN), 496

FRIGOLETTI, FREDERIC D., JR., PHILLIPPE, MARK, DAVIES, I. JOHN, and RYAN, KENNETH J. Avoiding iatrogenic prematurity with elective repeat cesarean section without the routine use of amniocentesis, 521

FROST, FLOYD (see SHY, FROST, and ULLOM), 547

FUCHS, FRITZ (see ZERVOUDAKIS, KRAUSS, and FUCHS), 713

FUCHS, KARL. Therapy of vaginismus by hypnotic desensitization, 1 (Clinical opinion)

FUDENBERG, H. H. (see WILLIAMSON ET AL.), 893

FUJIEDA, K., REYES, F. I., BLANKSTEIN, J., and FAIMAN, C. Pituitary-adrenal function in women treated with low doses of prednisone, 962

— (see BLANKSTEIN ET AL.), 781

**G**

GABBE, STEVEN G. (see BOWES, GABBE, and BOWES), 791

GALL, STANLEY A., and HILL, GALE B. High-dose cefamandole therapy in obstetric and gynecologic infections, 914

GARDNER, A. (see LUTHER ET AL.), 351

GARDNER, HERMAN L. *Haemophilus vaginalis* vaginitis after twenty-five years, 385

GELMAN, STANLEY R., SPELLACY, WILLIAM N., WOOD, SELMA, BIRK, SHARON A., and BUHI, WILLIAM C. Fetal movements and ultrasound: Effect of maternal intravenous glucose administration, 459

GENADRY, RENE R. (see ROSENSTEIN, GENADRY, and WOODRUFF), 439

GERTHOFFER, ELIZABETH (see KAUFMAN ET AL.), 299

GIARRATANO, ROBERT C. (see MIESFELD, GIARRATANO, and MOYERS), 183  
GIORDANO, PATRICIA C. (see O'LEARY, ANDRINOPoulos, and GIORDANO), 704  
GLUCK, JOAN (see HEAL and GLUCK), 975  
GOLBUS, MITCHELL S. (see CREALY ET AL.), 212  
— (see STEPHENS ET AL.), 747  
GOLDE, STEVEN H. (see ORRICK and GOLDE), 135  
GOODNER, DAVID M. (see PARKER ET AL.), 656  
GORDON, Y. B. (see GRUDZINSKAS ET AL.), 866  
GOTO, SETSUO, NISHI, HIDEO, and TOMODA, YUTAKA. Blood group Rh-D factor in human trophoblast determined by immunofluorescent method, 707  
GRANADOS, JUAN L. (see APPELBAUM ET AL.), 579  
GRATACOS, JOSÉ (see DRUZIN, GRATACOS, and PAUL), 746  
GRAVES, WILLIAM K. Breech delivery in twenty years of practice, 229  
GRAY, ELIZABETH S., and ABRAMOVICH, DAVID R. Morphologic features of the anencephalic adrenal gland in early pregnancy, 491  
GRAY, J. (see LUTHER ET AL.), 351  
GREENBERG, BERNARD G. (see HULKA ET AL.), 92  
GREENBLATT, ROBERT B. (see NEZHAT, ASCH, and GREENBLATT), 604  
GREISS, F. C. (see FISHBURN ET AL.), 944  
GRIFFIN, WILLIAM T. (see KOBERMANN, CLARK, and GRIFFIN), 742  
GRIFFITH, THOMAS K. The irregular antibodies—A continuing problem, 174  
GRIMES, DAVID A., HULKA, JAROSLAV F., and MCCUTCHEON, MARY E. Midtrimester abortion by dilatation and evacuation versus intra-amniotic instillation of prostaglandin F<sub>2α</sub>: A randomized clinical trial, 785  
GRIMSON, ROGER C. (see HULKA ET AL.), 92  
GROSSO, D. S., MACDONALD, C. P., THOMASSON, J. E., and CHRISTIAN, C. D. Relationship of newborn serum prolactin levels to the respiratory distress syndrome and maternal hypertension, 569  
GRUBER, WALTHER S., and BAUMGARTEN, KURT. Intravenous prostaglandin E<sub>2</sub> and 16-phenoxy prostaglandin E<sub>2</sub> methyl sulfonamide for induction of fetal death in utero, 8  
GRUDZINSKAS, J. G., GORDON, Y. B., OBIKEWE, B. C., PENDLEBURY, D., and CHARD, T. Detection of circulating placental protein 5 in patients with trophoblastic tumors, 866 (Comm. in brief)  
GRUMBINE, FRANCIS C., ROSENSTEIN, NEIL B., BRERETON, HARMAR D., and KAUFMAN, STEPHEN L. Management of liver metastasis from gestational trophoblastic neoplasia, 959  
GUILLEMIN, ROGER (see OYAMA ET AL.), 613  
GUZINSKI, GAY M. (see MCGUIRE, GUZINSKI, and HOLMES), 600

H

HACK, MAUREEN, MERTKATZ, IRWIN R., JONES, PAUL K., and FANAROFF, AVROY A. Changing trends of neonatal and postneonatal deaths in very-low-birth-weight infants, 797  
HAESSLEIN, HANNES C., and NISWANDER, KENNETH R. Fetal distress in term pregnancies, 245  
HAKANSON, ERICK Y. (see EDWARDS ET AL.), 583  
HAMMOND, CHARLES B. (see JELOVSEK ET AL.), 85  
— (see VAUGHN, WIEBE, and HAMMOND), 749  
HARPER, RITA G., KENIGSBERG, KENNETH, SIA, CONCEPCION G., HORN, DAVID, STERN, DANIEL, and BONGIOVI, VALERIE. Xiphopagus conjoined twins: A 300-year review of the obstetric, morphopathologic, neonatal, and surgical parameters, 617 (Current developments)

HATCH, KENNETH D., SHINGLETON, HUGH M., YOUNGER, BENJAMIN, and BOOTS, LARRY R. Elevated titers of the beta subunit of human chorionic gonadotropin in oophorectomized women being treated for trophoblastic disease, 122  
— (see PARTRIDGE ET AL.), 412, 419  
HAWORTH, J. C., ELLESTAD-SAYED, J. J., KING, JEAN, and DILLING, LOUISE A. Fetal growth retardation in cigarette-smoking mothers is not due to decreased maternal food intake, 719  
HAWRYLYSHYN, P. A., ORGAN, L. W., and BERNSTEIN, A. A new computer technique for continuous measurement of the pre-ejection period in the human fetus: Physiologic significance of pre-ejection period patterns, 801  
— (see ORGAN, BERNSTEIN, and HAWRYLYSHYN), 810  
HAYASHI, ROBERT H. (see SCHENKEN ET AL.), 773  
HAYNES, DOUGLAS M. Remember the tune, 638  
HEAL, ALBERT V., and GLUCK, JOAN. Qualitative detection of a human placental lactogen-binding substance by radioassay, 975  
HICKS, DOROTHY J. Rape: Sexual assault, 931

HILL, GALE B. (see GALL and HILL), 914  
— (see MILLER ET AL.), 451  
HOBART, JOHN M. (see DEPP ET AL.), 338  
HOGUE, CAROL J. R. (see HULKA ET AL.), 92  
HOHIMER, A. ROGER (see BISSONNETTE ET AL.), 575  
HOLMES, KING K. (see MCGUIRE, GUZINSKI, and HOLMES), 600  
HONORÉ, LOUIS H. The increased incidence of renal stones in women with spontaneous abortion: A retrospective study, 145 (Comm. in brief)  
HORN, DAVID (see HARPER ET AL.), 617  
HOSKINS, EDWARD J., and FRIEDMAN, WILLIAM F. Influence of maternal alpha-methyldopa on sympathetic innervation in the newborn rabbit heart, 496  
HOUGH, LINDA J. (see ARCHER ET AL.), 646  
HRYCAK, PATER (see WILCHINS ET AL.), 854  
HULKA, BARBARA S., FOWLER, WESLEY C., JR., KAUFMAN, DAVID G., GRIMSON, ROGER C., GREENBERG, BERNARD G., HOGUE, CAROL J. R., BERGER, GARY S., and PULLIAM, CHARLES C. Estrogen and endometrial cancer: Cases and two control groups from North Carolina, 92  
HULKA, JAROSLAV F. (see GRIMES, HULKA, and MCCUTCHEON), 785

I

INGEMARSSON, INGEMAR (see IOSIF, INGEMARSSON, and ULMSTEN), 696  
IOSIF, SERAFIM, INGEMARSSON, INGEMAR, and ULMSTEN, ULF. Urodynamics studies in normal pregnancy and in puerperium, 696  
IOZZO, RENATO V. (see WIEGENSTEIN and IOZZO), 744  
ISAKSSON, ANDERS, KALLNER, ANDERS, LANTTO, OLLE, and SØMELL, CHRISTINA. Rhythmic changes in estriol excretion during pregnancy, 470  
ISSA, PHILIP Y., SALEM, PHILIP A., BRIHI, EMILE, and AZOURY, RAMEZ S. Eosinophilic granuloma with involvement of the female genitalia, 608

J

JAMES, F. M. (see FISHBURN ET AL.), 944  
JAVAHERI, G., and FEIGIN, MOSHE D. Diagnostic value of colposcopy in the investigation of cervical neoplasia, 588  
JELOVSEK, FREDERICK R., HAMMOND, CHARLES B., WOODARD, BRETT H., DRAFFIN, RICHARD, LEE, KERRY L., CREAMAN, WILLIAM T., and PARKER, ROY T. Risk of exogenous estrogen therapy and endometrial cancer, 85  
JENG, DAI-YUN (see SCHER ET AL.), 769  
JIANG, NAI-SIANG (see BAMMANN, COULAM, and JIANG), 293  
JOHNSON, GARY (see RICHART ET AL.), 823  
JOHNSON, JOHN E. (see TROPE, LÖGDBERG, and JOHNSON), 743  
JOHNSTON, JOHN M. (see SCHWARZ, MACDONALD, and JOHNSTON), 21  
JONES, D. E. DARNELL (see DEMERS and JONES), 146  
JONES, HOWARD W., III, and BULLER, RICHARD E. The treatment of cervical intraepithelial neoplasia by cone biopsy, 882  
JONES, PAUL K. (see HACK ET AL.), 797  
JORDANA, H. V. F. (see KREBS ET AL.), 936  
JORET, DALE (see MUELLER-HEUBACH ET AL.), 758

K

KALLNER, ANDERS (see ISAKSSON ET AL.), 470  
KALRA, PUSHPA S. (see SPELLACY ET AL.), 109  
KAMINSKA, JANINA (see ROSEN ET AL.), 525  
KAPLAN, CYNTHIA, BENIRSCHKE, KURT, and TARZY, BRUCE. Placental tuberculosis in early and late pregnancy, 858 (Comm. in brief)  
KASIM, MEHMET (see COOPERMAN, KASIM, and RAJASHEKARIAH), 536  
KASPER, DENNIS L. (see BAKER ET AL.), 39  
KATZ, MICHAEL, and SOKAL, MYRON M. Skin perfusion in pregnancy, 30  
KAUFMAN, DAVID G. (see HULKA ET AL.), 92  
KAUFMAN, RAYMOND H., ADAM, ERVIN, BINDER, GARY L., and GERTHOFFER, ELIZABETH. Upper genital tract changes and pregnancy outcome in offspring exposed in utero to diethylstilbestrol, 299  
— (see REEVES and KAUFMAN), 509  
— (see ADAM ET AL.), 827  
KAUFMAN, STEPHEN L. (see GRUMBINE ET AL.), 959  
KAUPPILA, ANTTI, KIVELÄ, AARNE, KONTULA, KIMMO, and TUIMALA, RISTO. Serum progesterone, estradiol, and estriol before and during induced labor, 462  
KAYLOR, WILLIAM M., JR. (see VAN GEIJN ET AL.), 43  
KEEN, F. K. (see YOUNG ET AL.), 284  
KELLEY, LUCKY K. (see SCHLEPPHORST, KELLEY, and SMITH), 499

KENIGSBERG, KENNETH (see HARPER ET AL.), 617  
 KERENYI, THOMAS D. (see SCHER ET AL.), 769  
 KESKI-OHA, JORMA (see VESTERINEN ET AL.), 681  
 KILLAM, ALLEN P. (see MCCOY, ELLENBERG, and KILLAM), 739  
 KING, JEAN (see HAWORTH ET AL.), 719  
 KING, THEODORE M., ATIENZA, MILAGROS F., and BURKMAN, RONALD T. The incidence of abdominal surgical procedures in a population undergoing abortion, 530  
 KINGSTON, E. J. (see ROBINSON, KINGSTON, and THORBURN), 729  
 KIRKLEY, WILLIAM H. Fetal survival—What price, 872  
 KIVELÄ, AARRE (see KAUPPILA ET AL.), 462  
 KNIGHT, PAUL C. (see TRUDINGER and KNIGHT), 724  
 KOBBERMANN, THOMAS, CLARK, LAUREN, and GRIFFIN, WILLIAM T. Maternal death secondary to disseminated herpesvirus hominis, 742 (Comm. in brief)  
 KOCK, Y. (see RUBIO ET AL.), 843  
 KONTULA, KIMMO (see KAUPPILA ET AL.), 462  
 KORCAZ, Y. (see LUTHER ET AL.), 351  
 KOSKELA, MOLLIE (see DEVORE and KOSKELA), 745  
 KRAUSS, ALFRED (see ZERVOUDAKIS, KRAUSS, and FUCHS), 713  
 KREBS, H. B., PETRES, R. E., DUNN, L. J., JORDAN, H. V. F., and SECRETI, A. Intrapartum fetal heart rate monitoring. III. Association of meconium with abnormal fetal heart rate patterns, 936  
 KUNTZ, WILLIAM D. Supine pressor (roll-over) test: An evaluation, 764

L

LANGE, M. (see MIDDLETON ET AL.), 144  
 LANTTO, OLLE (see ISAKSSON ET AL.), 470  
 LAROS, RUSSELL K., JR. (see CREAMY ET AL.), 212  
 LAUERSEN, NIELS H., CEDERQVIST, LARS L., and WILSON, KATHLEEN H. Management of intrauterine fetal death with prostaglandin E<sub>2</sub> vaginal suppositories, 755  
 LAWRENCE, W., DWYANE, and SHINGLTON, HUGH M. Early physiologic squamous metaplasia of the cervix: Light and electron microscopic observations, 661  
 LEE, KERRY L. (see JELOVSEK ET AL.), 85  
 LEEDS, LEROY J. (see YOW ET AL.), 34  
 LEVY, MARTIN (see WILCHINS ET AL.), 854  
 LEVY, RICHARD P., NEWMAN, DAVID M., REJALI, LISA S., and BARFORD, DONALD A. G. The myth of goiter in pregnancy, 701  
 LEWIN, EDWARD (see AMSTEY, LEWIN, and COLAICE), 534  
 LEWIS, P. E. (see CEFALO ET AL.), 53  
 LICKRISH, GORDON (see RICHART ET AL.), 823  
 LIEB, S. M. (see NUWAYHID ET AL.), 25  
 LIN, CHIN-CHU, MOAWAD, ATEF H., ROSENOW, PHILIP J., and RIVER, PHILIP. Acid-base characteristics of fetuses with intrauterine growth retardation during labor and delivery, 553  
 LINDHEIMER, MARSHALL D. (see SINGSON, FISHER, and LINDHEIMER), 857  
 LING, NICHOLAS (see OYAMA ET AL.), 613  
 LÖÖGBERG, LENNART (see TROPE, LÖÖGBERG, and JOHNSON), 743  
 LONGO, LAWRENCE D. Environmental pollution and pregnancy: Risks and uncertainties for the fetus, 162  
 LOURIA, D. B. (see MIDDLETON ET AL.), 144  
 LOWE, G. D. O., DRUMMOND, M. M., FORBES, C. D., and BARBENEL, J. C. Increased blood viscosity in young women using oral contraceptives, 840  
 LUTHER, E. R., ROUX, J., POPAT, R., GARDNER, A., GRAY, J., SOUBIRAN, E., and KORCAZ, Y. The effect of estrogen priming on induction of labor with prostaglandins, 351

M

MCCARTHY, THOMAS A. (see OSTERGARD and McCARTHY), 401  
 MCCOY, MICHAEL J., ELLENBERG, JOHN F., and KILLAM, ALLEN P. Coccidioidomycosis complicating pregnancy, 739 (Comm. in brief)  
 McCUTCHEON, MARY E. (see GRIMES, HULKA, and McCUTCHEON), 785  
 MACDONALD, C. P. (see GROSSO ET AL.), 569  
 MACDONALD, HUGH M. (see MUELLER-HEUBACH ET AL.), 758  
 MACDONALD, PAUL C. (see SCHWARZ, MACDONALD, and JOHNSTON), 21  
 McDONELL, C. F., JR. Puerperal laparoscopic sterilization, 910  
 McGuire, LINDA S., GUZINSKI, GAY M., and HOLMES, KING K. Psychosocial functioning in symptomatic and asymptomatic women with and without signs of vaginitis, 600  
 MAHARRY, JAMES M. Carcinoma of the breast in a community hospital: Who makes the diagnosis, 207

MALINAK, L., RUSSELL, BUTTRAM, VEASY C., JR., ELIAS, SHERMAN, and SIMPSON, JOE LEIGH. Heritable aspects of endometriosis. II. Clinical characteristics of familial endometriosis, 332  
 — (see SIMPSON ET AL.), 327  
 MARIN, A. C., and CRISP, WILLIAM E. A new indication for colposcopy: Predicting tumor response to chemotherapy, 862 (Comm. in brief)  
 MAROON, JOSEPH C. (see ARCHER ET AL.), 646  
 MARTINEZ, DAVID A., and BARTON, JUDITH L. Estimation of fetal body and fetal head volumes: Description of technique and nomograms for 18 to 41 weeks of gestation, 78  
 MASON, EDWARD O., JR. (see YOW ET AL.), 34  
 MATHUR, R. S. (see WILLIAMSON ET AL.), 893  
 MATHUR, SUBBI (see WILLIAMSON ET AL.), 613  
 MATSUKI, AKITOMA (see OYAMA ET AL.), 613  
 MEIS, P. J. (see FISHBURNE ET AL.), 944  
 MELNICK, JOSEPH L. (see ADAM ET AL.), 827  
 MENDENHALL, ROBERT C. (see PEARSE and MENDENHALL), 320  
 MEREDITH, JANET L. (see POMERANCE, SCHIFRIN, and MEREDITH), 486  
 MERKATZ, IRWIN R. (see HACK ET AL.), 797  
 MIDDLETON, J. R., APUZZIO, J., LANGE, M., SEN, P., BONAMO, J., and LOURIA, D. B. Post cesarean section endometritis: Causative organisms and risk factors, 144 (Comm. in brief)  
 MIESFELD, ROGER R., GIARRATANO, ROBERT C., and MOYERS, THOMAS G. Vaginal tubal ligation—Is infection a significant risk? 183  
 MILLER, JOSEPH M., JR., HILL, GALE B., WELT, SELMAN I., and PUPKIN, MARCOS J. Bacterial colonization of amniotic fluid in the presence of ruptured membranes, 451  
 MILLER, RICHARD L. For academia: A bill of particulars, 635 (Clinical opinion)  
 MILLER, THEODORE R. (see STEPHENS ET AL.), 747  
 MILUNSKY, AUBREY (see ZEISEL, MILUNSKY, and BLUSZTAJN), 481  
 MING, PEN-MING L. (see PARKER ET AL.), 656  
 MIYAKAWA, ISAO (see STANCZYK, MIYAKAWA, and GOEBELSMANN), 443  
 MOAWAD, ATEF H. (see LIN ET AL.), 553  
 MONIF, GILLES, R. G., THOMPSON, JOAN L., STEPHENS, HAZEL D., and BAER, HERMAN. Quantitative and qualitative effects of povidone-iodine liquid and gel on the aerobic and anaerobic flora of the female genital tract, 432  
 MONTI, JORGE A. (see NAVES, MONTI, and CHICHONI), 136  
 MOSHIRPUR, JASMIN (see SCHER ET AL.), 769  
 MOYERS, THOMAS G. (see MIESFELD, GIARRATANO, and MOYERS), 183  
 MUELLER-HEUBACH, EBERHARD, MACDONALD, HUGH M., JORET, DALE, PORTMAN, MARY ANN, EDELMSTONE, DANIEL I., and CARITIS, STEVEN N. Effects of electronic fetal heart rate monitoring on perinatal outcome and obstetric practices, 758  
 —, MYERS, RONALD E., and ADAMSONS, KARLIS. Fetal heart rate and blood pressure during prolonged partial asphyxia in the rhesus monkey, 48  
 MURAD, TARIQ (see PARTRIDGE ET AL.), 412, 419  
 MYERS, RONALD E. (see MUELLER-HEUBACH, MYERS, and ADAMSONS), 48

N

NADLER, HENRY L. (see WALSH and NADLER), 978  
 NAYYE, RICHARD L. (see APPELBAUM ET AL.), 579  
 NAJJAR, TALIA A. (see WILCHINS ET AL.), 854  
 NAVES, MONTI, JORGE A., and CHICHONI, EDUARDO. Basal cell-like carcinoma in the upper third of the vagina, 136 (Comm. in brief)  
 NAYEL, SAYED A. (see AMIN ET AL.), 831  
 NEDRUD, JOHN G. (see VESTERINEN ET AL.), 681  
 NETTLES, JOHN B. The physician and society: Individual and collective relationships, 277  
 NEWMAN, DAVID M. (see LEVY ET AL.), 701  
 NEZHAT, CAMRAN, ASCH, RICARDO H., and GREENBLATT, ROBERT B. Danazol for benign breast disease, 604  
 NICKERSON, K. G. (see BENEDET ET AL.), 254  
 NICOLA, KIM M. (see VAN GEIJN ET AL.), 43  
 NISHI, HIDEO (see GOTO, NISHI, and TOMODA), 707  
 NISWANDER, KENNETH R. (see HAESSELIN and NISWANDER), 245  
 NOSEK, JANET A. (see DEPP ET AL.), 338  
 NOVY, MILES J. Reversal of Kroener fimbriectomy sterilization, 198  
 NUWAYHID, B. S., CABALUM, M. T., LIEB, S. M., ZUGAIB, M., BRINKMAN, C. R., III, TABSH, K. M., and ASSALI, N. S. Hemodynamic effects of isoxsuprine and terbutaline in pregnant and non-pregnant sheep, 25

O

OBIEKWE, B. C. (see GRUDZINSKAS ET AL.), 866  
O'BRIEN, W. F. (see CEFALO ET AL.), 53  
O'LEARY, JAMES A., ANDRINOPoulos, GEORGE C., and GIORDANO, PATRICIA C. Variable decelerations and the nonstress test: An indication of cord compromise, 704  
ORGAN, L. W., BERNSTEIN, A., and HAWRYLYSHYN, P. A. The pre-ejection period as an antepartum indicator of fetal well-being, 810  
— (see HAWRYLYSHYN, ORGAN, and BERNSTEIN), 801  
ORRICK, LARRY R., and GOLDE, STEVEN H. Jr.-mediated hemolytic disease of the newborn infant, 135 (Comm. in brief)  
ORTIZ, MARÍA-ELENA (see DÍAZ, ORTIZ, and CROXATTO), 116  
OSTERGARD, DONALD R., and McCARTHY, THOMAS A. Diagnostic procedures in female urology, 401 (Clinical opinion)  
OYAMA, TSUTOMU, MATSUKI, AKITOMA, TANEICHI, TAKEO, LING, NICHOLAS, and GUILLEMIN, ROGER.  $\beta$ -Endorphin in obstetric analgesia, 613 (Current investigation)

P

PAGANO, JOSEPH S. (see VESTERINEN ET AL.), 681  
PARER, JULIAN T. (see CREASY ET AL.), 212  
PARKER, RENÉE, MING, PEN-MING L., RAJAN, RENGA, GOODNER, DAVID M., and REMÉ, GERARD. Clinical and cytogenetic studies of patients with polycystic ovary disease, 656  
PARKER, ROY T. (see JELOSEK ET AL.), 85  
PARTRIDGE, EDWARD E., MURAD, TARIQ, SHINGLETON, HUGH M., AUGUSTIN, J. MAX, and HATCH, KENNETH D. Verticous lesions of the female genitalia. I. Giant condylomata, 412  
—, —, —, and —. Verticous lesions of the genitalia. II. Verticous carcinoma, 419  
PAUL, MARILYN S. (see BISSONNETTE ET AL.), 575  
PAUL, RICHARD H. (see COTTON ET AL.), 687  
— (see DRUZIN, GRATACOS, and PAUL), 746  
PEARSE, WARREN H., and MENDENHALL, ROBERT C. Manpower for obstetrics and gynecology. II. Characteristics of patients; their diagnoses and care, 320  
PENDLEBURY, D. (see GRUDZINSKAS ET AL.), 866  
PERKINS, ROBERT L. (see SPAGNA, PRIOR, and PERKINS), 595  
PETERS, WILLIAM A., III, and THORNTON, W. NORMAN, JR. Selection of the primary operative procedure for stress urinary incontinence, 923  
PETRES, R. E. (see KREBS ET AL.), 936  
PHANSEY, SHAILA A. (see WILLIAMSON ET AL.), 893  
PHERNETTON, TERRANCE M. (see ANDERSON, PHERNETTON, and RANKIN), 735  
PHILLIPPE, MARK (see FRIGOLETT ET AL.), 521  
PILLSBURY, S. GAINER, JR. Reproductive significance of changes in the endometrial cavity associated with exposure *in utero* to diethylstilbestrol, 178  
POMERANCE, JEFFREY J., SCHIFRIN, BARRY S., and MEREDITH, JANET L. Womb rent, 486  
POPAT, R. (see LUTHER ET AL.), 351  
PORTMAN, MARY ANN (see MUELLER-HEUBACH ET AL.), 758  
POWELL, J. ROGER (see SMITH and POWELL), 314  
PRAPHAT, R., HORA, RUFFOLO, EUGENE H., COPELAND, WILLIAM J., RICHMAN, ALAN V., and CAVANAGH, DENIS. Carcinoma of the cervix: A diagnostic problem, 514 (Comm. in brief)  
PRIOR, RICHARD B. (see SPAGNA, PRIOR, and PERKINS), 595  
PULLIAM, CHARLES C. (see HULKA ET AL.), 92  
PULS, KATHERINE (see BARTON ET AL.), 377  
PUPKIN, MARCOS J. (see MILLER ET AL.), 451

Q

QUEENAN, JOHN T. (see RAO, WILLCOURT, and QUEENAN), 543  
QUIGLEY, M. E., and YEN, S. S. C. Evidence for increased dopaminergic inhibition of secretion of thyroid-stimulating hormone in hypoprolactinemic patients with pituitary microadenoma, 653  
QUILLIGAN, E. J. (see BENEDETTI and QUILLIGAN), 860  
— (see COLLEA, CHEIN, and QUILLIGAN), 234  
— (see COTTON ET AL.), 687

R

RAFFERTY, TERENCE D. (see BERKOWITZ and RAFFERTY), 127  
RAJAN, RENGA (see PARKER ET AL.), 656  
RAJASHEKARAIH, K. R. (see COOPERMAN, KASIM, and RAJASHEKARAIH), 536

S

RAMWELL, P. W. (see CEFALO ET AL.), 53  
RANKIN, JOHN H. G. (see ANDERSON, PHERNETTON, and RANKIN), 735  
RAO, CH. V., WILLCOURT, ROBIN, and QUEENAN, JOHN T. Lack of sub-hourly variations in plasma unconjugated estriol levels in pregnant diabetic patients in the third trimester, 543  
RAYBURN, WILLIAM F., and WILSON, EMERY A. Coital activity and premature delivery, 972  
RAYE, JOHN R., DUBIN, JOSEPH W., and BLECHNER, JACK N. Alterations in fetal metabolism subsequent to maternal morphine administration, 505  
READ, JOHN A. (see COTTON ET AL.), 687  
READ, PATRICIA A. (see BARTON ET AL.), 377  
REEVES, KEITH O., and KAUFMAN, RAYMOND H. Vulvar ectopic breast tissue mimicking periclitral abscess, 509 (Comm. in brief)  
REJALI, LISA S. (see LEVY ET AL.), 701  
REMÉ, GERARD (see PARKER ET AL.), 656  
RESNIK, ROBERT, and BRINK, GARY W. Uterine vascular response to prostacyclin in nonpregnant sheep, 267  
REYES, F. I. (see BLANKSTEIN ET AL.), 781  
— (see FUJEDA ET AL.), 962  
RHYNÉ, A. L. (see FISHBURNE ET AL.), 944  
RICHARD, RALPH M., TOWNSEND, DUANE E., CRISP, WILLIAM, DEPETRILLO, AMODIO, FERENCZY, ALEX, JOHNSON, GARY, LICKRISH, GORDON, ROY, MICHEL, and VILLA SANTA, UMBERTO. An analysis of "long-term" follow-up results in patients with cervical intraepithelial neoplasia treated by cryotherapy, 823  
RICHMAN, ALAN V. (see PRAPHAT ET AL.), 514  
RICHMOND, ISABELLE L. (see DOMINGUE, RICHMOND, and WILSON), 102  
RIVER, PHILIP (see LIN ET AL.), 553  
ROBERTS, JAMES M. (see CREASY ET AL.), 212  
ROBERTSON, W. B. (see DE WOLF ET AL.), 58  
ROBINSON, J. S., KINGSTON, E. J., and THORNBURN, G. D. Increased fetal breathing activity after fetal hypophysectomy, 729  
ROSEN, SAUL W., KAMINSKA, JANINA, CALVERT, IDA S., ELLMORE, NELSON, and AARONSON, STUART A. Ectopic production of "pregnancy-specific" beta-1 glycoprotein in vitro: Discordance with three other placental proteins, 525  
ROSENOW, PHILIP J. (see LIN ET AL.), 553  
ROSENHEIN, NEIL B., GENADRY, RENÉ R., and WOODRUFF, J. DONALD. An anatomic classification of rectovaginal septal defects, 439  
— (see GRUMBINE ET AL.), 959  
ROUX, J. (see LUTHER ET AL.), 351  
ROVNER, SCOTT (see BARTON ET AL.), 377  
ROY, MICHEL (see RICHART ET AL.), 823  
RUBIO, C. A., BERGLUND, K., KOCK, Y., and ZETTERBERG, A. Studies on the distribution of abnormal cells in cytologic preparations. III. Making the smear with a plastic spatula, 843  
RUFFOLO, EUGENE H. (see PRAPHAT ET AL.), 514  
RYAN, GEORGE M., JR., and SWEENEY, PATRICK J. Attitudes of adolescents toward pregnancy and contraception, 358  
—, —, and SOLOLA, ABIODUN S. Prenatal care and pregnancy outcome, 876  
RYAN, KENNETH J. (see FRIGOLETT ET AL.), 521

S

SACK, ROBERT A. The effect of utilization on health care costs, 271  
SALAZAR, HERNANDO (see ARCHER ET AL.), 646  
SALEM, PHILIP A. (see ISSA ET AL.), 608  
SANDBERG, EUGENE C., and CHRISTIAN, JOE C. Diethylstilbestrol-exposed monozygotic twins discordant for cervicovaginal clear cell adenocarcinoma, 220  
SCHELLHAS, HELMUT F. Extraperitoneal surgical approach to the pelvis after radiation therapy or radical surgery, 367  
SCHENKEN, ROBERT S., HAYASHI, ROBERT H., VALENZUELA, GUILLERMO V., and CASTILLO, MARIA S. Treatment of premature labor with beta sympathomimetics: Results with isoxsuprine, 773  
SCHER, JONATHAN, JENG, DAI-YUN, MOSHIRPUR, JASMIN, and KERENYI, THOMAS D. A comparison between vaginal prostaglandin E<sub>2</sub> suppositories and intrauterine extra-aminotic prostaglandins in the management of fetal death *in utero*, 769  
SCHIFRIN, BARRY S. (see POMERANCE, SCHIFRIN, and MEREDITH), 486  
SCHINFELD, JAY S., and WINSTON, HERBERT G. Primary tubal carcinoma in pregnancy, 512 (Comm. in brief)  
SCHLEPPHORST, ERIC, KELLEY, LUCKY K., and SMITH, CARL H. Placental amino acid uptake. V. Relationship to placental maturation in the rat, 499

SCHMIDT-GOLLWITZER, K., SCHUESSLER, B., ELMER, W., and SCHMIDT-GOLLWITZER, M. Improvement in artificial second-trimester abortion with a new tissue-selective prostaglandin E<sub>2</sub> derivative, 867 (Comm. in brief)

SCHMIDT-GOLLWITZER, M. (see SCHMIDT-GOLLWITZER ET AL.), 867

SCHUESSLER, B. (see SCHMIDT-GOLLWITZER ET AL.), 867

SCHWARZ, BARRY E., MACDONALD, PAUL C., and JOHNSTON, JOHN M. Initiation of human parturition. XI. Lyosomal enzyme release in vitro from amniotic fluid obtained from laboring and non-laboring women, 21

SEGRETI, A. (see KREBS ET AL.), 936

SEN, P. (see MIDDLETON ET AL.), 144

SHAIKH, ABUBAKAR A., SHAIKH, SHAMIM A., and CASTRACANE, V. DANIEL. Pharmacologic induction of luteolysis in cynomolgus monkeys (*Macaca fascicularis*), 672

SHAIKH, SHAMIM A. (see SHAIKH, SHAIKH, and CASTRACANE), 672

SHINGLETON, HUGH M. (see HATCH ET AL.), 122

— (see LAWRENCE and SHINGLETON), 661

— (see PARTRIDGE ET AL.), 412, 419

SHULMAN, GERALD (see APPELBAUM ET AL.), 579

SHULMAN, LEON J. An address, 155

SHY, KIRKWOOD K., FROST, FLOYD, and ULLOM, JEAN. Out-of-hospital delivery in Washington State, 1975 to 1977, 547

SIA, CONCEPCION G. (see HARPER ET AL.), 617

SIMON, NICOLAS V. (see APPELBAUM ET AL.), 579

SIMPSON, JOE LEIGH, ETIAS, SHERMAN, MALINAK, L. RUSSELL, and BUTTRAM, VEASY C., JR. Heritable aspects of endometriosis. I. Genetic studies, 327

— (see MALINAK ET AL.), 332

SINGSON, ELISEA, FISHER, KENNETH F., and LINDHEIMER, MARSHALL D. Acute poststreptococcal glomerulonephritis in pregnancy: Case report with an 18-year follow-up, 857 (Comm. in brief)

SMITH, CARL H. (see SCHLEPHORST, KELLEY, and SMITH), 499

SMITH, ROGER P., and POWELL, J. ROGER. The objective evaluation of dysmenorrhea therapy, 314

SOKAL, MYRON M. (see KATZ and SOKAL), 30

SOLOLA, ABIODUN S. (see RYAN, SWEENEY, and SOLOLA), 876

SOMEILL, CHRISTINA (see ISAKSSON ET AL.), 470

SOUBIRAN, E. (see LUTHER ET AL.), 351

SPADONI, LEON R. Tubal and peritubal surgery without magnification: An analysis, 189

SPAGNA, VINCENT A., PRIOR, RICHARD B., and PERKINS, ROBERT L. Rapid presumptive diagnosis of gonococcal cervicitis by the limulus lysate assay, 595

SPELLACY, WILLIAM N., KALRA, PUSHPA S., BUHI, WILLIAM C., and BIRK, SHARON A. Pituitary and ovarian responsiveness to a graded gonadotropin releasing factor stimulation test in women using low-estrogen or a regular type of oral contraceptive, 109

— (see GELMAN ET AL.), 459

SPANCKZYK, FRANK Z., MIYAKAWA, ISAO, and GOEBELSMANN, UWE. Direct radioimmunoassay of urinary estrogen and pregnandiol glucuronides during the menstrual cycle, 443

STANICH, B. M. (see YOUNG ET AL.), 284

STEIN, DANIEL S. Transmissible venereal neoplasia: A case report, 864

STEINMAN, MARY E. (see EDWARDS ET AL.), 583

STEPHENS, HAZEL D. (see MONIF ET AL.), 432

STEPHENS, JOHN D., GOLBES, MITCHELL S., MILLER, THEODORE R., WILBER, RICHARD R., and EPSTEIN, CHARLES J. Multiple congenital anomalies in a fetus exposed to 5-fluorouracil during the first trimester, 747 (Comm. in brief)

STERN, DANIEL (see HARPER ET AL.), 617

STERN, J. (see BUSCEMA, STERN, and WOODRUFF), 902

STONE, MARTIN L. Obstetrics and gynecology: Doing better—feeling worse, 309

SWAIN, M. F. (see FISHBURNE ET AL.), 944

SWEENEY, PATRICK J. (see RYAN and SWEENEY), 358

— (see RYAN, SWEENEY, and SOLOLA), 876

T

TABSH, K. M. (see NUWAYHID ET AL.), 25

TANEICHI, TAKEO (see OYAMA ET AL.), 613

TARZY, BRUCE (see KAPLAN, BENIRSCHKE, and TARZY), 858

TEASDALE, FRANCOIS. Gestational changes in the functional structure of the human placenta in relation of fetal growth: A morphometric study, 560

THOMASSON, J. E. (see GROSSO ET AL.), 569

THOMPSON, JOAN L. (see MONIF ET AL.), 432

THOMPSON, PETER K. (see YOW ET AL.), 34

THORBURN, G. D. (see ROBINSON, KINGSTON, and THORBURN), 729

THORNTON, W. NORMAN, JR. (see PETERS and THORNTON), 923

TOMODA, YUTAKA (see GOTO, NISHI, and TOMODA), 707

TOWNSEND, DUANE E. (see RICHART ET AL.), 823

TROPE, CLAES G., LÖGDÉR, LENNART, and JOHNSSON, JOHN E.  $\beta_2$ -microglobulin: A tumor marker of gynecologic cancer, 743 (Comm. in brief)

TRUDINGER, BRIAN J., and KNIGHT, PAUL C. Fetal age and patterns of human fetal breathing movement, 724

TUIMALA, RISTO (see KAUPPILA ET AL.), 462

TURKO, M. (see BENEDET ET AL.), 254

U

ULLOM, JEAN (see SHY, FROST, and ULLOM), 547

ULMSTEN, ULF (see IOSIF, INGEMARSSON, and ULMSTEN), 696

URBAN, R. B. (see FISHBURNE ET AL.), 944

V

VAGO, T., and CHAVKIN, J. Extramembranous pregnancy: An unusual complication of amniocentesis, 511 (Comm. in brief)

VALENZUELA, GUILLERMO V. (see SCHENKEN ET AL.), 773

VALLE, RAFAEL F. Hysteroscopy in the evaluation of female infertility, 425

VAN GEIJN, HERMAN P., KAYLOR, WILLIAM M., JR., NICOLA, KIM M., and ZUSPAN, FREDERICK P. Induction of severe intrauterine growth retardation in the Sprague-Dawley rat, 43

VAN PETTEN, GARRY R. (see ZVÍK and VAN PETTEN), 71

VAUGHN, THOMAS C., WIEBE, R. HERBERT, and HAMMOND, CHARLES B. Postpartum hypopituitarism and hyperprolactinemia, 749 (Comm. in brief)

VESTERINEN, ERVO H., CARSON, JOHN, WALTON, LESLIE A., COLLIER, ALBERT M., KESKI-OJA, JORMA, NEDRUD, JOHN G., and PAGANO, JOSEPH S. Human ectocervical and endocervical epithelial cells in culture: A comparative ultrastructural study, 681

VILLA SANTA, UMBERTO (see RICHART ET AL.), 823

W

WALSH, M. M. J., and NADLER, HENRY L. Methylumbelliferylguanidinobenzoate-reactive proteases in human amniotic fluid: Promising marker for the intrauterine detection of cystic fibrosis, 978

WALTON, LESLIE A. (see VESTERINEN ET AL.), 681

WEBB, BETTE J. (see BAKER ET AL.), 39

WEBB, GILBERT A. The use of hyperalimentation and chemotherapy in pregnancy: A case report, 263

WELT, SELMA I. (see MILLER ET AL.), 451

WENZEL, RICHARD P. (see DONOWITZ and WENZEL), 467

WHEELER, A. S. (see FISHBURNE ET AL.), 944

WIEBE, R. HERBERT (see VAUGHN, WIEBE, and HAMMOND), 749

WIEGENSTEIN, LOUISE, and IZZO, RENATO V. Unusual findings in a conjoined ("Siamese") twin placenta, 744 (Comm. in brief)

WILBER, RICHARD R. (see STEPHENS ET AL.), 747

WILCHINS, SIDNEY A., LEVY, MARTIN, HRYCAK, PATER, and NAJJAR, TALIB A. A model for thermal monitoring in cryosurgery, 854

WILLCOURT, ROBIN (see RAO, WILLCOURT, and QUEENAN), 543

WILLIAMSON, H., OLIVER, PHANSEY, SHAILA A., MATHUR, SUBBI, MATHUR, R. S., BAKER, ELIZABETH R., and FUDENBERG, H. H. Myasthenia gravis, premature menopause, and thyroid autoimmunity, 893

WILSON, CHARLES B. (see DOMINGUE, RICHMOND, and WILSON), 102

WILSON, EMERY A. (see RAYBURN and WILSON), 972

WILSON, KATHLEEN H. (see LAUERSEN, CEDERQVIST, and WILSON), 753

WINSTON, HERBERT G. (see SCHINFIELD and WINSTON), 512

WINTER, J. S. D. (see BLANKSTEIN ET AL.), 781

WOLNIK, L. Colpophotography with a large-format camera, 141 (Comm. in brief)

WOOD, SELAH (see GELMAN ET AL.), 459

WOODARD, BRETT H. (see JELOSEK ET AL.), 85

WOODRUFF, J. D. (see BUSCEMA, STERN, and WOODRUFF), 902

— (see ROSENSHEIN, GENADRY, and WOODRUFF), 439

Y

YASEEN, S. (see EL-MAHGOUB and YASEEN), 137

YEN, S. S. C. (see QUICLEY and YEN), 653

YOUNG, P. C. M., KEN, F. K., EINHORN, L. H., STANICH, B. M., EHRLICH, C. E., and CLEARY, R. E. Binding of medroxyprogesterone acetate in human breast cancer, 284

YOUNGER, BENJAMIN (see HATCH ET AL.), 122

YOW, MARTHA D., LEEDS, LEROY J., THOMPSON, PETER K., MASON, EDWARD O., JR., CLARK, DOROTHY J., and BEACHLER, CRAIG W. The natural history of group B streptococcal colonization in the pregnant woman and her offspring. I. Colonization studies, 34  
— (see BAKER ET AL.), 39

Z

ZEISEL, STEVEN H., MILUNSKY, AUBREY, and BLUSZTAJN, JAN K. Prenatal diagnosis of neural tube defects. V. The value of amniotic fluid cholinesterase studies, 481

ZERVOUDAKIS, IOANNIS A., KRAUSS, ALFRED, and FUCHS, FRITZ, with the technical assistance of KATHLEEN H. WILSON. Infants of mothers treated with ethanol for premature labor, 713  
ZETTERBERG, A. (see RUBIO ET AL.), 843  
ZINK, JOE, and VAN PETEN, GARRY R. The effect of norepinephrine on blood flow through the fetal liver and ductus venosus, 71  
ZUGAIB, M. (see NUWAYHID ET AL.), 25  
ZUSPAN, FREDERICK P. (see VAN GEIJN ET AL.), 43

## Subject index\*

### A

Abdominal surgical procedures, incidence of, in population undergoing abortion (King, Atienza, and Burkman), 530  
Abortion, artificial second-trimester, improvement in, with new tissue-selective prostaglandin E<sub>2</sub> derivative (Schmidt-Gollwitzer et al.), 867 (Comm. in brief)  
incidence of abdominal surgical procedures in population undergoing (King, Atienza, and Burkman), 530  
midtrimester, by dilatation and evacuation versus intra-amniotic instillation of prostaglandin F<sub>2α</sub>: Randomized clinical trial (Grimes, Hulka, and McCutchen), 785  
spontaneous, increased incidence of renal stones in women with: Retrospective study (Honore), 145 (Comm. in brief)  
Abscess, pericervical, vulvar ectopic breast tissue mimicking (Reeves and Kaufman), 509 (Comm. in brief)  
Academia, for: Bill of particulars (Miller), 635 (Clinical opinion)  
Acid(s)-base characteristics of fetuses with intrauterine growth retardation during labor and delivery (Lin et al.), 553  
bile, serum concentration of, in maternal blood and cord blood at parturition (Demers and Darnell Jones), 146 (Comm. in brief)  
Address, an (Shulman), 155  
Adenocarcinoma, cervicovaginal clear cell, diethylstilbestrol-exposed monozygotic twins discordant for (Sandberg and Christian), 220  
Adenomas, prolactin-secreting pituitary, results of surgery in 114 patients with (Domingue, Richmond, and Wilson), 102  
Serum and tissue prolactin levels with ultrastructural correlation (Archer et al.), 646  
Adolescent(s), attitudes of, toward pregnancy and contraception (Ryan and Sweeney), 358  
contraceptive use: Experience in 1,762 teenagers (Edwards et al.), 583  
Adrenal cortical function, comparative study of effect of oral contraceptives containing 50 µg of estrogen and those containing 20 µg of estrogen on (Amin et al.), 831  
gland, anencephalic, morphologic features of, in early pregnancy (Gray and Abramovich), 491  
pituitary, function in women treated with low doses of prednisone (Fujieda et al.), 962  
Aerobic and anaerobic flora of female genital tract, quantitative and qualitative effects of povidone-iodine liquid and gel on (Monif et al.), 432  
Age, fetal, and patterns of human fetal breathing movements (Trudinger and Knight), 724  
Amino acid uptake, placental, V. Relationship to placental maturation in rat (Schlepphorst, Kelley, and Smith), 499  
Amniocentesis, avoiding iatrogenic prematurity with elective repeat cesarean section without routine use of (Frigoleto et al.), 521  
unusual complication of: Extramembranous pregnancy (Vago and Chavkin), 511 (Comm. in brief)  
Amnions obtained from laboring and nonlaboring women, lysosomal enzyme release in vitro from, XI. Initiation of human parturition (Schwarz, MacDonald, and Johnston), 21  
Amniotic, extra-, prostaglandins, intrauterine, vaginal prostaglandin E<sub>2</sub> suppositories and, comparison between, in management of fetal death in utero (Scher et al.), 769  
fluid(s), amniotic membranes, and endometrial biopsy cultures, clinical significance, at time of cesarean section (Cooperman, Kasim, and Rajashekaraiah), 536  
bacterial colonization of, in presence of ruptured membranes (Miller et al.), 451  
cholinesterase studies, value of, V. Prenatal diagnosis of neural tube defects (Zeisel, Milunsky, and Blusztajn), 481  
cortisol, 11-desoxycortisol, and 21-desoxycortisol concentrations in, during normal pregnancy (Blankstein et al.), 781  
from two United States population groups, studies on growth-inhibiting property of (Appelbaum et al.), 579

### Amniotic fluid—Cont'd

human, methylumbelliferylguanidinobenzoate-reactive proteases in: Promising marker for intrauterine detection of cystic fibrosis (Walsh and Nadler), 978  
optical density at 450 mµ, changes in, in Rh-sensitized patients after maternal hydrocortisone treatment (Anderson and Cordero), 820  
intra-, instillation of prostaglandin F<sub>2α</sub>, dilatation and evacuation versus, midtrimester abortion by: Randomized clinical trial (Grimes, Hulka, and McCutchen), 785  
Anaerobic flora, aerobic and, of female genital tract, quantitative and qualitative effects of povidone-iodine liquid and gel on (Monif et al.), 432  
Analgesia, obstetric, β-endorphin in (Oyama et al.), 613 (Current investigation)  
Anatomic classification of rectovaginal septal defects (Rosenstein, Genadry, and Woodruff), 439  
Anencephalic adrenal gland, morphologic features of, in early pregnancy (Gray and Abramovich), 491  
Anesthesia, obstetric, language barrier in (DeVore and Koskela), 745 (Comm. in brief)  
Anomalies, multiple congenital, in fetus exposed to 5-fluorouracil during first trimester (Stephens et al.), 747 (Comm. in brief)  
Antenatal corticosteroids to prevent neonatal respiratory distress syndrome: Risk versus benefit considerations (Depp et al.), 338  
Antepartum fetal heart rate testing, prospective, clinical implications of (Devoe), 983  
VI. Predictive reliability of "normal" tests in prevention of antepartum death (Druzin, Gratacos, and Paul), 746 (Comm. in brief)  
indicator of fetal well-being, pre-ejection period as (Organ, Bernstein, and Hawrylyshyn), 810  
Antibody (antibodies), irregular—Continuing problem (Griffith), 174 serum, to capsular polysaccharide from type III, group B *Streptococcus*, determination of, II. Natural history of group B streptococcal colonization in pregnant woman and her offspring (Baker et al.), 39  
Apnea, effect of oxygen and of carbon dioxide tension on incidence of, in fetal lambs (Bissonnette et al.), 575  
Arteries, spiral, electron microscopic study of trophoblastic invasion of: Human placental bed (De Wolf et al.), 58  
Asphyxia, prolonged partial, fetal heart rate and blood pressure during, in rhesus monkey (Mueller-Heubach, Myers, and Adams), 48  
Assault, sexual: Rape (Hicks), 931  
Assay, limulus lysate, rapid presumptive diagnosis of gonococcal cervicitis by (Spagna, Prior, and Perkins), 595  
Autoimmunity, thyroid, myasthenia gravis, and premature menopause (Williamson et al.), 893

### B

Bacterial colonization of amniotic fluid in presence of ruptured membranes (Miller et al.), 451  
Ball methods, Thoms and modified, comparison of, with manual pelvimetry: Evaluation of usefulness of x-ray pelvimetry (Fine, Bracken, and Berkowitz), 15  
Basal cell-like carcinoma in upper third of vagina (Naves, Monti, and Chichoni), 136 (Comm. in brief)  
Bile acids, serum concentration of, in maternal blood and cord blood at parturition (Demers and Darnell Jones), 146 (Comm. in brief)  
Binding of medroxyprogesterone acetate in human breast cancer (Young et al.), 284  
substance, human placental lactogen-, qualitative detection of, by radioassay (Heal and Gluck), 975  
Biopsy, cone: Outpatient procedure (Berkus and Daly), 953  
treatment of cervical intraepithelial neoplasia by (Jones and Bullock), 882

\*May 1, 1-154; May 15, 155-276; June 1, 277-400; June 15, 401-520; July 1, 521-634; July 15, 635-752; August 1, 753-872; August 15, 873-1010.

**Biopsy—Cont'd**

- cultures, endometrial, amniotic fluid, and amniotic membranes, clinical significance of, at time of cesarean section (Cooperman, Kasim, and Rajashekaraiah), 536
- Birth-weight, very-low-, infants, changing trends of neonatal and postneonatal deaths in (Hack et al.), 797
- Birthing center, alternative: Experience in teaching obstetric service (Barton et al.), 377
- Blood flow through fetal liver and ductus venosus, effect of norepinephrine on (Zink and Van Patten), 71
- group Rh-D factor in human trophoblast determined by immunofluorescent method (Goto, Nishi, and Tomoda), 707
- maternal, and cord blood, serum concentration of bile acids in, at parturition (Demers and Darnell Jones), 146 (Comm. in brief)
- pressure, fetal heart rate and, during prolonged partial asphyxia in rhesus monkey (Mueller-Heubach, Myers, and Adamsons), 48
- viscosity, increased, in young women using oral contraceptives (Lowe et al.), 840
- Body, fetal, and fetal head volumes, estimation of:** Description of technique and nomograms for 18 to 41 weeks of gestation (Martinez and Barton), 78
- Books received,** 276, 752
- Breast cancer, human, binding of medroxyprogesterone acetate in** (Young et al.), 284
- carcinoma of, in community hospital: Who makes diagnosis? (Maharry), 207
- disease, benign, danazol for (Nezhat, Asch, and Greenblatt), 604
- tissue, vulvar ectopic, mimicking perirectal abscess (Reeves and Kaufman), 509 (Comm. in brief)
- Breathing activity, increased fetal, after fetal hypophysectomy (Robinson, Kingston, and Thorburn), 729
- movements, human fetal, fetal age and (Trudinger and Knight), 724
- Breech delivery in twenty years of practice (Graves), 229
- presentation, term frank, randomized management of: Study of 208 cases (Colle, Chein, and Quilligan), 235

**C**

- Camera, large-format, colphotography with** (Wolnik), 141 (Comm. in brief)
- Cancer, cervical, radical hysterectomy in treatment of** (Benedet et al.), 254
- endometrial, estrogen and: Cases and two control groups from North Carolina (Hulka et al.), 92
- risk of exogenous estrogen therapy and (Jelovsek et al.), 85
- gynecologic, tumor marker of:  $\beta_1$ -microglobulin (Trope, Lögdberg, and Johnson), 743 (Comm. in brief)
- human breast, binding of medroxyprogesterone acetate in (Young et al.), 284
- Carbon dioxide tension, effect of oxygen and of, on incidence of apnea in fetal lambs** (Bissonnette et al.), 575
- Carcinoma, basal cell-like, in upper third of vagina** (Naves, Monti, and Chichoni), 136 (Comm. in brief)
- of breast in community hospital: Who makes diagnosis? (Maharry), 207
- of cervix: Diagnostic problem (Praphat et al.), 514 (Comm. in brief)
- invasive vulvar, significance of histologic alterations adjacent to (Buscema, Stern, and Woodruff), 902
- primary tubal, in pregnancy (Schinfeld and Winston), 512 (Comm. in brief)
- verrucous, II. Verrucous lesions of female genitalia (Partridge et al.), 419
- Catheterization, Swan-Ganz, role of:** Invasive hemodynamic monitoring in critically ill pregnant patients (Berkowitz and Rafferty), 127 (Current developments)
- Cefamandole therapy, high-dose, in obstetric and gynecologic infections** (Gall and Hill), 914
- Cell(s), abnormal, studies on distribution of, in cytologic preparations.** III. Making smear with plastic spatula (Rubio et al.), 843
- adenocarcinoma, cervicovaginal clear, diethylstilbestrol-exposed monozygotic twins discordant for (Sandberg and Christian), 220
- basal, -like carcinoma in upper third of vagina (Naves, Monti, and Chichoni), 136 (Comm. in brief)
- human ectocervical and endocervical epithelial, in culture: Comparative ultrastructural study (Vesterinen et al.), 681
- Central Association of Obstetricians and Gynecologists, transactions, forty-seventh annual meeting,** 277-391
- Cerebral edema in severe pregnancy-induced hypertension** (Benedetti and Quilligan), 860 (Comm. in brief)
- Cervical cancer, radical hysterectomy in treatment of** (Benedet et al.), 254
- ectopy and cervicovaginal hood: Natural history of diethylstilbestrol-associated genital tract lesions (Antonioli, Burke, and Friedman), 847
- intraepithelial neoplasia treated by cryotherapy, analysis of "long-term" follow-up results in patients with (Richart et al.), 823
- treatment of, by cone biopsy (Jones and Buller), 882
- neoplasia, diagnostic value of colposcopy in investigation of (Jawaheri and Feigin), 588
- (trans-) flushing of uterus, recovery of ova by, time interval between luteinizing hormone peak and, in normal women, III. Studies on duration of ovum transport by human oviduct (Diaz, Ortiz, and Croxatto), 116
- Cervicitis, gonococcal, rapid presumptive diagnosis of, by limulus lysate assay** (Spagna, Prior, and Perkins), 595
- Cervicovaginal clear cell adenocarcinoma, diethylstilbestrol-exposed monozygotic twins discordant for** (Sandberg and Christian), 220
- hood, cervical ectopy and: Natural history of diethylstilbestrol-associated genital tract lesions (Antonioli, Burke, and Friedman), 847
- Cervix, carcinoma of:** Diagnostic problem (Praphat et al.), 514 (Comm. in brief)
- early physiologic squamous metaplasia of: Light and electron microscopic observations (Lawrence and Shingleton), 661
- Cesarean hysterectomy, sterilization by** (Britton), 887
- section, clinical significance of amniotic fluid, amniotic membranes, and endometrial biopsy cultures at time of (Cooperman, Kasim, and Rajashekaraiah), 536
- elective repeat, avoiding iatrogenic prematurity with, without routine use of amniocentesis (Frigoleto et al.), 521
- endometritis following (Donowitz and Wenzel), 467
- post-, endometritis: Causative organisms and risk factors (Middleton et al.), 144 (Comm. in brief)
- uteroradominal sinus following (Dessouky and Bolan), 147 (Comm. in brief)
- Chemotherapy, hyperalimentation and, use of, in pregnancy:** Case report (Webb), 263
- predicting tumor response to: New indication for colposcopy (Marin and Crisp), 862
- Cholinesterase studies, amniotic fluid, value of, V.** Prenatal diagnosis of neural tube defects (Zeisel, Milunsky, and Blusztajn), 481
- Chorea associated with oral contraceptive therapy** (Dove), 740 (Comm. in brief)
- Chorionic gonadotropin, human, elevated titers of beta subunit of, in oophorectomized women being treated for trophoblastic disease** (Hatch et al.), 122
- Cigarette-smoking mothers, fetal growth retardation in, is not due to decreased maternal food intake** (Haworth et al.), 719
- Clear cell adenocarcinoma, cervicovaginal, diethylstilbestrol-exposed monozygotic twins discordant for** (Sandberg and Christian), 220
- Clinical opinion, 1-7, 401-411, 635-637, 753-757**
- Coccidioidomycosis complicating pregnancy** (McCoy, Ellenberg, and Killam), 739 (Comm. in brief)
- Coelomic metaplasia, positive proof for theory of** (El-Mahgoub and Yaseen), 137 (Comm. in brief)
- Coital activity and premature delivery** (Rayburn and Wilson), 972
- Colonization, bacterial, of amniotic fluid in presence of ruptured membranes** (Miller et al.), 451
- group B streptococcal, natural history of, in pregnant woman and her offspring. I. Colonization studies (Yow et al.), 34
- II. Determination of serum antibody to capsular polysaccharide from type III, group B *Streptococcus* (Baker et al.), 39
- vaginal, with invasive *Escherichia coli* during pregnancy (Amstey, Lewin, and Colaice), 534
- Colphotography with large-format camera** (Wolnik), 141 (Comm. in brief)
- Colposcopy, diagnostic value of, in investigation of cervical neoplasia** (Jawaheri and Feigin), 588
- new indication for: Predicting tumor response to chemotherapy (Marin and Crisp), 862

Communications in brief, 135-148, 509-516, 739-751, 857-868

Community hospital, carcinoma of breast in: Who makes diagnosis? (Maharry), 207

Computer technique, new, for continuous measurement of pre-ejection period in human fetus: Physiologic significance of pre-ejection period patterns (Hawrylyshyn, Organ, and Bernstein), 801

Condylomata, giant, I. Verrucous lesions of female genitalia (Partridge et al.), 412

Cone biopsy: Outpatient procedure (Berkus and Daly), 953

treatment of cervical intraepithelial neoplasia by (Jones and Bullock), 882

Congenital anomalies, multiple, in fetus exposed to 5-fluorouracil during first trimester (Stephens et al.), 747 (Comm. in brief)

Conjoined ("Siamese") twin placenta, unusual findings in (Wiegenstein and Iozzo), 744 (Comm. in brief)

twins, xiphopagus: 300-year review of obstetric, morphopathologic, neonatal, and surgical parameters (Harper et al.), 617 (Current developments)

Contraception, pregnancy and, attitudes of adolescents toward (Ryan and Sweeney), 358

Contraceptive(s), oral, containing 50 µg of estrogen and those containing 20 µg of estrogen, comparative study of effect of, on adrenal cortical function (Amin et al.), 831

increased blood viscosity in young women using (Lowe et al.), 840

low-estrogen or regular type of, pituitary and ovarian responsiveness to graded gonadotropin releasing factor stimulation test in women using (Spellacy et al.), 109

therapy, oral, chorea associated with (Dove), 740 (Comm. in brief)

use, adolescent: Experience in 1,762 teenagers (Edwards et al.), 583

Cord blood, maternal blood and, serum concentration of bile acids in, at parturition (Demers and Darnell Jones), 146 (Comm. in brief)

compromise, indication of: Variable decelerations and nonstress test (O'Leary, Andrinopoulos, and Giordano), 704

Correspondence, 149-152, 517-520, 630-631, 869-870

Cortical function, adrenal, comparative study of effect of oral contraceptives containing 50 µg of estrogen and those containing 20 µg of estrogen on (Amin et al.), 831

Corticosteroids, antenatal, to prevent neonatal respiratory distress syndrome: Risk versus benefit considerations (Depp et al.), 338

Cortisol, 11-desoxycortisol, and 21-desoxycortisol concentrations in amniotic fluid during normal pregnancy (Blankstein et al.), 781

Costs, health care, effect of utilization on (Sack), 271

Cryosurgery, model for thermal monitoring in (Wilchins et al.), 854

Cryotherapy, analysis of "long-term" follow-up results in patients with cervical intraepithelial neoplasia treated by (Richart et al.), 823

Culture(s), endometrial biopsy, amniotic fluid, and amniotic membranes, clinical significance of, at time of cesarean section (Cooperman, Kasim, and Rajashekaraiah), 536

human ectocervical and endocervical epithelial cells in: Comparative ultrastructural study (Vesterinen et al.), 681

Current developments, 127-134, 617-629

investigation, 613-616

Cystic fibrosis, promising marker for intrauterine detection of: Methylumbelliferylguanidinobenzoate-reactive proteases in human amniotic fluid (Walsh and Nadler), 978

Cytogenetic studies, clinical and, of patients with polycystic ovary disease (Parker et al.), 656

Cytologic preparations, studies on distribution of abnormal cells in. III. Making smear with plastic spatula (Rubio et al.), 843

D

Danazol for benign breast disease (Nezhat, Asch, and Greenblatt), 604

Death(s), antepartum, predictive reliability of "normal" tests in prevention of, VI. Antepartum fetal heart rate testing (Druzin, Gracacos, and Paul), 746 (Comm. in brief)

fetal, intravenous prostaglandin E<sub>2</sub> and 16-phenoxy prostaglandin E<sub>2</sub> methyl sulfonamide for induction of, in utero (Gruber and Baumgarten), 8

in utero, comparison between vaginal prostaglandin E<sub>2</sub> suppositories and intrauterine extra-amniotic prostaglandin in management of (Scher et al.), 769

intrauterine fetal, management of, with prostaglandin E<sub>2</sub> vaginal suppositories (Lauersen, Cederqvist, and Wilson), 755 (Clinical opinion)

Death(s)—Cont'd

maternal, secondary disseminated herpesvirus hominis (Kobbermann, Clark, and Griffin), 742 (Comm. in brief)

neonatal and postneonatal, changing trends of, in very-low-birth-weight infants (Hack et al.), 797

Decelerations, variable, and nonstress test: Indication of cord compromise (O'Leary, Andrinopoulos, and Giordano), 704

Delivery, breech, in twenty years of practice (Graves), 229

labor and, acid-base characteristics of fetuses with intrauterine growth retardation during (Lin et al.), 553

out-of-hospital, in Washington State, 1975 to 1977 (Shy, Frost, and Ullom), 547

premature, coital activity and (Rayburn and Wilson), 972

Desensitization therapy, hypnotic, of vaginismus by (Fuchs), 1 (Clinical opinion)

Desoxycortisol, 11-, 21-desoxycortisol, and cortisol concentrations in amniotic fluid during normal pregnancy (Blankstein et al.), 781

Diabetic patients, pregnant, lack of subhourly variations in plasma unconjugated estriol levels in, in third trimester (Wilcock, Wilcourt, and Queenan), 543

Diethylstilbestrol-associated genital tract lesions, natural history of: Cervical ectopy and cervicovaginal hood (Antonioli, Burke, and Friedman), 847

-exposed monozygotic twins discordant for cervicovaginal clear cell adenocarcinoma (Sandberg and Christian), 220

reproductive significance of changes in endometrial cavity associated with exposure in utero to (Pillsbury), 178

upper genital tract changes and pregnancy outcome in offspring exposed in utero to (Kaufman et al.), 299

Dilatation and evacuation versus intra-amniotic instillation of prostaglandin F<sub>2α</sub>, midtrimester abortion by: Randomized clinical trial (Grimes, Hulka, and McCutchen), 785

Disease, benign breast, danazol for (Nezhat, Asch, and Greenblatt), 604

Jr<sup>th</sup>-mediated hemolytic, of newborn infant (Orrick and Golde), 135 (Comm. in brief)

polycystic ovary, clinical and cytogenetic studies of patients with (Parker et al.), 656

trophoblastic, elevated titers of beta subunit of human chorionic gonadotropin in oophorectomized women being treated for (Hatch et al.), 122

Distress, fetal, in term pregnancies (Haesslein and Niswander), 245

syndrome, neonatal respiratory, antenatal corticosteroids to prevent: Risk versus benefit considerations (Depp et al.), 338

respiratory, and maternal hypertension, relationship of newborn serum prolactin levels to (Grosso et al.), 569

Dobutamine and dopamine, vascular and uterine responses to, in gravid ewe (Fishburne et al.), 944

Dopamine, dobutamine and, vascular and uterine responses to, in gravid ewe (Fishburne et al.), 944

Dopaminergic inhibition of secretion of thyroid-stimulating hormone, evidence for, in hyperprolactinemic patients with pituitary microadenoma (Quigley and Yen), 653

Drug concentrations, fetal, prediction of (Anderson, Phernetton, and Rankin), 735

Ductus venosus, fetal liver and, effect of norepinephrine on blood flow through (Zink and Van Patten), 71

Dysmenorrhea therapy, objective evaluation of (Smith and Powell), 314

E

Ectocervical and endocervical epithelial cells, human, in culture: Comparative ultrastructural study (Vesterinen et al.), 681

Ectopic breast tissue, vulvar, mimicking perirectal abscess (Reeves and Kaufman), 509 (Comm. in brief)

production of "pregnancy-specific" beta-1 glycoprotein in vitro: Discordance with three other placental proteins (Rosen et al.), 525

Ectopy, cervical, and cervicovaginal hood: Natural history of diethylstilbestrol-associated genital tract lesions (Antonioli, Burke, and Friedman), 847

Edema, cerebral, in severe pregnancy-induced hypertension (Benedetti and Quilligan), 850 (Comm. in brief)

Electron microscopic observations, light and: Early physiologic squamous metaplasia of cervix (Lawrence and Shingleton), 661

study of trophoblastic invasion of spiral arteries: Human placental bed (De Wolf et al.), 58

Electronic fetal heart rate monitoring, effects of, on perinatal outcome and obstetric practices (Mueller-Heubach et al.), 758

Endocervical epithelial cells, human ectocervical and, in culture: Comparative ultrastructural study (Vesterinen et al.), 681

Endometrial biopsy cultures, amniotic fluid, and amniotic membranes, clinical significance of, at time of cesarean section (Cooperman, Kasim, and Rajashekaraiah), 536

cancer, estrogen and: Cases and two control groups from North Carolina (Hulka et al.), 92

risk of exogenous estrogen therapy and (Jelovsek et al.), 85

cavity, reproductive significance of changes in, associated with exposure in utero to diethylstilbestrol (Pillsbury), 178

Endometriosis, heritable aspects of. I. Genetic studies (Simpson et al.), 327

II. Clinical characteristics of familial endometriosis (Malinak et al.), 332

Endometriosis following cesarean section (Donowitz and Wenzel), 467

post-cesarean section: Causative organisms and risk factors (Middleton et al.), 144 (Comm. in brief)

Endorphin,  $\beta$ -, in obstetric analgesia (Oyama et al.), 613 (Current investigation)

Endotoxemia, role of prostaglandins in: Comparisons in response in nonpregnant, maternal, and fetal models. I. Prostaglandins and pulmonary effect of experimental endotoxemia (Cefalo et al.), 53

Environmental pollution and pregnancy: Risks and uncertainties for fetus and infant (Longo), 162

Enzyme(s) release, lysosomal, in vitro from amniotic fluid obtained from laboring and nonlaboring women, XI. Initiation of human parturition (Schwarz, MacDonald, and Johnston), 21

serum, in diagnosis of ovarian malignancy (Burrows), 140 (Comm. in brief)

Eosinophilic granuloma with involvement of female genitalia (Issa et al.), 608

Epithelial cells, human ectocervical and endocervical, in culture: Comparative ultrastructural study (Vesterinen et al.), 681

Erratum, 458

*Escherichia coli*, invasive, vaginal colonization with, during pregnancy (Amstey, Lewin, and Colaice), 534

Estradiol, estriol, and progesterone, serum, before and during induced labor (Kaupila et al.), 462

Estriol excretion, rhythmic changes in, during pregnancy (Isaksson et al.), 470

levels, plasma unconjugated, lack of subhourly variations in, in pregnant diabetic patients in third trimester (Rao, Wilcourt, and Queenan), 543

progesterone, and estradiol, serum, before and during induced labor (Kaupila et al.), 462

Estrogen and endometrial cancer: Cases and two control groups from North Carolina (Hulka et al.), 92

low-, or regular type of oral contraceptive, pituitary and ovarian responsiveness to graded gonadotropin releasing factor stimulation test in women using (Spellacy et al.), 109

oral contraceptives containing 50  $\mu$ g of, and those containing 20  $\mu$ g of estrogen, comparative study of effect of, on adrenal cortical function (Amin et al.), 831

and pregnanediol glucuronides, urinary, direct radioimmunoassay of, during menstrual cycle (Stanczyk, Miyakawa, and Goebelmann), 443

priming, effect of, on induction of labor with prostaglandins (Luther et al.), 351

therapy, exogenous, risk of, and endometrial cancer (Jelovsek et al.), 85

Ethanol, infants of mothers treated with, for premature labor (Zervoudakis, Krauss, and Fuchs), 713

Evacuation, dilatation and, versus intra-amniotic instillation of prostaglandin  $F_2\alpha$ , midtrimester abortion by: Randomized clinical trial (Grimes, Hulka, and McCutchen), 785

Excretion, estriol, rhythmic changes in, during pregnancy (Isaksson et al.), 470

Exogenous estrogen therapy, risk of, and endometrial cancer (Jelovsek et al.), 85

Extramembranous pregnancy: Unusual complication of amniocentesis (Vago and Chavkin), 511 (Comm. in brief)

**F**

Factor, blood group Rh-D, in human trophoblast determined by immunofluorescent method (Goto, Nishi, and Tomoda), 707

Factor—Cont'd

stimulation test, graded gonadotropin releasing, pituitary and ovarian responsiveness to, in women using low-estrogen or regular type of oral contraceptive (Spellacy et al.), 109

Familial endometriosis, clinical characteristics of, II. Heritable aspects of endometriosis (Malinak et al.), 332

Fetal age and patterns of human fetal breathing movements (Trudinger and Knight), 724

body and fetal head volumes, estimation of: Description of technique and nomograms for 18 to 41 weeks of gestation (Martinez and Barton), 78

breathing activity, increased, after fetal hypophysectomy (Robinson, Kingston, and Thorburn), 729

death, intrauterine, management of, with prostaglandin  $E_2$  vaginal suppositories (Lauersen, Cederqvist, and Wilson), 753 (Clinical opinion)

intravenous prostaglandin  $E_2$  and 16-phenoxy prostaglandin  $E_2$  methyl sulfonamide for induction of, in utero (Gruber and Baumgarten), 8

in utero, comparison between vaginal prostaglandin  $E_2$  suppositories and intrauterine extra-amniotic prostaglandins in management of (Scher et al.), 769

distress in term pregnancies (Haeslein and Niswander), 245

drug concentrations, prediction of (Anderson, Phermeton, and Rankin), 735

growth, gestational changes in functional structure of human placenta in relation to: Morphometric study (Teasdale), 560

retardation in cigarette-smoking mothers is not due to decreased maternal food intake (Haworth et al.), 719

heart rate and blood pressure during prolonged partial asphyxia in rhesus monkey (Mueller-Heubach, Myers, and Adamsons), 48

monitoring, electronic, effects of, on perinatal outcome and obstetric practices (Mueller-Heubach et al.), 758

intrapartum. III. Association of meconium with abnormal fetal heart rate patterns (Krebs et al.), 936

in premature infants weighing 1,500 grams or less (Bowes, Gabbe, and Bowes), 791

testing, antepartum. VI. Predictive reliability of "normal" tests in prevention of antepartum death (Druzin, Gratasco, and Paul), 746 (Comm. in brief)

prospective antepartum, clinical implications of (Devoe), 983

lambs, effect of oxygen and of carbon dioxide tension on incidence of apnea in (Bissonnette et al.), 575

liver and ductus venosus, effect of norepinephrine on blood flow through (Zink and Van Petten), 71

metabolism, alterations in, subsequent to maternal morphine administration (Raye, Dubir, and Blechner), 505

movements and ultrasound: Effect of maternal intravenous glucose administration (Gelman et al.), 459

nonpregnant, and maternal models, comparisons in response in: Role of prostaglandins in endotoxemia. I. Prostaglandins and pulmonary effect of experimental endotoxemia (Cefalo et al.), 53

survival—What price (Kirkley), 873

well-being, pre-ejection period as antepartum indicator of (Organ, Bernstein, and Hawrylyshyn), 810

Fetus(es) exposed to 5-fluorouracil during first trimester, multiple congenital anomalies in (Stephens et al.), 747 (Comm. in brief)

and infant, risks and uncertainties for: Environmental pollution and pregnancy (Longo), 162

new computer technique for continuous measurement of pre-ejection period in: Physiologic significance of pre-ejection period pattern (Hawrylyshyn, Organ, and Bernstein), 801

with intrauterine growth retardation, acid-base characteristics of, during labor and delivery (Lin et al.), 553

Fimbriectomy sterilization, Kroener, reversal of (Novy), 198

Flora, aerobic and anaerobic, of female genital tract, quantitative and qualitative effects of povidone-iodine liquid and gel on (Monif et al.), 432

Fluorouracil, 5-, multiple congenital anomalies in fetus exposed to, during first trimester (Stephens et al.), 747 (Comm. in brief)

Food intake, decreased maternal, fetal growth retardation in cigarette-smoking mothers is not due to (Haworth et al.), 719

Frank breech presentation, term, randomized management of: Study of 208 cases (Collea, Chein, and Quilligan), 235

## G

Genetic studies, I. Heritable aspects of endometriosis (Simpson et al.), 327  
 Genital tract changes, upper, and pregnancy outcome in offspring exposed in utero to diethylstilbestrol (Kaufman et al.), 299  
 female, quantitative and qualitative effects of povidone-iodine liquid and gel on aerobic and anaerobic flora of (Monif et al.), 432  
 lesions, diethylstilbestrol-associated, natural history of: Cervical ectopy and cervicovaginal hood (Antonioli, Burke, and Friedman), 847  
 Genitalia, female, eosinophilic granuloma with involvement of (Issa et al.), 608  
 verrucous lesions of. I. Giant condylomata (Partridge et al.), 412  
 II. Verrucous carcinoma (Partridge et al.), 419  
 Gestation, 18 to 41 weeks of, description of technique and nomograms for: Estimation of fetal body and fetal head volumes (Martinez and Barton), 78  
 Gestational changes in functional structure of human placenta in relation to fetal growth: Morphometric study (Teasdale), 560  
 trophoblastic neoplasia, management of liver metastasis from (Grumbine et al.), 595  
 Gland, anencephalic adrenal, morphologic features of, in early pregnancy (Gray and Abramovich), 491  
 Glomerulonephritis, acute poststreptococcal, in pregnancy: Case report with 18-year follow-up (Singson, Fisher, and Lindheimer), 857 (Comm. in brief)  
 Glucose administration, maternal intravenous, effect of: Fetal movements and ultrasound (Gelman et al.), 459  
 Glucuronides, urinary estrogen and pregnanediol, direct radioimmunoassay of, during menstrual cycle (Stanczyk, Miyakawa, and Goebelsmann), 443  
 Glycoprotein, "pregnancy-specific" beta-1, ectopic production of, in vitro: Discordance with three other placental proteins (Rosen et al.), 525  
 Goiter, myth of, in pregnancy (Levy et al.), 701  
 Gonadotropin, human chorionic, elevated titers of beta subunit of, in oophorectomized women being treated for trophoblastic disease (Hatch et al.), 122  
 releasing factor stimulation test, graded, pituitary and ovarian responsiveness to, in women using low-estrogen or regular type of oral contraceptive (Spellacy et al.), 109  
 Gonococcal cervicitis, rapid presumptive diagnosis of, by limulus lysate assay (Spagna, Prior, and Perkins), 595  
 Granuloma, eosinophilic, with involvement of female genitalia (Issa et al.), 608  
 Gravid ewe, vascular and uterine responses to dobutamine and dopamine in (Fishburne et al.), 944  
 Growth, fetal, gestational changes in functional structure of human placenta in relation to: Morphometric study (Teasdale), 560  
 -inhibiting property of amniotic fluids from two United States population groups, studies on (Appelbaum et al.), 579  
 retardation, fetal, in cigarette-smoking mothers is not due to decreased maternal food intake (Haworth et al.), 719  
 severe intrauterine, induction of, in Sprague-Dawley rat (Van Geijn et al.), 43  
 Gynecologic cancer, tumor marker of:  $\beta_2$ -microglobulin (Trope, Löfgren, and Johnsson), 743 (Comm. in brief)  
 infections, obstetric and, high-dose cefamandole therapy in (Gall and Hill), 914  
 Gynecology, obstetrics and: Doing better—feeling worse (Stone), 309  
 manpower for. II. Characteristics of patients; their diagnoses and care (Pearse and Mendenhall), 320

## H

*Haemophilus vaginalis* vaginitis after twenty-five years (Gardner), 385  
 Head volumes, fetal, fetal body and, estimation of: Description of technique and nomograms for 18 to 41 weeks of gestation (Martinez and Barton), 78  
 Health care costs, effect of utilization on (Sack), 271  
 Heart, newborn rabbit, influence of alpha-methyldopa on sympathetic innervation in (Hoskins and Friedman), 496  
 rate, fetal, and blood pressure during prolonged partial asphyxia in rhesus monkey (Mueller-Heubach, Myers, and Adams), 48  
 monitoring, electronic fetal, effects of, on perinatal outcome and obstetric practices (Mueller-Heubach et al.), 758

## Heart rate monitoring—Cont'd

fetal, in premature infants weighing 1,500 grams or less (Bowes, Gabbe, and Bowes), 791  
 intrapartum fetal. III. Association of meconium with abnormal fetal heart rate patterns (Krebs et al.), 936  
 testing, antepartum fetal. VI. Predictive reliability of "normal" tests in prevention of antepartum death (Druzin, Gratacos, and Paul), 746 (Comm. in brief)  
 prospective antepartum fetal, clinical implications of (Devoe), 983

Hemodynamic effects of isoxsuprine and terbutaline in pregnant and nonpregnant sheep (Nuwayhid et al.), 25  
 monitoring, invasive, in critically ill pregnant patients: Role of Swan-Ganz catheterization (Berkowitz and Rafferty), 127 (Current developments)

Hemolytic disease, Jr<sup>a</sup>-mediated, of newborn infant (Orrick and Golde), 135 (Comm. in brief)

Heritable aspects of endometriosis. I. Genetic studies (Simpson et al.), 327

II. Clinical characteristics of familial endometriosis (Malinak et al.), 332

Herpes genitalis, asymptomatic virus shedding after (Adam et al.), 827

Herpesvirus hominis, disseminated, maternal death secondary to (Kobbermann, Clark, and Griffin), 742 (Comm. in brief)

Histologic alterations adjacent to invasive vulvar carcinoma, significance of (Buscema, Stern, and Woodruff), 902

Hood, cervicovaginal, cervical ectopy and: Natural history of diethylstilbestrol-associated genital tract lesions (Antonioli, Burke, and Friedman), 847

Hormone peak, luteinizing, and recovery of ova by transcervical flushing of uterus, time interval between, in normal women, III. Studies on duration of ovum transport by human oviduct (Diaz, Ortiz, and Croxatto), 116

thyroid-stimulating, evidence for increased dopaminergic inhibition of secretion of, in hyperprolactinemia patients with pituitary microadenoma (Quigley and Yen), 653

Hospital, community, carcinoma of breast in Who makes diagnosis? (Maharry), 207

out-of-, delivery in Washington State, 1975 to 1977 (Shy, Frost, and Ullom), 547

Human chorionic gonadotropin, elevated titers of beta subunit of, in oophorectomized women being treated for trophoblastic disease (Hatch et al.), 122

placental lactogen-binding substance, qualitative detection of, by radioassay (Heal and Gluck), 975

Hydrocortisone treatment, maternal, changes in amniotic fluid optical density at 450  $\mu$ m in Rh-sensitized patients after (Anderson and Cordero), 820

Hyperalimentation and chemotherapy, use of, in pregnancy: Case report (Webb), 263

Hyperprolactinemia, postpartum hypopituitarism and (Vaughn, Wiebe, and Hammond), 749 (Comm. in brief)

Hyperprolactinemia patients with pituitary microadenoma, evidence for increased dopaminergic inhibition of secretion of thyroid-stimulating hormone in (Quigley and Yen), 653

Hypertension, maternal, respiratory distress syndrome and, relationship of newborn serum prolactin levels to (Grosso et al.), 569

severe pregnancy-induced, cerebral edema in (Benedetti and Quilligan), 850 (Comm. in brief)

Hypnotic desensitization therapy of vaginismus by (Fuchs), 1 (Clinical opinion)

Hypophysectomy, fetal, increased fetal breathing activity after (Robinson, Kingston, and Thorburn), 729

Hypopituitarism, postpartum, and hyperprolactinemia (Vaughn, Wiebe, and Hammond), 749 (Comm. in brief)

Hysterectomy, cesarean, sterilization by (Britton), 887

radical, in treatment of cervical cancer (Benedet et al.), 254

Hysteroscopy in evaluation of female infertility (Valle), 425

## I

Immunofluorescent method, blood group Rh-D factor in human trophoblast determined by (Goto, Nishi, and Tomoda), 707

Incontinence, stress urinary, selection of primary operative procedure for (Peters and Thornton), 923

Infant(s), fetus and, risks and uncertainties for: Environmental pollution and pregnancy (Longo), 162

Infant(s)—Cont'd  
of mothers treated with ethanol for premature labor (Zervoudakis, Krauss, and Fuchs), 713  
newborn, Jr<sup>a</sup>-mediated hemolytic disease of (Orrick and Golde), 135 (Comm. in brief)  
premature, weighing 1,500 grams or less, fetal heart rate monitoring in (Bowes, Gabbe, and Bowes), 791  
very-low-birth-weight, changing trends of neonatal and postneonatal deaths in (Hack et al.), 797

Infection(s), is significant risk—Vaginal tubal ligation (Miesfeld, Giarratano, and Moyers), 183  
obstetric and gynecologic, high-dose cefamandole therapy in (Gall and Hill), 914

Infertility, female, hysteroscopy in evaluation of (Valle), 425

Intraepithelial neoplasia, cervical, treated by cryotherapy, analysis of "long-term" follow-up results in patients with (Richart et al.), 823  
treatment of, by cone biopsy (Jones and Buller), 882

Intrapartum fetal heart rate monitoring. III. Association of meconium with abnormal fetal heart rate patterns (Krebs et al.), 936

Intrauterine detection of cystic fibrosis, promising marker for: Methylumbelliferylguanidinobenzoate-reactive proteases in human amniotic fluid (Walsh and Nadler), 978

extra-amniotic prostaglandins, vaginal prostaglandin E<sub>2</sub> suppositories and, comparison between, in management of fetal death in utero (Scher et al.), 769

fetal death, management of, with prostaglandin E<sub>2</sub> vaginal suppositories (Lauersen, Cederqvist, and Wilson), 753 (Clinical opinion)

growth retardation, acid-base characteristics of fetuses with, during labor and delivery (Lin et al.), 553  
severe, induction of, in Sprague-Dawley rat (Van Geijn et al.), 43

Intravenous glucose administration, maternal, effect of: Fetal movements and ultrasound (Gelman et al.), 459

prostaglandin E<sub>2</sub> and 16-phenoxy prostaglandin E<sub>2</sub> methyl sulfonylamine for induction of fetal death in utero (Gruber and Baumgarten), 8

Invasive vulvar carcinoma, significance of histologic alterations adjacent to (Buscema, Stern, and Woodruff), 902

Irregular antibodies—Continuing problem (Griffith), 174

Isoxsuprime, results with: Treatment of premature labor with beta sympathomimetics (Schenken et al.), 773  
and terbutaline, hemodynamic effects of, in pregnant and nonpregnant sheep (Nuwahid et al.), 25

Items, 153-154, 392-400, 632-634, 871-872

**J**

Jr<sup>a</sup>-mediated hemolytic disease of newborn infant (Orrick and Golde), 135 (Comm. in brief)

**K**

Kroener fimbriectomy sterilization, reversal of (Novy), 198

**L**

Labor and delivery, acid-base characteristics of fetuses with intrauterine growth retardation during (Lin et al.), 553  
effect of estrogen priming on induction of, with prostaglandins (Luther et al.), 351  
induced, serum progesterone, estradiol, and estriol before and during (Kauppila et al.), 462  
premature, infants of mothers treated with ethanol for (Zervoudakis, Krauss, and Fuchs), 713  
treatment of, with beta sympathomimetics: Results with isoxsuprime (Schenken et al.), 773  
preterm, oral ritodrine in treatment of (Creasy et al.), 212

Laboring and nonlaboring women, lysosomal enzyme release in vitro from amniotic fluid, XI. Initiation of human parturition (Schwarz, MacDonald, and Johnston), 21

Lactogen, human placental, -binding substance, qualitative detection of, by radioassay (Heal and Gluck), 975

Laparoscopic sterilization, puerperal (McDonell), 910

Lesions, diethylstilbestrol-associated genital tract, natural history of: Cervical ectopy and cervicovaginal hood (Antonioli, Burke, and Friedman), 847

verrucous, of female genitalia. I. Giant condylomata (Partridge et al.), 412  
II. Verrucous carcinoma (Partridge et al.), 419

Ligation, vaginal tubal—Is infection significant risk? (Miesfeld, Giarratano, and Moyers), 183

Light and electron microscopic observations: Early physiologic squamous metaplasia of cervix (Lawrence and Shingleton), 661

Limulus lysate assay, rapid presumptive diagnosis of gonococcal cervicitis by (Spagna, Prior, and Perkins), 595

Liver and ductus venosus, fetal, effect of norepinephrine on blood flow through (Zink and Van Petten), 71  
metastasis from gestational trophoblastic neoplasia, management of (Grumbine et al.), 959

Lunar and menstrual phase locking (Cutler), 834

Luteinizing hormone peak and recovery of ova by transcervical flushing of uterus, time interval between, in normal women, III. Studies on duration of ovum transport by human oviduct (Diaz, Ortiz, and Croxatto), 116

Luteolysis, pharmacologic induction of, in cynomolgus monkeys (*Macaca fascicularis*) (Shaikh, Shaikh, and Casiracane), 672

Lysosomal enzyme release in vitro from amniotic fluid obtained from laboring and nonlaboring women, XI. Initiation of human parturition (Schwarz, MacDonald, and Johnston), 21

**M**

Magnification, tubal and peritubal surgery without (Spadoni), 189

Malignancy, ovarian, serum enzymes in diagnosis of (Burrows), 140 (Comm. in brief)

Manpower for obstetrics and gynecology. II. Characteristics of patients; their diagnoses and care (Pearse and Mendenhall), 320

Maternal alpha-methyldopa, influence of, on sympathetic innervation in newborn rabbit heart (Hoskins and Friedman), 496

blood and cord blood, serum concentration of bile acids in, at parturition (Demers and Darnell Jones), 146 (Comm. in brief)

death secondary to disseminated herpesvirus hominis (Kobbermann, Clark, and Griffin), 742 (Comm. in brief)

fetal, and nonpregnant models, comparisons in response to: Role of prostaglandins in endotoxemia. I. Prostaglandins and pulmonary effect of experimental endotoxemia (Cefalo et al.), 53

food intake, decreased, fetal growth retardation in cigarette-smoking mothers is not due to (Haworth et al.), 719

hydrocortisone treatment, changes in amniotic fluid optical density at 450 m $\mu$  in Rh-sensitized patients after (Anderson and Cordero), 820

hypertension, respiratory distress syndrome and, relationship of newborn serum prolactin levels to (Grosso et al.), 569

intravenous glucose administration, effect of: Fetal movements and ultrasound (Gelman et al.), 459

morphine administration, alterations in fetal metabolism subsequent to (Raye, Dubin, and Blechner), 505

Maturation, placental, relationship to, in rat, V. Placental amino acid uptake (Schlepphorst, Kelley, and Smith), 499

Meconium, association of, with abnormal fetal heart rate patterns, III. Intrapartum fetal heart rate monitoring (Krebs et al.), 936

Medroxyprogesterone acetate, binding of, in human breast cancer (Young et al.), 284

Membranes, amniotic, endometrial biopsy cultures, and amniotic fluid, clinical significance of, at time of cesarean section (Cooperman, Kasim, and Rajashekaraiah), 536

ruptured, bacterial colonization of amniotic fluid in presence of (Miller et al.), 451

Menopause, premature, thyroid autoimmunity, and myasthenia gravis (Williamson et al.), 893

Menstrual cycle, direct radioimmunoassay of urinary estrogen and pregnanediol glucuronides during (Stanczyk, Miyakawa, and Goebelsmann), 443  
phase locking, lunar and (Cutler), 834

Metabolism, fetal, alterations in, subsequent to maternal morphine administration (Raye, Dubin, and Blechner), 505

Metaplasia, coelomic, positive proof for theory of (El-Mahgoub and Yaseen), 137 (Comm. in brief)

early physiologic squamous, of cervix: Light and electron microscopic observations (Lawrence and Shingleton), 661

Metastasis, liver, from gestational trophoblastic neoplasia, management of (Grumbine et al.), 959

Methyldopa, alpha-, maternal, influence of, on sympathetic innervation in newborn rabbit heart (Hoskins and Friedman), 496

Methylumbelliferylguanidinobenzoate-reactive proteases in human amniotic fluid: Promising marker for intrauterine detection of cystic fibrosis (Walsh and Nadler), 978

Microadenoma, pituitary, evidence for increased dopaminergic inhibition of secretion of thyroid-stimulating hormone in hyperprolactinemic patients with (Quigley and Yen), 653

Microglobulin,  $\beta_2$ : Tumor marker of gynecologic cancer (Trope, Lögdberg, and Johnson), 743 (Comm. in brief)

Microscopic observations, light and electron: Early physiologic squamous metaplasia of cervix (Lawrence and Shingleton), 661

Midtrimester abortion by dilation and evacuation versus intraamniotic instillation of prostaglandin  $F_{2\alpha}$ : Randomized clinical trial (Grimes, Hulka, and McCutchen), 785

Monitoring, electronic fetal heart rate, effects of, on perinatal outcome and obstetric practices (Mueller-Heubach et al.), 758

fetal heart rate, in premature infants weighing 1,500 grams or less (Bowes, Gabbe, and Bowes), 791

intrapartum fetal heart rate. III. Association of meconium with abnormal fetal heart rate patterns (Krebs et al.), 936

invasive hemodynamic, in critically ill pregnant patients: Role of Swan-Ganz catheterization (Berkowitz and Rafferty), 127 (Current developments)

thermal, model for, in cryosurgery (Wilchins et al.), 854

Monozygotic twins, diethylstilbestrol-exposed, discordant for cervicovaginal clear cell adenocarcinoma (Sandberg and Christian), 220

Morphine administration, maternal, alterations in fetal metabolism subsequent to (Raye, Dubin, and Blechner), 505

Mothers, cigarette-smoking, fetal growth retardation in, is not due to decreased maternal food intake (Haworth et al.), 719

treated with ethanol for premature labor, infants of (Zervoudakis, Krauss, and Fuchs), 713

Movements, fetal, and ultrasound: Effect of maternal intravenous glucose administration (Gelman et al.), 459

human fetal breathing, fetal age and (Trudinger and Knight), 724

Myasthenia gravis, premature menopause, and thyroid autoimmunity (Williamson et al.), 893

**N**

Neonatal and postneonatal deaths, changing trends of, in very-low-birth-weight infants (Hack et al.), 797

respiratory distress syndrome, antenatal corticosteroids to prevent: Risk versus benefit considerations (Depp et al.), 338

surgical, obstetric, and morphopathologic parameters, 300-year review of: Xiphopagus conjoined twins (Harper et al.), 517 (Current developments)

Neoplasia, cervical, diagnostic value of colposcopy in investigation of (Jawaheri and Feigin), 588

intraepithelial, treated by cryotherapy, analysis of "long-term" follow-up results in patients with (Richart et al.), 823

treatment of, by cone biopsy (Jones and Buller), 882

gestational trophoblastic, management of liver metastasis from (Grumbine et al.), 959

transmissible venereal: Case report (Stein), 864 (Comm. in brief)

Neural tube defects, prenatal diagnosis of. V. Value of amniotic fluid cholinesterase studies (Zeisel, Milunsky, and Blusztajn), 481

Newborn infant,  $\text{IgA}$ -mediated hemolytic disease of (Orrick and Golde), 135 (Comm. in brief)

rabbit heart, influence of alpha-methyldopa on sympathetic innervation, in (Hoskins and Friedman), 496

serum prolactin levels, relationship of, to respiratory distress syndrome and maternal hypertension (Grosso et al.), 569

Nomograms, description of technique and, for 18 to 41 weeks of gestation: Estimation of fetal body and fetal head volumes (Martinez and Barton), 78

Nonstress test, variable decelerations and: Indication of cord compromise (O'Leary, Andrinopoulos, and Giordano), 704

Norepinephrine, effect of, on blood flow through fetal liver and ductus venosus (Zink and Van Petten), 71

North Carolina, cases and two control groups from: Estrogen and endometrial cancer (Hulka et al.), 92

**O**

Obstetric(s) analgesia,  $\beta$ -endorphin in (Oyama et al.), 613 (Current investigation)

anesthesia, language barrier in (DeVore and Koskela), 745 (Comm. in brief)

Obstetric(s)—Cont'd

and gynecologic infections, high-dose cefamandole therapy in (Gall and Hill), 914

and gynecology: Doing better—feeling worse (Stone), 309

manpower for. II. Characteristics of patients; their diagnoses and care (Pearse and Mendenhall), 320

morphopathologic, neonatal, and surgical parameters, 300-year review of: Xiphopagus conjoined twins (Harper et al.), 617 (Current developments)

practices, perinatal outcome and, effects of electronic fetal heart rate monitoring on (Mueller-Heubach et al.), 758

service, teaching, experience in: Alternative birthing center (Barton et al.), 377

Offspring exposed in utero to diethylstilbestrol, upper genital tract changes and pregnancy outcome in (Kaufman et al.), 299

, her, pregnant woman and, natural history of group B streptococcal colonization in. I. Colonization studies (Yow et al.), 34

II. Determination of serum antibody to capsular polysaccharide from type III, group B *Streptococcus* (Baker et al.), 39

Oophorectomized women being treated for trophoblastic disease, elevated titers of beta subunit of human chorionic gonadotropin in (Hatch et al.), 122

Operative procedure, primary, for stress urinary incontinence, selection of (Peters and Thornton), 923

Optical density, amniotic fluid, at 450  $\mu\text{m}$ , changes in, in Rh-sensitized patients after maternal hydrocortisone treatment (Anderson and Cordero), 820

Oral contraceptive(s) containing 50  $\mu\text{g}$  of estrogen and those containing 20  $\mu\text{g}$  of estrogen, comparative study of effect of, on adrenal cortical function (Amin et al.), 831

increased blood viscosity in young women using (Lowe et al.), 840

low-estrogen or regular type of, pituitary and ovarian responsiveness to graded gonadotropin releasing factor stimulation test in women using (Spellacy et al.), 109

therapy, chorea associated with (Dove), 740 (Comm. in brief)

ritodrine maintenance in treatment of preterm labor (Creasy et al.), 212

Organisms, causative, and risk factors: Postcesarean section endometritis (Middleton et al.), 144 (Comm. in brief)

Outpatient procedure: Cone biopsy (Berkus and Daly), 953

Ovarian malignancy, serum enzymes in diagnosis of (Burrows), 140 (Comm. in brief)

responsiveness, pituitary and, to graded gonadotropin releasing factor stimulation test in women using low-estrogen or regular type of oral contraceptive (Spellacy et al.), 109

Ovary disease, polycystic, clinical and cytogenetic studies of patients with (Parker et al.), 656

Oviduct, human, studies on duration of ova transport by. III. Time interval between luteinizing hormone peak and recovery of ova by transcervical flushing of uterus in normal women (Diaz, Ortiz, and Croxatto), 116

Ovulatory (post-) intravaginal 15(S)-15-methyl prostaglandin  $F_{2\alpha}$ -methyl ester administration, ovum transport in rhesus monkey following (Eddy), 966

Ovum transport by human oviduct, studies on duration of. III. Time interval between luteinizing hormone peak and recovery of ova by transcervical flushing of uterus in normal women (Diaz, Ortiz, and Croxatto), 116

in rhesus monkey following postovulatory intravaginal 15(S)-15-methyl prostaglandin  $F_{2\alpha}$ -methyl ester administration (Eddy), 966

Oxygen, effect of, and of carbon dioxide tension on incidence of apnea in fetal lambs (Bissonnette et al.), 575

**P**

Pacific Coast Obstetrical and Gynecological Society, transactions, forty-sixth annual meeting, 155-275

Parturition, human, initiation of. XI. Lysosomal enzyme release in vitro from amniotic fluid obtained from laboring and nonlaboring women (Schwarz, MacDonald, and Johnston), 21

serum concentration of bile acids in maternal blood and cord blood at (Demers and Darnell Jones), 146 (Comm. in brief)

Pelvimetry, x-ray, evaluation of usefulness of: Comparison of Thoms and modified Ball methods with manual pelvimetry (Fine, Bracken, and Berkowitz), 15

Pelvis, extraperitoneal surgical approach to, after radiation therapy or radical surgery (Schellhas), 367

Perfusion, skin, in pregnancy (Katz and Sokal), 30  
Periclitoral abscess, vulvar ectopic breast tissue mimicking (Reeves and Kaufman), 509 (Comm. in brief)  
Perinatal outcome and obstetric practices, effects of electronic fetal heart rate monitoring on (Mueller-Heubach et al.), 758  
Peritoneal (extra-) surgical approach to pelvis after radiation therapy or radical surgery (Schellhas), 367  
Pharmacologic induction of luteolysis in cynomolgus monkeys (*Macaca fascicularis*) (Shaikh, Shaikh, and Castracane), 672  
Physician and society: Individual and collective relationships (Nettles), 277  
Pituitary adenomas, prolactin-secreting, results of surgery in 114 patients with (Domingue, Richmond, and Wilson), 102  
    Serum and tissue prolactin levels with ultrastructural correlation (Archer et al.), 646  
    -adrenal function in women treated with low doses of prednisone (Fujieda et al.), 962  
microadenoma, evidence for increased dopaminergic inhibition of secretion of thyroid-stimulating hormone in hyperprolactinemic patients with (Quigley and Yen), 653  
and ovarian responsiveness to graded gonadotropin releasing factor stimulation test in women using low-estrogen or regular type of oral contraceptive (Spellacy et al.), 109  
Placenta, conjoined ("Siamese") twin, unusual findings in (Wiegenstein and Iozzo), 744 (Comm. in brief)  
human, gestational changes in functional structure of, in relation to fetal growth: Morphometric study (Teasdale), 560  
    previa, conservative aggressive management of (Cotton et al.), 687  
Placental amino acid uptake. V. Relationship to placental maturation in rat (Schlepphorst, Kelley, and Smith), 499  
bed, human: Electron microscopic study of trophoblastic invasion of spiral arteries (De Wolf et al.), 58  
lactogen, human, -binding substance, qualitative detection of, by radioassay (Heal and Gluck), 975  
protein(s) 5, circulating, detection of, in patients with trophoblastic tumors (Grudzinskas et al.), 866 (Comm. in brief)  
three other, discordance with: Ectopic production of "pregnancy-specific" beta-1 glycoprotein in vitro (Rosen et al.), 525  
tuberculosis in early and late pregnancy (Kaplan, Benirschke, and Tarzy), 858 (Comm. in brief)  
Plasma unconjugated estriol levels, lack of subhourly variations in, in pregnant diabetic patients in third trimester (Rao, Wilcourt, and Queenan), 543  
Plastic spatula, making smear with, III. Studies on distribution of abnormal cells in cytologic preparations (Rubio et al.), 843  
Pollution, environmental, and pregnancy: Risks and uncertainties for fetus and infant (Longo), 162  
Polycystic ovary disease, clinical and cytogenetic studies of patients with (Parker et al.), 656  
Polysaccharide, capsular, from type III, group B *Streptococcus*, determination of serum antibody to, II. Natural history of group B streptococcal colonization in pregnant woman and her offspring (Baker et al.), 39  
Postpartum hypopituitarism and hyperprolactinemia (Vaughn, Wiebe, and Hammond), 749 (Comm. in brief)  
Povidone-iodine liquid and gel, quantitative and qualitative effects of, on aerobic and anaerobic flora of female genital tract (Monif et al.), 432  
Prednisone, pituitary-adrenal function in women treated with low doses of (Fujieda et al.), 962  
Pre-ejection period as antepartum indicator of fetal well-being (Organ, Bernstein, and Hawrylyshyn), 810  
    new computer technique for continuous measurement of, in human fetus: Physiologic significance of pre-ejection period patterns (Hawrylyshyn, Organ, and Bernstein), 801  
Pregnancy (pregnancies), acute poststreptococcal glomerulonephritis in: Case report with 18-year follow-up (Singson, Fisher, and Lindheimer), 857 (Comm. in brief)  
coccidioidomycosis complicating (McCoy, Ellenberg, and Killam), 739 (Comm. in brief)  
and contraception, attitudes of adolescents toward (Ryan and Sweeney), 358  
early and late, placental tuberculosis in (Kaplan, Benirschke, and Tarzy), 858 (Comm. in brief)  
environmental pollution and: Risks and uncertainties for fetus and infant (Longo), 162  
extramembranous: Unusual complication of amniocentesis (Vago and Chavkin), 511 (Comm. in brief)  
Pregnancy (pregnancies)—Cont'd  
    -induced hypertension, severe, cerebral edema in (Benedetti and Quilligan), 850 (Comm. in brief)  
morphologic features of anencephalic adrenal gland in (Gray and Abramovich), 491  
myth of goiter in (Levy et al.), 701  
normal, cortisol, 11-desoxycortisol, and 21-desoxycortisol concentrations in amniotic fluid during (Blankstein et al.), 781  
urodynamics studies in, and in puerperium (Iosif, Ingemarsson, and Umlsten), 696  
outcome, prenatal care and (Ryan, Sweeney, and Solola), 876  
    upper genital tract changes and, in offspring exposed in utero to diethylstilbestrol (Kaufman et al.), 299  
primary tubal carcinoma in (Schinfeld and Winston), 512 (Comm. in brief)  
rhythmic changes in estriol excretion during (Isaksson et al.), 470  
skin perfusion in (Katz and Sokal), 30  
-specific beta-1 glycoprotein, ectopic production of, in vitro: Discordance with three other placental proteins (Rosen et al.), 525  
term, fetal distress in (Haesslein and Niswander), 245  
total and free testosterone during (Bammann, Coulam, and Jiang), 293  
use of hyperalimentation and chemotherapy in: Case report (Webb), 263  
vaginal colonization with invasive *Escherichia coli* during (Amstey, Lewin, and Colaice), 534

Prostaglandin(s) E<sub>2</sub> derivative, tissue-selective, improvement in artificial second-trimester abortion with (Schmide-Gollwitzer et al.), 867 (Comm. in brief)

and 16-phenoxyl prostaglandin E<sub>2</sub> methyl sulfonylamide, intravenous, for induction of fetal death in utero (Gruber and Baumgarten), 8

suppositories, vaginal, and intrauterine extra-amniotic prostaglandins, comparison between, in management of fetal death in utero (Scher et al.), 769

vaginal suppositories, management of intrauterine fetal death with (Lauersen, Cederqvist, and Wilson), 753 (Clinical opinion)

effect of estrogen priming on induction of labor with (Luther et al.), 351

F<sub>2</sub>α, intra-amniotic instillation of, dilatation and evacuation versus, midtrimester abortion by: Randomized clinical trial (Grimes, Hulka, and McCutchen), 785

-methyl ester, 15(S)-15-methyl, administration, postovulatory intravaginal, ovum transport in rhesus monkey following (Eddy), 966

role of, in endotoxemia: Comparisons in response in nonpregnant, maternal, and fetal models. I. Prostaglandins and pulmonary effect of experimental endotoxemia (Cefalo et al.), 53

Proteases, methylumbelliferylguanidinobenzoate-reactive, in human amniotic fluid: Promising marker for intrauterine detection of cystic fibrosis (Walsh and Nadler), 978

Protein(s) 5, circulating placental, detection of, in patients with trophoblastic tumors (Grudzinskas et al.), 866 (Comm. in brief)

three other placental, discordance with: Ectopic production of "pregnancy-specific" beta-1 glycoprotein in vitro (Rosen et al.), 525

Psychosexual functioning in symptomatic and asymptomatic women with and without signs of vaginitis (McGuire, Guzinski, and Holmes), 600

Puerperal laparoscopic sterilization (McDonell), 910

Puerperium, urodynamic studies in normal pregnancy and in (Isosif, Ingemarsson, and Ulmsten), 696

Pulmonary effect of experimental endotoxemia, prostaglandins and, I. Role of prostaglandins in endotoxemia: Comparisons in response in nonpregnant, maternal, and fetal models (Cefalo et al.), 53

R

Radiation therapy or radical surgery, extraperitoneal surgical approach to pelvis after (Schellhas), 367

Radical hysterectomy in treatment of cervical cancer (Benedet et al.), 254

surgery, radiation therapy or, extraperitoneal surgical approach to pelvis after (Schellhas), 367

Radioassay, qualitative detection of human placental lactogen-binding substance by radioassay (Heal and Gluck), 975

Radioimmunoassay, direct of urinary estrogen and pregnanediol glucuronides during menstrual cycle (Stanczyk, Miyakawa, and Goebelmann), 443

Rape: Sexual assault (Hicks), 931

Rectovaginal septal defects, anatomic classification of (Rosenstein, Genadry, and Woodruff), 439

Releasing factor stimulation test, graded gonadotropin, pituitary and ovarian responsiveness to, in women using low-estrogen or regular type of oral contraceptive (Spellacy et al.), 109

Remember the tune (Haynes), 638

Renal stones, increased incidence of, in women with spontaneous abortion: Retrospective study (Honore), 145 (Comm. in brief)

Rent, womb (Pomerance, Schifrin, and Meredith), 486

Reproductive significance of changes in endometrial cavity associated with exposure in utero to diethylstilbestrol (Pillsbury), 178

Respiratory distress syndrome and maternal hypertension, relationship of newborn serum prolactin levels to (Grosso et al.), 569

neonatal, antenatal corticosteroids to prevent: Risk versus benefit considerations (Depp et al.), 338

Retardation, fetal growth, in cigarette-smoking mothers is not due to decreased maternal food intake (Haworth et al.), 719

intrauterine growth, acid-base characteristics of fetuses with, during labor and delivery (Lin et al.), 553

severe intrauterine growth, induction of, in Sprague-Dawley rat (Van Geijn et al.), 43

Rh-D factor, blood group, in human trophoblast determined by immunofluorescent method (Goto, Nishi, and Tomoda), 707

-sensitized patients, changes in amniotic fluid optical density at 450 m $\mu$  in, after maternal hydrocortisone treatment (Anderson and Cordero), 820

Ritodrine maintenance, oral, in treatment of preterm labor (Creasy et al.), 212

Roll-over (supine pressor) test: Evaluation (Kuntz), 764

Ruptured membranes, bacterial colonization of amniotic fluid in presence of (Miller et al.), 451

S

Secreting, prolactin-, pituitary adenomas: Serum and tissue prolactin levels with ultrastructural correlation (Archer et al.), 646

results of surgery in 114 patients with (Domingue, Richmond, and Wilson), 102

Secretion of thyroid-stimulating hormone, evidence for increased dopaminergic inhibition of, in hyperprolactinemic patients with pituitary microadenoma (Quigley and Yen), 653

Septal defects, rectovaginal, anatomic classification of (Rosenstein, Genadry, and Woodruff), 439

Serum antibody to capsular polysaccharide from type III, group B *Streptococcus*, determination of: II. Natural history of group B streptococcal colonization in pregnant woman and her offspring (Baker et al.), 39

concentration of bile acids in maternal blood and cord blood at parturition (Demers and Darnell Jones), 146 (Comm. in brief)

enzymes in diagnosis of ovarian malignancy (Burrows), 140 (Comm. in brief)

progesterone, estradiol, and estriol before and during induced labor (Kauppi et al.), 462

prolactin levels, newborn, relationship of, to respiratory distress syndrome and maternal hypertension (Grosso et al.), 569

and tissue prolactin levels with ultrastructural correlation: Prolactin-secreting pituitary adenomas (Archer et al.), 646

Sexual assault: Rape (Hicks), 931

"Siamese" (conjoined) twin placenta, unusual findings in (Wiegenstein and Iozzo), 744 (Comm. in brief)

Sinus, uteroabdominal, following cesarean section (Dessouky and Bolan), 147 (Comm. in brief)

Skin perfusion in pregnancy (Katz and Sokal), 30

Smear, making, with plastic spatula, III. Studies on distribution of abnormal cells in cytologic preparations (Rubio et al.), 843

Smoking, cigarette-, mothers, fetal growth retardation in, is not due to decreased maternal food intake (Haworth et al.), 719

Society, physician and: Individual and collective relationships (Nettles), 277

South Atlantic Association of Obstetricians and Gynecologists, transactions, forty-second annual meeting, 873-958

Spatula, plastic, making smear with, III. Studies on distribution of abnormal cells in cytologic preparations (Rubio et al.), 843

Squamous metaplasia, early physiologic, of cervix: Light and electron microscopic observations (Lawrence and Shingleton), 661

Sterilization by cesarean hysterectomy (Britton), 887

Kroener fimbriectomy, reversal of (Novy), 198

puerperal laparoscopic (McDonell), 910

Stones, renal, increased incidence of, in women with spontaneous abortion: Retrospective study (Honore), 145 (Comm. in brief)

Streptococcal colonization, group B, natural history of, in pregnant woman and her offspring: I. Colonization studies (Yow et al.), 34

II. Determination of serum antibody to capsular polysaccharide from type III, group B *Streptococcus* (Baker et al.), 39

(post-), glomerulonephritis, acute, in pregnancy: Case report with 18-year follow-up (Singson, Fisher, and Lindheimer), 857 (Comm. in brief)

*Streptococcus*, type III, group B, determination of serum antibody to capsular polysaccharide from, II. Natural history of group B streptococcal colonization in pregnant woman and her offspring (Baker et al.), 39

Stress urinary incontinence, selection of primary operative procedure for (Peters and Thornton), 923

Supine pressor (roll-over) test: Evaluation (Kuntz), 764

Suppositories, prostaglandin E<sub>2</sub> vaginal, management of intrauterine fetal death with (Lauersen, Cederqvist, and Wilson), 753 (Clinical opinion)

Suppositories—Cont'd

vaginal prostaglandin E<sub>2</sub> and intrauterine extra-amniotic prostaglandins, comparison between, in management of fetal death in utero (Scher et al.), 769

Surgery, radical, radiation therapy or, extraperitoneal surgical approach to pelvis after (Schellhas), 367

results of, in 114 patients with prolactin-secreting pituitary adenomas (Domingue, Richmond, and Wilson), 102

tubal and peritubal, without magnification: Analysis (Spadoni), 189

Surgical approach, extraperitoneal, to pelvis after radiation therapy or radical surgery (Schellhas), 367

obstetric, morphopathologic, and neonatal parameters, 300-year review of: Xiphopagus conjoined twins (Harper et al.), 517 (Current developments)

procedures, abdominal, incidence of, in population undergoing abortion (King, Atienza, and Burkman), 530

Survival, fetal—What price (Kirkley), 873

Swan-Ganz catheterization, role of: Invasive hemodynamic monitoring in critically ill pregnant patients (Berkowitz and Rafferty), 127 (Current developments)

Sympathetic innervation, influence of alpha-methyldopa on, in newborn rabbit heart (Hoskins and Friedman), 496

Sympathomimetics, beta, treatment of premature labor with: Results with isoxsuprime (Schenken et al.), 773

Syndrome, respiratory distress, and maternal hypertension, relationship of newborn serum prolactin levels to (Grosso et al.), 569

neonatal, antenatal corticosteroids to prevent: Risk versus benefit considerations (Depp et al.), 338

T

Teaching obstetric service, experience in: Alternative birthing center (Barton et al.), 377

Teenagers, 1,762, experience in: Adolescent contraceptive use (Edwards et al.), 583

Tension, carbon dioxide, effect of oxygen and of, on incidence of apnea in fetal lambs (Bissonnette et al.), 575

Terbutaline, isoxsuprime and, hemodynamic effects of, in pregnant and nonpregnant sheep (Nuwayhid et al.), 25

Term frank breech presentation, randomized management of: Study of 208 cases (Collea, Chein, and Quilligan), 235

(pre-) labor, oral ritodrine in treatment of (Creasy et al.), 212

pregnancies, fetal distress in (Haeslein and Niswander), 245

Test(s), graded gonadotropin releasing factor stimulation, pituitary and ovarian responsiveness to, in women using low-estrogen or regular type of oral contraceptive (Spellacy et al.), 109

nonstress, variable decelerations and: Indication of cord compromise (O'Leary, Andrinopoulos, and Giordano), 704

"normal," predictive reliability of, in prevention of antepartum death, VI. Antepartum fetal heart rate testing (Druzin, Gracatos, and Paul), 746 (Comm. in brief)

supine pressor (roll-over): Evaluation (Kuntz), 764

Testing, antepartum fetal heart rate. VI. Predictive reliability of "normal" tests in prevention of antepartum death (Druzin, Gracatos, and Paul), 746 (Comm. in brief)

prospective antepartum fetal heart rate, clinical implications of (Devoe), 983

Testosterone, total and free, during pregnancy (Bammann, Coulam, and Jiang), 293

Thermal monitoring, model for, in cryosurgery (Wilkins et al.), 854

Thoms and modified Ball methods, comparison of, with manual pelvimetry: Evaluation of usefulness of x-ray pelvimetry (Fine, Bracken, and Berkowitz), 15

Thyroid autoimmunity, myasthenia gravis, and premature menopause (Williamson et al.), 893

-stimulating hormone, evidence for increased dopaminergic inhibition of secretion of, in hyperprolactinemic patients with pituitary microadenoma (Quigley and Yen), 653

Tissue prolactin levels, serum and, with ultrastructural correlation: Prolactin-secreting pituitary adenomas (Archer et al.), 646

-selective prostaglandin E<sub>2</sub> derivative, improvement in artificial second-trimester abortion with (Schmidt-Gollwitzer et al.), 867 (Comm. in brief)

vulvar ectopic breast, mimicking perirectal abscess (Reeves and Kaufman), 509 (Comm. in brief)

Titers, elevated, of beta subunit of human chorionic gonadotropin in oophorectomized women being treated for trophoblastic disease (Hatch et al.), 122

Transactions, forty-second annual meeting, South Atlantic Association of Obstetricians and Gynecologists, 873-958

forty-sixth annual meeting, Pacific Coast Obstetrical and Gynecological Society, 155-275

forty-seventh annual meeting, Central Association of Obstetricians and Gynecologists, 277-391

Transmissible venereal neoplasia: Case report (Stein), 864 (Comm. in brief)

Trimester, multiple congenital anomalies in fetus exposed to 5-fluorouracil during (Stephens et al.), 747 (Comm. in brief)

second-, abortion, artificial, improvement in, with new tissue-selective prostaglandin E<sub>2</sub> derivative (Schmidt-Gollwitzer et al.), 867 (Comm. in brief)

third, lack of subhourly variations in plasma unconjugated estriol levels in pregnant patients in (Rao, Wilcourt, and Queenan), 543

Trophoblast, human, blood group Rh-D factor in, determined by immunofluorescent method (Goto, Nishi, and Tomoda), 707

Trophoblastic disease, elevated titers of beta subunit of human chorionic gonadotropin in oophorectomized women being treated for (Hatch et al.), 122

invasion of spiral arteries, electron microscopic study of: Human placental bed (De Wolf et al.), 58

neoplasia, gestational, management of liver metastasis from (Grumbine et al.), 959

tumors, detection of circulating placental protein 5 in patients with (Grudzinskas et al.), 866 (Comm. in brief)

Tubal carcinoma, primary, in pregnancy (Schinfeld and Winston), 512 (Comm. in brief)

ligation, vaginal—Is infection significant risk? (Miesfeld, Giarratano, and Moyers), 183

and peritubal surgery without magnification: Analysis (Spadoni), 189

Tuberculosis, placental, in early and late pregnancy (Kaplan, Bernirschke, and Tarzy), 858 (Comm. in brief)

Tumor(s) marker of gynecologic cancer:  $\beta_2$ -microglobulin (Trope, Lööberg, and Johnson), 743 (Comm. in brief)

response to chemotherapy, predicting: New indication for colposcopy (Marin and Crisp), 862

trophoblast, detection of circulating placental protein 5 in patients with (Grudzinskas et al.), 866 (Comm. in brief)

Twin(s), diethylstilbestrol-exposed monozygotic, discordant for cervicovaginal clear cell adenocarcinoma (Sandberg and Christian), 220

placenta, conjoined ("Siamese"), unusual findings in (Wiegenstein and Iozzo), 744 (Comm. in brief)

xiphopagus conjoined: 300-year review of obstetric, morphopathologic, neonatal, and surgical parameters (Harper et al.), 617 (Current developments)

U

Ultrasound, fetal movements and: Effect of maternal intravenous glucose administration (Gelman et al.), 459

United States population groups, two, studies on growth-inhibiting property of amniotic fluids from (Appelbaum et al.), 579

Urinary estrogen and pregnanediol glucuronides, direct radioimmunoassay of, during menstrual cycle (Stanczyk, Miyakawa, and Goebelmann), 443

incontinence, stress, selection of primary operative procedure for (Peters and Thornton), 923

Urodynamic studies in normal pregnancy and in puerperium (Iosif, Ingemarsson, and Ulmsten), 696

Urology, female, diagnostic procedures in (Ostergaard and McCarthy), 401 (Clinical opinion)

Uterine responses, vascular and, to dobutamine and dopamine in gravid ewe (Fishburne et al.), 944

vascular response to prostacyclin in nonpregnant sheep (Resnik and Brink), 267

Utero, comparison between vaginal prostaglandin E<sub>2</sub> suppositories and intrauterine extra-amniotic prostaglandins in management of fetal death in (Scher et al.), 769

intravenous prostaglandin E<sub>2</sub> and 16-phenoxy prostaglandin E<sub>2</sub> methyl sulfonyl amide for induction of fetal death in (Gruber and Baumgarten), 8

reproductive significance of changes in endometrial cavity associated with exposure in, to diethylstilbestrol (Pillsbury), 178

upper genital tract changes and pregnancy outcome in offspring exposed in, to diethylstilbestrol (Kaufman et al.), 299

Uteroabdominal sinus following cesarean section (Dessouky and Bolan), 147 (Comm. in brief)

Uterus, time interval between luteinizing hormone peak and recovery of ova by transcervical flushing of, in normal women, III. Studies on duration of ovum transport by human oviduct (Diaz, Ortiz, and Croxatto), 116

V

Vagina, basal cell-like carcinoma in upper third of (Naves, Monti, and Chichoni), 136 (Comm. in brief)

Vaginal colonization with invasive *Escherichia coli* during pregnancy (Amstey, Lewin, and Colaice), 534

(intra-) 15(S)-15-methyl prostaglandin F<sub>2</sub>-methyl ester administration, postovulatory, ovum transport in rhesus monkey following (Eddy), 966

prostaglandin E<sub>2</sub> suppositories and intrauterine extra-amniotic prostaglandins, comparison between, in management of fetal death in utero (Scher et al.), 769

suppositories, prostaglandin E<sub>2</sub>, management of intrauterine fetal death with (Lauersen, Cederqvist, and Wilson), 753 (Clinical opinion)

tubal ligation—Is infection significant risk? (Miesfeld, Giarratano, and Moyers), 183

Vaginismus, therapy of, by hypnotic desensitization (Fuchs), 1 (Clinical opinion)

Vaginitis, *Haemophilus vaginalis*, after twenty-five years (Gardner), 385

psychosexual functioning in symptomatic and asymptomatic women with and without signs of (McGuire, Guzinski, and Holmes), 600

Variable decelerations and nonstress test: Indication of cord compromise (O'Leary, Andrinopoulos, and Giordano), 704

Vascular response, uterine, to prostacyclin in nonpregnant sheep (Resnik and Brink), 267

and uterine responses to dobutamine and dopamine in gravid ewe (Fishburne et al.), 944

Venereal neoplasia, transmissible: Case report (Stein), 864 (Comm. in brief)

W

Verrucous lesions of female genitalia. I. Giant condylomata (Partridge et al.), 412

II. Verrucous carcinoma (Partridge et al.), 419

Virus shedding, asymptomatic, after herpes genitalis (Adam et al.), 827

Viscosity, increased blood, in young women using oral contraceptives (Lowe et al.), 840

Volumes, fetal body and fetal head, estimation of: Description of technique and nomograms for 18 to 41 weeks of gestation (Martinez and Barton), 78

Vulvar carcinoma, invasive, significance of histologic alterations adjacent to (Buscema, Stern, and Woodruff), 902

ectopic breast tissue mimicking perirectal abscess (Reeves and Kaufman), 509 (Comm. in brief)

X

Washington State, out-of-hospital delivery in, 1975 to 1977 (Shy, Frost, and Ullom), 547

Weighing 1,500 grams or less, fetal heart rate monitoring in premature infants (Bowes, Gabbe, and Bowes), 791

Weight, very-low-birth-, infants, changing trends of neonatal and postneonatal deaths in (Hack et al.), 797

Womb rent (Pomerance, Schifrin, and Meredith), 486

Y

Young women using oral contraceptives, increased blood viscosity in (Lowe et al.), 840

**Editors**

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., ALLAN C. BARNES, *Emeritus Editors*

**Advisory committee on policy**

C. D. Christian  
Leo J. Dunn  
David Figge  
Fred T. Given  
A. Brian Little

Edgar L. Makowski  
George D. Malkasian  
Roy T. Parker  
W. Ann Reynolds  
J. C. G. Whetham

**Board of corresponding editors**

Oscar Aguero, *Caracas*  
Frederick Kubli, *Heidelberg*  
Pierre O. Hubinont, *Brussels*  
Malcolm Symonds, *Nottingham*  
Ichiro Taki, *Fukuoka*

Volume 138  
September-December, 1980  
The C. V. Mosby Company  
St. Louis  
1980

*in addition to those listed on the front cover  
the Journal is the official publication  
of the following societies*

NEW YORK OBSTETRICAL SOCIETY  
OBSTETRICAL SOCIETY OF PHILADELPHIA  
BROOKLYN GYNECOLOGICAL SOCIETY  
ST. LOUIS GYNECOLOGICAL SOCIETY  
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY  
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND  
CHICAGO GYNECOLOGICAL SOCIETY  
CINCINNATI OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
WASHINGTON GYNECOLOGICAL SOCIETY  
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
BOSTON OBSTETRICAL SOCIETY  
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
SEATTLE GYNECOLOGICAL SOCIETY  
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS  
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
KANSAS CITY GYNECOLOGICAL SOCIETY  
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS  
AND OBSTETRICIANS  
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY  
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS  
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
NEW YORK GYNECOLOGICAL SOCIETY  
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION  
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
SAN FRANCISCO GYNECOLOGICAL SOCIETY  
JACKSON GYNECIC SOCIETY  
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY  
THE MINNESOTA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

**Volume 138**  
**Copyright © 1980 by The C. V. Mosby Company**  
**(All rights reserved)**

*Printed in the United States of America*

# Index to volume 138

## Author index\*

### A

ABERNATHY, JAMES R. (see MEDINA ET AL.), 1142  
ABITBOL, M. MAURICE, DEMETER, EMERICK, AND BENAROSH, THIERRY. Uterine and ovarian artery blood flow in the rhesus monkey near term, 414  
ABRAMOVICI, ARMAND (see WASSERMAN ET AL.), 763, 769  
ABRAMS, ROBERT (see SZETZ ET AL.), 528  
ABREU, ALFREDO (see WERTHEIN, ABREU, AND VALDES-VIVO), 1082  
ABT, ARTHUR B. (see CHUNG ET AL.), 550  
ACKER, DAVID, FRIGOLETTO, FREDRIC D., BIRNHOLZ, JASON C., UMANSKY, IRVING, PHILIPPE, MARK, FINBERG, HARRIS J., AND LIEBERMAN, MARCUS. Ultrasound-facilitated intrauterine transfusion, 1200  
ADASHI, E. Y., REBAR, R. W., EHARA, Y., NAFTOLIN, F., AND YEN, S. S. C. Impact of acute surgical stress on anterior pituitary function in female subjects, 609  
ADEEP, NAFISAH (see SINATHURAY ET AL.), 868  
ADLER, M. W. Trends for gonorrhea and pelvic inflammatory disease in England and Wales and for gonorrhea in a defined population, 901  
AGREN, GÖRAN (see FALK, LUDVIKSSON, AND AGREN), 974  
AHN, YOUNG W. (see GOLDBERG ET AL.), 436  
ALADJEM, SILVIO (see LUECK AND ALADJEM), 288  
ALBRECHT, RICHARD C., CEFALO, ROBERT C., AND O'BRIEN, WILLIAM F. Tularemia immunization in early pregnancy, 1226 (Comm. in brief)  
ALEXANDER, E. R. (see WAGER ET AL.), 1028  
ALLALOUF, DAVID (see WASSERMAN ET AL.), 763, 769  
AMIÉL-TISON, CLAUDINE. Possible acceleration of neurological maturation following high-risk pregnancy, 303  
ANDAY, ENDLA K. (see NWOSU ET AL.), 459  
ANDERSEN, RICHARD N. (see WENTZ AND ANDERSEN), 364  
ANDERSON, A. B. M. (see LÓPEZ BERNAL ET AL.), 1168  
ANDERSON, GARLAND D. (see MORRISON ET AL.), 99  
ANDERSON, PAIGE A. W., MANRING, ANDRÉS, AND CRENshaw, CARLYLE, JR. Biophysics of the developing heart. I. The force-interval relationship, 33  
—, —, AND — Biophysics of the developing heart. II. The interaction of the force-interval relationship with inotropic state and muscle length (preload), 44  
ANGERMAN, NEIL S. (see EVANS ET AL.), 648  
ARYA, O. P., TABER, S. R., AND NSANZE, H. Gonorrhea and female infertility in rural Uganda, 929  
ASSALI, N. S. (see ZUGAB ET AL.), 444, 453  
ATIENZA, MILAGROS F., BURKMAN, RONALD T., AND KING, THEODORE M. Midtrimester abortion induced by hyperosmolar urea and prostaglandin F<sub>2</sub>α in patients with previous cesarean section: Clinical course and potential for uterine rupture, 55  
AVERETTE, HERVY E. (see HELMKAMP ET AL.), 395  
AWOKE, S. (see DUNCAN ET AL.), 1059  
— (see PERINE ET AL.), 969  
AZAR, E., BERNSTEIN, G. S., AND SHAW, S. T., JR. Tritiated water exchange in the human uterine cavity, 833

B

BAER, EDWARD C. (see WINIKOFF AND BAER), 105  
BAILEY, A. (see NATHANIERSZ ET AL.), 653  
BAIR, DONALD G. (see O'BRIEN, CEFALO, AND BAIR), 464  
BANKS, JOYCE (see SWEET ET AL.), 952  
BASHORE, R. A. (see STAISCH, WESTLAKE, AND BASHORE), 399  
BASS, FIONA G. (see JANSEN ET AL.), 670  
BATES, G. WILLIAM (see MORRISON ET AL.), 99  
BEGUM, S. FIROZA. Pelvic infections following gynecologic procedures in Bangladesh, 875  
BEIERLE, JOHN W. (see KLETZKY ET AL.), 660

BELL, THOMAS A., AND JAMES, JOHN F. Computer-assisted analysis of the therapy of acute salpingitis, 1048  
BELSEY, M. A. (see MUIR AND BELSEY), 913  
BENAROSH, THIERRY (see ABITBOL, DEMETER, AND BENAROSH), 414  
BENEDETTI, THOMAS J. (see COTTON ET AL.), 6  
BERGER, GARY S. (see EDELMAN AND BERGER), 541  
— (see KEITH ET AL.), 781  
BERKOWITZ, RICHARD L. (see RAFFERTY AND BERKOWITZ), 263  
BERMAN, ARNOLD M. (see GOLDSTEIN ET AL.), 232  
BERNSTEIN, STEVEN G. (see COTTON ET AL.), 6  
BERSTEIN, G. S. (see AZAR, BERSTEIN, AND SHAW), 833  
BERTOLLI, SUSAN J. (see MARRS, BERTOLLI, AND KLETZKY), 620  
BESCH, NORMA F. (see MILWIDSKY ET AL.), 93  
BESCH, PAIGE K. (see MILWIDSKY ET AL.), 93  
BHAGAVAN, BELUR (see GORDON ET AL.), 1120  
BIRNHOLZ, JASON C. (see ACKER ET AL.), 1200  
BIRK, S. A. (see SPELLACY, BUHI, AND BIRK), 151  
BISCHOF, P., HUGHES, G., AND KLOPPER, A. Relationship of obstetric parameters to the concentration of pregnancy-associated plasma protein A, 494  
BJÖRKHOLM, ELISABET. Granulosa cell tumors: A comparison of survival in patients and matched controls, 329  
BLACKARD, CAROL (see TENNES AND BLACKARD), 774  
BLAIR, RICHARD A. (see MORRISON ET AL.), 99  
BLANDFORD, PATRICIA D. (see KEELING ET AL.), 185  
BLESSING, JOHN A. (see HRESHCHYSHYN ET AL.), 139  
BOECKX, WILLY (see VASQUEZ ET AL.), 86  
BOLOGNESE, RONALD J. (see NWOSU ET AL.), 459  
BONGIOVANNI, ALFRED M. (see NWOSU ET AL.), 459  
BOYCE, JOHN (see MACASAET ET AL.), 557  
BOYD, R. D. H. (see WEEDON ET AL.), 422  
BOYER, JEAN (see MERGER ET AL.), 68  
BRANTLE, KARLENE E. (see MARION ET AL.), 11  
BRAUNSTIN, GLENN D., RASOR, JOAN L., ENGVALL, EVA, AND WADE, MACLYN E. Interrelationships of human chorionic gonadotropin, human placental lactogen, and pregnancy-specific  $\beta_1$ -glycoprotein throughout normal human gestation, 1205  
BRAZY, JANE E. (see HAAGENSEN ET AL.), 25  
BRECKLE, ROBERT (see HILL AND BRECKLE), 1229  
BREUILLER, M. (see FERRE ET AL.), 500  
BRIGIT, DAVID (see MACASAET ET AL.), 557  
BRINKMAN, C. R., III (see ZUGAB ET AL.), 444, 453  
BRODSKY, JAY B., COHEN, ELLIS N., BROWN, BYRON W., JR., WU, MARION L., AND WHITCHER, CHARLES. Surgery during pregnancy and fetal outcome, 1165  
BRONITSKY, CARL (see SULEWSKI ET AL.), 128  
BROOKS, GEO. F. (see DRAPER ET AL.), 818, 996  
— (see SWEET ET AL.), 985  
BROSENS, IVO (see VASQUEZ ET AL.), 86  
BROWN, BYRON W., JR. (see BRODSKY ET AL.), 1165  
BROWN, STUART T., AND WIESNER, PAUL J. Problems and approaches to the control and surveillance of sexually transmitted agents associated with pelvic inflammatory disease in the United States, 1096  
— (see ST. JOHN, BROWN, AND TYLER), 845  
BROWN, WILLIAM E. (see CURRAN ET AL.), 1105  
DE BRUX, J. (see HENRY-SUCHET ET AL.), 1022  
BUCHANAN, T. M., ESCHENBACH, D. A., KNAPP, J. S., AND HOLMES, K. K. Gonococcal salpingitis is less likely to recur with *Neisseria gonorrhoeae* of the same principal outer membrane antigenic type, 978  
BUCHHOLZ, RUDOLPH (see KALINKOV AND BUCHHOLZ), 1148  
BUHI, W. C. (see SPELLACY, BUHI, AND BIRK), 151  
BURKMAN, RONALD T. Intrauterine device use and the risk of pelvic inflammatory disease, 861

\*September 1, 1-120; September 15, 121-238; October 1, 239-356; October 15, 357-474; November 1, 475-598; November 15, 599-726; December 1, part 1, 727-844; part 2, 845-1112; December 15, 1113-1262.

— (see ATIENZA, BURKMAN, AND KING), 55

BUSCEMA, JOSEPH, AND WOODRUFF, J. DONALD. Progressive histobiologic alterations in the development of vulvar cancer, 146

BUSTILLO, MARIA (see WORTHEN AND BUSTILLO), 759

C

CAIRNS, J. D. (see CHALVARDJIAN ET AL.), 391

CANNING, JANE F. (see WEEDEON ET AL.), 422

CARITIS, STEVE N., AND ZELEZNICK, ANTHONY J. Effect of adrenergic agonists on progesterone production by human placental cells in culture, 677

— (see EDELMAN ET AL.), 703

CARLSON, CATHERINE (see CHOW, CARLSON, AND SORRELL), 1003

CARROLL, LINDA (see MARION ET AL.), 11

CARTER, LORRAINE (see MORRISON ET AL.), 175

CATALAN, F. (see HENRY-SUCHET ET AL.), 1022

CEDARD, L. (see FERRE ET AL.), 500

CEFALO, ROBERT C. (see ALBRECHT, CEFALO, AND O'BRIEN), 1226

— (see O'BRIEN, CEFALO, AND BAIR), 464

— (see O'BRIEN, CODDINGTON, AND CEFALO), 467

CHALVARDJIAN, A., PICARD, L., SHAW, R., DAVEY, R., AND CAIRNS, J. D. Malacoplakia of the female genital tract, 391

CHAN, WAL-YEE, RICHICH, JOANN, GRIESMANN, GUY E., CUSHING, WILLIAM, KLING, O. RAY, AND RENNERT, OWEN M. Copper and ceruloplasmin activity in human amniotic fluid, 257

CHANAY, NANCY E. (see KRAYBILL, CHANAY, AND McCARTHY), 793

CHATTERJEE, T. K. (see RATNAM, DIN, AND CHATTERJEE), 965

CHEANG, MARY (see MORRISON ET AL.), 175

CHEDDELIN, LAWRENCE V. (see HEATH ET AL.), 343

CHEN, ANDREW T. L. (see GOLDBERG ET AL.), 436

CHI, I-CHENG, MUMFORD, STEPHEN D., AND LAUFE, LEONARD E. Technical failures in tubal ring sterilization: Incidence, perceived reasons, outcome, and risk factors, 307

CHIANG, W. T. (see WAGER ET AL.), 1028

CHONG, C. H. (see SINNATHURAY ET AL.), 868

CHOW, ANTHONY W., CARLSON, CATHERINE, AND SORRELL, TANIA C. Host defenses in acute pelvic inflammatory disease. I. Bacterial clearance in the murine uterus and oviduct, 1003

CHUNG, C. K., NAHIS, WILLIAM A., STRYKER, JOHN A., CURRY, STEPHEN L., ABT, ARTHUR B., AND MORTEL, RODRIGUE. Analysis of factors contributing to treatment failures in Stages IB and IIA carcinoma of the cervix, 550

CIECHAN, RICK (see NELSON ET AL.), 466

CIFUENTES, ARMANDO (see MEDINA ET AL.), 1142

CLAPP, JAMES F., III, SZETO, HAZEL H., LARROW, RODNEY, HEWITT, JEAN, AND MANN, LEON I. Umbilical blood flow response to embolization of the uterine circulation, 60

— (see SZETO ET AL.), 528

CLARK, K. E. (see SEEDS ET AL.), 604

CLEMONS, ANITA U. (see KEELING ET AL.), 185

CLEWELL, W. H., AND MESCHIA, G. Stimulus summation and tachyphylaxis in estrogen response in sheep, 485

CODDINGTON, CHARLES C. (see O'BRIEN, CODDINGTON, AND CEFALO), 467

COHEN, ELLIS N. (see BRODSKY ET AL.), 1165

COHN, HERBERT E., PIASECKI, GEORGE J., AND JACKSON, BENJAMIN T. The effect of fetal heart rate on cardiovascular function during hypoxemia, 1190

CONRAD, SUZANNE H. (see GUZINSKI AND CONRAD), 230

COOPERMAN, NORMAN R., AND RUIZ, GUSTAVO. Clinical aspects of progressive stages of acute pelvic infections, 1026

COPPIN, R. (see HENRY-SUCHET ET AL.), 1022

COTTON, DAVID B., BERNSTEIN, STEVEN G., READ, JOHN A., BENEDETTI, THOMAS J., D'ABLAING, GERRIT, MILLER, FRANK C., AND MORROW, C. Paul, with the technical assistance of FLYNN, GARY M. Hemodynamic observations in evacuation of molar pregnancy, 6

COTTON, ERNEST K., HESTAND, MAHLON, PHILBIN, GEORGE E., AND SIMMONS, MICHAEL. Re-evaluation of birth weights at high altitude, 220

COWAN, W., AND MORGAN, H. R. Abdominal sacral colpopexy, 348 (Comm. in brief)

CRANE, JAMES P., AND KOPTA, MAZIE M. Comparative newborn anthropometric data in symmetric versus asymmetric intrauterine growth retardation, 518

CREASMAN, WILLIAM T. (see HRESHCHYSHYN ET AL.), 139

CREASY, ROBERT K. (see KATZ, GORDON, AND CREASY), 741

CRENSHAW, CARLYLE, JR. (see ANDERSON, MANRING, AND CRENshaw), 33, 44

CURCIO, FREDERICK D. (see SULEWSKI ET AL.), 128

CURRAN, JAMES W. Economic consequences of pelvic inflammatory disease in the United States, 848

—, SCHRADER, MARK V., MOYER, JANINE K., KRAMER, MARK A., LOSICK, JOSEPH G., AND BROWN, WILLIAM E. Gonorrhea in the emergency department: Management, case follow-up, and contact tracing of cases in women, 1105

CURRY, STEPHEN L. (see CHUNG ET AL.), 550

CUSHING, WILLIAM (see CHAN ET AL.), 257

D

D'ABLAING, GERRIT (see COTTON ET AL.), 6

DAL COMPO, SHARON (see SABBAGHA ET AL.), 511

DALING, JANET R. (see WAGER ET AL.), 1028

DANIELL, W. C. (see PENNEY AND DANIELL), 345

DARROW, WILLIAM W. (see POTTERAT ET AL.), 1101

DAVEY, R. (see CHALVARDJIAN ET AL.), 391

DAVIDSON, B. J. (see NISKER ET AL.), 637

DAWES, G. S. (see THALER, GOODMAN, AND DAWES), 282

DAWOOD, M. YUSOFF, YLIKORKALA, OLIVA, AND FUCHS, FRITZ. Plasma oxytocin levels and disappearance rate after buccal Pitocin, 20

DE MOUZONS, JACQUES (see GRANDJEAN ET AL.), 790

DEBACHE, C. (see HENRY-SUCHET ET AL.), 1022

DELIVORIA-PAPADOPOULOS, MARIA (see NWOSU ET AL.), 459

DEMETER, EMERIC (see ABITBOL, DEMETER, AND BENAROSH), 414

DEPP, RICHARD (see KEITH ET AL.), 781

DESIR, DANIEL (see KIRKPATRICK, QUENON, AND DESIR), 523

DEVOE, LAWRENCE D. (see EVANS ET AL.), 648

DICKSON, LESLEY R. (see WILSON, JAWAD, AND DICKSON), 708

DILLING, LOUIS A. (see HAWORTH ET AL.), 1185

DILLON, MICHAEL B. (see LONG, RUDD, AND DILLON), 755

DIN, S. N. (see RATNAM, DIN, AND CHATTERJEE), 965

DÖBLER, JOHANNA (see MILNER, JONES, AND DÖBLER), 239

DONALDSON, MARCIA (see RAYBURN ET AL.), 223

DONCHIN, Y. (see MAGORA ET AL.), 260

DONEGAN, ELIZABETH A. (see DRAPER ET AL.), 818, 996

— (see SWEET ET AL.), 952

DONKERS, B., AND JANSONIUS, D. Fluorescein angiography in hypertensive pregnancies, 461 (Comm. in brief)

DONNELLY, WILLIAM H. (see RAMPHAL, DONNELLY, AND SMALL), 347

DORCHESTER, WENDY (see MODANLOU ET AL.), 1157

DOUGLAS, GORDON W. (see YOUNG ET AL.), 203

DRAKE, TERRANCE S., AND O'BRIEN, WILLIAM F. Hematocolposcopy in the presence of normal menstruation, 346 (Comm. in brief)

DRAPER, DEBORAH L., DONEGAN, ELIZABETH A., JAMES, JOHN F., SWEET, RICHARD L., AND BROOKS, GEORGE F. In vitro modeling of acute salpingitis caused by *Neisseria gonorrhoeae*, 996

—, —, —, —, AND —. Scanning electron microscopy of attachment of *Neisseria gonorrhoeae* colony phenotypes to surfaces of human genital epithelia, 818

— (see SWEET ET AL.), 985

DUENHOELTER, JOHANN H. (see LEVENO ET AL.), 615

DUNCAN, M. E., PERINE, P. L., KRAUSE, D. W., AWOKE, S., AND ZAIDI, A. A. Pelvic inflammatory disease and puerperal sepsis in Ethiopia. II. Treatment, 1059

— (see PERINE ET AL.), 969

DUNN, BRUCE E. (see MABEE, DUNN, AND SHERRER), 181

DUNN, L. J. (see KREBS ET AL.), 213

DYRENFURTH, INGE (see SCHWARTZ ET AL.), 801

E

DEDELMAN, DAVID A., AND BERGER, GARY S. Contraceptive practice and tuboovarian abscess, 541

EDELSTONE, DANIEL I., MERICK, RUDOLPH E., CARITIS, STEVE N., AND MUELLER-HEUBACH, EBERHARD. Umbilical venous blood flow and its distribution before and during autonomic blockade in fetal lambs, 703

EHARA, Y. (see ADASHI ET AL.), 609

ELIAS, SHERMAN, GERBIE, ALBERT B., SIMPSON, JOE LEIGH, NADLER, HENRY L., SABBAGHA, RUDY E., AND SHKOLNIK, ARNOLD. Genetic amniocentesis in twin gestations, 169

— (see SABBAGHA ET AL.), 511

ELLESTAD-SAYED, JUDITH J. (see HAWORTH ET AL.), 1185

ELLIOT, JOHN P., MODANLOU, HOUCHANG D., O'KEEFE, DANIEL F., AND FEEMAN, ROGER K. Significance of fetal and neonatal sinusoidal heart rate pattern: Further clinical observations in Rh incompatibility, 227 (Comm. in brief)

ELLIS, ROBERT (see KEITH ET AL.), 781

ELIAS, LOUIS J. II (see MARION ET AL.), 11

ENGVALL, EVA (see BRAUNSTEIN ET AL.), 1205

— (see O'BRIEN ET AL.), 313  
ERKKOLA, RISTO (see ZUGAIB ET AL.), 444, 453  
ESCHENBACH, DAVID A. (see HOLMES, ESCHENBACH, AND KNAPP), 893  
— (see BUCHANAN ET AL.), 978  
— (see WAGER ET AL.), 1028  
— (see WANG ET AL.), 1034  
ESKES, TOM K. A. B. (see VAN GEIJN ET AL.), 246  
— (see VAN DONGEN ET AL.), 1  
EVANS, MARK I., HAJI, SAMIR N., DEVOE, LAWRENCE D., ANGERMAN, NEIL S., AND MOAWAD, ATEF H. C-reactive protein as a predictor of infectious morbidity with premature rupture of membranes, 648  
EVERETT, R. B. (see PARKER ET AL.), 626

F  
FALK, VIKING, LUDVIKSSON, KONRAD, AND AGREN, GÖRAN. Genital tuberculosis in women, 974  
FARO, SEBASTIAN. Group B streptococcus and puerperal sepsis, 1219 (Comm. in brief)  
FEIN, HENRY G., GOLDMAN, JOEL M., AND WEINTRAUB, BRUCE D. Postpartum lymphocytic thyroiditis in American women: A spectrum of thyroid dysfunction, 504  
FERNHOFF, PAUL M. (see MARION ET AL.), 11  
FERRE, F., BREUILLER, M., TANGUY, G., JANSSENS, Y., AND CEDARD, L. Steroid concentrations and  $\Delta^5,3\beta$ -hydroxysteroid dehydrogenase activity in human placenta, 500  
FILSTEAD, WILLIAM (see KEITH ET AL.), 781  
FINBERG, HARRIS J. (see ACKER ET AL.), 1200  
FISH, ALFRED J. (see HOUSER ET AL.), 409  
FIUMARA, NICHOLAS J. (see O'HARE, FIUMARA, AND MCGORMACK), 909  
FLYNN, GARY M. (see COTTON ET AL.), 6  
FONG, C. K. (see SINGHATRAY ET AL.), 868  
FORMAN, EVELYN K. (see MORRISON ET AL.), 99  
FORNEY, J. PETER. The effect of radical hysterectomy on bladder physiology, 374  
FORSYTHE, ALAN B. (see ZUGAIB ET AL.), 444, 453  
FRANKL, OTTO (see KAPLINSKY, THALER, AND FRANKL), 237  
FRANZ, CHARLENE (see LONGCOPE, HUNTER, AND FRANZ), 564  
FRASER, R. C. (see HEFFERNAN, FRASER, AND PURDY), 460  
FREEMAN, ROGER K. (see ELLIOT ET AL.), 227  
— (see MODANLOU ET AL.), 1157  
FRENKEL, YAIR (see MENCZER, FRENKEL, AND SERR), 352  
FREUNDL, EYVIND A. (see MÖLLER, FREUNDL, AND MÄRDH), 990  
FRIGOLETTO, FREDRIC D. (see ACKER ET AL.), 1200  
FRUCHTER, RACHEL (see MACASSET ET AL.), 557  
FRUMAR, A. M. (see NISKER ET AL.), 637  
FUCHS, FRITZ (see DAWOOD, YLIKORKALA, AND FUCHS), 20

G  
GALL, STANLEY A. (see HAAGENSEN ET AL.), 25  
GANT, N. F. (see PARKER ET AL.), 626  
GARFIELD, R. E., AND HAYASHI, R. H. Presence of gap junctions in the myometrium of women during various stages of menstruation, 569  
VAN GEIJN, HERMAN P., JONGSMA, HENK W., DE HAAN, JELTE, AND ESKES, TOM K. A. B. Analysis of heart rate and beat-to-beat variability: Interval difference index, 246  
GENADRY, RENE (see GINSBURG ET AL.), 1055  
GERBIE, ALBERT B. (see ELIAS ET AL.), 169  
— (see SABBAGHA ET AL.), 511  
GIANNOLA, JAN (see HAAGENSEN ET AL.), 25  
GIESE, CHRISTA (see SCHOTTEN AND GIESE), 463  
GILLIESON, MARTIN (see MURAM, GILLIESON, AND WALTERS), 16  
GINSBURG, DAVID S., STERN, JEFFREY L., HAMOD, KAMAL A., GENADRY, RENE, AND SPENCE, MICHAEL R. Tubo-ovarian abscess: A retrospective review, 1055  
GOEBELSMANN, UWE (see LOBO AND GOEBELSMANN), 720  
— (see LOBO ET AL.), 632, 714  
GOLDBERG, MARSHALL F., CHEN, ANDREW T. L., AHN, YOUNG W., AND REIDY, JOHN A. First-trimester fetal chromosomal diagnosis using endocervical lavage: A negative evaluation, 436  
GOLDE, STEVEN H. (see STRASSNER ET AL.), 697  
GOLDMAN, JACK A. (see WASSERMAN ET AL.), 763, 769  
GOLDMAN, JOEL M. (see FEIN, GOLDMAN, AND WEINTRAUB), 504  
GOLDSTEIN, ARNOLD S., MANGURTEL, HENRY H., LIBRETTI, JOSEPH V., AND BERMAN, ARNOLD M. Lecithin/sphingomyelin ratio in amniotic fluid obtained vaginally, 232 (Comm. in brief)  
GOODMAN, J. D. S. (see THALER, GOODMAN, AND DAWES), 282  
GOPLERUD, DEAN R. (see SCHNEIDER, WALSH, AND GOPLERUD), 350

GORDON, ALAN, ROSENHEIN, NEIL, PARMLEY, TIM, AND BHAGAVAN, BELUR. Benign cystic teratomas in postmenopausal women, 1120  
GORDON, DAVID B. (see KATZ, GORDON, AND CREAMY), 741  
GORDON, THOMAS (see GRANAT ET AL.), 233  
GRANAT, MENACHEM, GORDON, THOMAS, ISSAQ, ELIAS, AND SHABTAI, MOSHE. Accidental puncture of pelvic kidney: A rare complication of culdoscopesis, 233 (Comm. in brief)  
GRANDJEAN, HÉLÈNE, SARRAMON, MARIE-FRANCE, DE MOUZON, JACQUES, REME, JEAN-MICHEL, AND PONTONNIER, GEORGES. Detection of gestational diabetes by means of ultrasonic diagnosis of excessive fetal growth, 790  
GRAYSTON, J. THOMAS (see WANG ET AL.), 1034  
GREENBLATT, ROBERT B. (see NEZHAT ET AL.), 1151  
GREGG, C. R., MELLY, M. A., AND MCGEE, Z. A. Gonococcal lipopolysaccharide: A toxin for human fallopian tube mucosa, 981  
GRIESMANN, GUY E. (see CHAN ET AL.), 257  
GROSS, THOMAS L., AND SOKOL, ROBERT J. Severe hypokalemia and acidosis: A potential complication of beta-adrenergic treatment, 1225 (Comm. in brief)  
GRUTTERS, GERRIE (see PEETERS, GRUTTERS, AND MARTIN), 1177  
GURPIDE, ERILIO (see HOLINKA AND GURPIDE), 599  
— (see MAROVITZ ET AL.), 643  
GUZINSKI, GAY M., AND CONRAD, SUZANNE H. Pseudocyesis and sonography, 230 (Comm. in brief)

H  
HAAGENSEN, DARROW E., JR., GALL, STANLEY A., BRAZYL, JANE E., GIANNOLA, JAN, AND WELLS, SAMUEL A., JR. Analysis of amniotic fluid, maternal plasma, and cord blood for a human breast gross cystic disease fluid protein, 25  
— (see HOOGLAND, DE HAAN, AND MARTIN), 441  
DE HAAN, JELTE (see VAN GEIJN ET AL.), 246  
HADLEY, W. K. (see SWEET ET AL.), 985  
HAGENFELDT, KERSTIN, AND SZANTO, ERIKA. Sacroiliitis in women—A late sequela to acute salpingitis, 1039  
HAJ, SAMIR N. (see EVANS ET AL.), 648  
HÄKANSON, R. (see WALLES ET AL.), 337  
HAMMOND, CHARLES B. (see QUIGLEY, TYREY, AND HAMMOND), 545  
— (see VAUGHN, SURWIT, AND HAMMOND), 73  
HAMMOND, G. L. (see NISKER ET AL.), 637  
HAMOD, KAMAL A. (see GINSBURG ET AL.), 1055  
HARBERT, GUY M., JR., AND SPISSO, KENNETH R. Biorhythms of the primate uterus (*Macaca mulatta*) during labor and delivery, 686  
HARDING, R. (see NATHANIELSZ ET AL.), 653  
HARRIS, ESTUS A. (see KEELING ET AL.), 185  
HARTIKAINEN-SORRI, ANNA-LUISA (see KAUPPILA ET AL.), 404  
HATCHER, ROGER (see KEITH ET AL.), 781  
HAVERKOS, HARRY W. (see KAM ET AL.), 351  
HAWORTH, J. C., ELLESTAD-SAYED, JUDITH J., KING, JEAN, AND DILLING, LOUIS A. Relation of maternal cigarette smoking, obesity, and energy consumption to infant size, 1185  
HAYASHI, R. H. (see GARFIELD AND HAYASHI), 569  
— (see VALENZUELA ET AL.), 1223  
HEATH, RICHARD E., JR., ROGERS, JACK A., JR., CHEDDELIN, LAWRENCE V., AND KILLAM, ALLEN P. *Streptococcus sanguis* sepsis and meningitis: A complication of vacuum extraction, 343 (Comm. in brief)  
HEFFERNAN, L. P. M., FRASER, R. C., AND PURDY, R. A. L-5 Radiculopathy secondary to a uterine leiomyoma in a primigravid patient, 460 (Comm. in brief)  
HELM, G. (see WALLES ET AL.), 337  
HELMKAMP, B., FREDERICK, KREBS, HANS-B., ISIKOFF, MICHAEL B., POLIAKOFF, STEVEN R., AND AVERETTE, HERVY E. Para-aortic lymphocyst, 395  
HENDRIX, JAMES W. (see MORRISON ET AL.), 99  
HENRIKES, E. S. (see JOSHI ET AL.), 1131  
HENRY-SUCHET, J., CATALAN, F., LOFFREDO, V., SERFATY, D., SIBOULET, A., PEROL, Y., SANSON, M. J., DEBACHE, C., PIGEAU, F., COPPIN, R., DE BRUX, J., AND POYNARD, T. Microbiology of specimens obtained by laparoscopy from controls and from patients with pelvic inflammatory disease or infertility with tubal obstruction: *Chlamydia trachomatis* and *Ureaplasma urealyticum*, 1022  
HERNANDEZ, ENRIQUE, AND WOODRUFF, J. DONALD. Endometrial adenocarcinoma arising in adenomyosis, 827  
HERTZ, ROGER H. (see ZADOR ET AL.), 344  
HEWITT, JEAN (see CLAPP ET AL.), 60  
HIESTAND, MAHLON (see COTTON ET AL.), 220

HILL, LYNDON M., AND BRECKLE, ROBERT. The Trendelenburg position for obstetric ultrasound, 1229 (Comm. in brief)

HIRSCH, VICTOR J. (see ZADOR ET AL.), 344

HITT, JOHN R. (see SEHGAL AND HITT), 165

HO, P. C., AND JONES, W. R. Pregnancy-specific  $\beta_1$ -glycoprotein as a prognostic indicator in complications of early pregnancy, 253

HO YUEN, BASIL, AND KORN, GERALD W. Prolactin and the renin-aldosterone axis in human pregnancy, 738

HOLINKA, CHRISTIAN F., AND GURPIDE, ERILIO. Peroxidase activity in glands and stroma of human endometrium, 599

HOLMES, KING K., ESCHENBACH, DAVID A., AND KNAPP, JOAN S. Salpingitis: Overview of etiology and epidemiology, 893

— (see BUCHANAN ET AL.), 978

— (see WAGER ET AL.), 1028

— (see WANG ET AL.), 1034

HOOGLAND, HENK J., DE HAAN, JELTE, AND MARTIN, CHESTER B., JR. Placental size during early pregnancy and fetal outcome: A preliminary report of a sequential ultrasonographic study, 441

HORGER, EDGAR O., III (see KEY ET AL.), 731

HOUSER, MARK T., FISH, ALFRED J., TAGATZ, GEORGE E., WILLIAMS, PRESTON P., AND MICHAEL, ALFRED F. Pregnancy and systemic lupus erythematosus, 409

HRESHCHYSHYN, MYROSLAW M., PARK, ROBERT C., BLESSING, JOHN A., NORRIS, HENRY J., LEVY, DAVID, LAGASSE, LEO D., AND CREASMAN, WILLIAM T. The role of adjuvant therapy in Stage I ovarian cancer, 139

HUGHES, G. (see BISCHOF, HUGHES, AND KLOPPER), 494

HUISJES, H. J. (see VISSER ET AL.), 429

HUNTER, RICHARD (see LONGCOPE, HUNTER, AND FRANZ), 564

I

IGARASHI, MASAO (see YAZAKI ET AL.), 189

INTURRISI, CHARLES E. (see SZETO ET AL.), 528

ISIKOFF, MICHAEL B. (see HELMKAMP ET AL.), 395

ISSAQ, ELIAS (see GRANAT ET AL.), 233

J

JACKSON, BENJAMIN T. (see COHN, PIASECKI, AND JACKSON), 1190

JACOBS, BARRY R., SUCHOCKI, SUSAN, AND SMITH, ROY G. Evidence for a human ovarian progesterone receptor, 332

JACOBSON, LENNART. Differential diagnosis of acute pelvic inflammatory disease, 1006

JAMES, JOHN F. (see BELL AND JAMES), 1048

— (see DRAPER ET AL.), 818, 996

— (see SWEET ET AL.), 985

JÄNNÉ, OLLI (see KAUPPILA ET AL.), 404

JANSEN, C. A. M., BASS, FIONA G., LOWE, K. C., AND NATHANIELS, P. W. Comparison of continuous transcutaneous and continuous intravascular  $P_0_2$  measurement in fetal sheep, 670

JANSONIUS, D. (see DONKERS AND JANSONIUS), 461

JANSSENS, Y. (see FERRE ET AL.), 500

JARABAK, JOSEPH. Early steps in prostaglandin metabolism in the human placenta, 534

JÄRVINEN, PENTTI A. (see KAUPPILA ET AL.), 404

JAWAD, M. J. (see WILSON, JAWAD, AND DICKSON), 708

JEWELEWICZ, RAPHAEL (see SCHWARTZ ET AL.), 801

JONES, BENNIE R. (see MILNER, JONES, AND DÖBLER), 239

JONES, HOWARD W., JR. (see ROCK AND JONES), 339

JONES, OSCAR G., ZAIIDI, AKBAR A., AND ST. JOHN, RONALD K. Frequency and distribution of salpingitis and pelvic inflammatory disease in short-stay hospitals in the United States, 905

JONES, W. R. (see HO AND JONES), 253

JONGSMA, HENK W. (see VAN GEIJN ET AL.), 246

JORGENSEN, R. J. (see PHANSEY ET AL.), 133

JOSHI, S. G., HENRIQUES, E. S., SMITH, R. A., AND SZAROWSKI, D. H. Progestogen-dependent endometrial protein in women: Tissue concentration in relation to developmental stage and to serum hormone levels, 1131

JUDD, H. L. (see NISKER ET AL.), 637

JUNQUEIRA, L. C. U., ZUGABE, M., MONTES, G. S., TOLEDO, O. M. S., KRISZTÁN, R. M., AND SHIGIHARA, K. M. Morphologic and histochemical evidence for the occurrence of collagenolysis and for the role of neutrophilic polymorphonuclear leukocytes during cervical dilation, 273

K

KADNER, SUSAN (see SCHIFF ET AL.), 1137

KAICO, ROBERT F. (see SZETO ET AL.), 528

KALINKOV, DIMITRE, AND BUCHHOLZ, RUDOLPH. Early primary diagnosis of ovarian cancer and detection of recurrence by serum cystine aminopeptidase assay, 1148

KAM, WING K., HAVERKOS, HARRY W., RODMAN, HARVEY M., SCHMELTZ, RALPH, AND VAN THIEL, DAVID H. Human pasteurellosis: The first reported case of *Pasteurella multocida* septicemia and peritonitis during pregnancy, 351 (Comm. in brief)

KAPLINSKY, NAOMI, THALER, MICHAEL, AND FRANKL, OTTO. Oral contraceptive-induced chorea, 237 (Comm. in brief)

KAPTEIN, ELAINE M. (see LOBO ET AL.), 632

KARPAS, ANTHONY E. (see NEZHAT ET AL.), 1151

KASSAM, GULZAR (see MARION ET AL.), 11

KATZ, MICHAEL, GORDON, DAVID B., AND CREASY, ROBERT K. Increased pressor activity in incubated plasma of pregnant rabbits, 741

KATZ, MIRIAM (see YOUNG ET AL.), 203

KAUFMAN, RAYMOND H. (see MILWIDSKY ET AL.), 93

KAUPPILA, A., AND YLIKORKALA, O. Stable prolactin level after enhanced estradiol production following dehydroepiandrosterone sulfate, 271

— (see HARTKAINEN-SORRI, ANNA-LIISA, JÄNNÉ, OLLI, TUIMALA, RISTO, AND JÄRVINEN, PENTTI A. Suppression of threatened premature labor by administration of cortisol and 17 $\alpha$ -hydroxyprogesterone caproate: A comparison with ritodrine, 404

KAWAI, YASUO (see SATOH ET AL.), 748

KEELING, MARIE M., LAVERY, J. PATRICK, CLEMONS, ANITA U., SCHAEFER, ROBERT L., BLANDFORD, PATRICIA D., AND HARRIS, ESTUS A. Red cell exchange in the pregnancy complicated by a major hemoglobinopathy, 185

KEITH, DONALD M. (see KEITH ET AL.), 781

KEITH, LOUIS, ELLIS, ROBERT, BERGER, GARY S., AND DEPP, RICHARD, with the technical assistance of FILSTEAD, WILLIAM, HATCHER, ROGER, AND KEITH, DONALD M. The Northwestern University multihospital twin study. I. A description of 588 twin pregnancies and associated pregnancy loss, 1971 to 1975, 781

KEY, THOMAS C., HORGER, EDGAR O., III, WALKER, ERNEST M., JR., AND MITCHUM, ERNESTINE N. Automated erythrocytapheresis for sickle cell anemia during pregnancy, 731

KILLAM, ALLEN P. (see HEATH ET AL.), 343

KINCHELOE, BRADFORD W. (see MORRISON ET AL.), 99

KING, JEAN (see HAWORTH ET AL.), 1185

KING, THEODORE M. (see ATIENZA, BURKMAN, AND KING), 55

KINOSHITA, KATSUYUKI (see SATOH ET AL.), 748

KIRKPATRICK, CHRISTINE, QUENON, MARIANNE, AND DESIR, DANIEL. Blood anions and electrolytes during ritodrine infusion in preterm labor, 523

KLEIN, LUELLA (see MARION ET AL.), 11

KLEIN, STEVEN A. (see YOUNG ET AL.), 203

KLETZKY, OSCAR A., MARKS, RICHARD P., RUNDALL, TOSHIKO T., WEISS, MARTIN H., AND BEIERLE, JOHN W. Monolayer and suspension culture of human prolactin-secreting pituitary adenoma, 660

— (see MARRS, BERTOLLI, AND KLETZKY), 620

— (see LOBO ET AL.), 632

KLING, O. RAY (see CHAN ET AL.), 257

KLOPPER, A. (see BISCHOF, HUGHES, AND KLOPPER), 494

KNAPP, JOAN S. (see HOLMES, ESCHENBACH, AND KNAPP), 893

— (see BUCHANAN ET AL.), 978

KNAUF, SUZANNE, AND URBACH, GERALD I. A study of ovarian cancer patients using a radioimmunoassay for human ovarian tumor-associated antigen OCA, 1222 (Comm. in brief)

KOCHAR, M. Etiology of pelvic infections treated by the gynecologic service of the Kasturba Hospital, Delhi, India, 872

KOPTA, MAZIE M. (see CRANE AND KOPTA), 518

KORN, GERALD W. (see HO YUEN AND KORN), 738

KOUTSKY, LAURA (see WAGER ET AL.), 1028

KRAMER, DORINE G. (see SENANAYAKE AND KRAMER), 852

KRAMER, MARK A. (see CURRAN ET AL.), 1105

KRAUSE, D. W. (see DUNCAN ET AL.), 1059

— (see PERINE ET AL.), 969

KRAUSS, RONALD M. (see LOBO ET AL.), 714

KRAYBILL, ERNEST N., CHANEY, NANCY E., AND McCARTHY, LAURENCE R. Transplacental ampicillin: Inhibitory concentrations in neonatal serum, 793

KREBS, H. B., PETRES, R. E., DUNN, L. J., AND SEGRETI, A. Intrapartum fetal heart rate monitoring. IV. Observations on elective and nonselective fetal heart rate monitoring, 213

— (see HELMKAMP ET AL.), 395

KRISZTÁN, R. M. (see JUNQUEIRA ET AL.), 273

KUO-FEN, CHENG, WEI-YU, WU, MIN-YI, TANG, AND PENG-TI, CHU. Endometrial changes after administration of gossypol for menorrhagia, 1227 (Comm. in brief)

KUSMIK, WILLIAM F. (see LUCIANO ET AL.), 665

L

LACKRITZ, RICHARD M. (see VALENZUELA ET AL.), 1223

LAGASSE, LEO D. (see HRESHCHYSHYN ET AL.), 139

LARROW, RODNEY (see CLAPP ET AL.), 60

— (see SZETO ET AL.), 528

LAUFE, LEONARD E. (see CHI, MUMFORD, AND LAUFE), 307

LAVERY, J. PATRICK (see KEELING ET AL.), 185

LEDGER, WILLIAM J. Laparoscopy in the diagnosis and management of patients with suspected salpingo-oophoritis, 1012

— (see MÜLLEL ET AL.), 808

LENKE, ROGER, AND OSTERKAMP, TERRE. A prolapsed umbilical cord into the abdominal cavity in a woman with a previous cesarean section, 1224 (Comm. in brief)

LEUNG, L. S. (see SEEDS ET AL.), 604

LEVENO, KENNETH J., SANTOS-RAMOS, RIGOBERTO, DUENHOELTER, JOHANN H., REISCH, JOAN S., AND WHALLEY, PEGGY J. Sonar cephalometry in twin pregnancy: Discordancy of the biparietal diameter after 28 weeks' gestation, 615

LEVITZ, MORTIMER (see SCHIFF ET AL.), 1137

LEVY, DAVID (see HRESHCHYSHYN ET AL.), 139

LIBRETTI, JOSEPH V. (see GOLDSTEIN ET AL.), 232

LIEB, STEPHEN M. (see ZUGAIB ET AL.), 444, 453

LIEBERMAN, MARCUS (see ACKER ET AL.), 1200

LIEDHOLM, P. (see OSSER, LIEDHOLM, AND SJÖBERG), 864

LOBO, ROGERIO A., AND GOEBELSMANN, UWE. Adult manifestation of congenital adrenal hyperplasia due to incomplete 21-hydroxylase deficiency mimicking polycystic ovarian disease, 720

—, KLETZKY, OSCAR A., KAPTEIN, ELAINE M., AND GOEBELSMANN, UWE. Prolactin modulation of dehydroepiandrosterone sulfate secretion, 632

—, MARCH, CHARLES M., GOEBELSMANN, UWE, KRAUSS, RONALD M., AND MISHELL, DANIEL R., JR. Subdermal estradiol pellets following hysterectomy and oophorectomy, 714

LOFFREDO, V. (see HENRY-SUCHET ET AL.), 1022

LONG, WILLIAM H., RUDD, EUGENE G., AND DILLON, MICHAEL B. Intrauterine irrigation with cefamandole nafate solution at cesarean section: A preliminary report, 755

LONGCOPE, CHRISTOPHER, HUNTER, RICHARD, AND FRANZ, CHARLENE. Steroid secretion by the postmenopausal ovary, 564

LÓPEZ BERNAL, A., ANDERSON, A. B. M., PARRY, D. M., AND TURNBULL, A. C. Evidence that fetal membranes are not involved in cortisol metabolism: Study of dichorionic twin pregnancies, 1168

LOSADA, MANUEL (see PITTMAN ET AL.), 797

LOSSICK, JOSEPH G. (see CURRAN ET AL.), 1105

LOTT, JOHN A. (see STEMPFL AND LOTT), 1173

LOUCOPOULOS, A. (see MAROVITZ ET AL.), 643

LOWE, K. C. (see JANSEN ET AL.), 670

LUCIANO, ANTHONY A., MASLAR, ILA A., KUSMIK, WILLIAM F., AND RIDDICK, DANIEL H. Stimulatory activity of serum on prolactin production by human decidua, 665

LUDVIKSSON, KONRAD (see FALK, LUDVIKSSON, AND AGREN), 974

LUECK, JUDITH, AND ALADJEM, SILVIO. Time-lapse study of normal human trophoblasts in vitro, 288

M

MABEE, LEE M., JR., DUNN, BRUCE E., AND SHERREY, C. WILLIS. Electrocardiographic changes induced by suction curettage for elective termination of pregnancy, 181

MACASAET, MILAGROS, BRIGIT, DAVID, BOYCE, JOHN, NICASTRI, ANTHONY, WAXMAN, MARIAN, NELSON, JAMES, AND FRUCHTER, RACHEL. The significance of residual disease after radiotherapy in endometrial carcinoma: Clinicopathologic correlation, 557

MCCARTHY, LAURENCE R. (see KRAYBILL, CHANEY, AND MCCARTHY), 793

MCCARTHY, THOMAS A. (see WHITE ET AL.), 235

MCCORMACK, WILLIAM M. (see O'HARE, FIUMARA, AND MCCORMACK), 909

MCDONALD, P. C. (see PARKER ET AL.), 626

MCGEE, Z. A. (see GREGG, MELLY, AND MCGEE), 981

MACKENZIE, I. Z., AND MACLEAN, D. A. Pure fetal blood from the umbilical cord obtained at fetoscopy: Experience with 125 consecutive cases, 1214

MACLEAN, D. A. (see MACKENZIE AND MACLEAN), 1214

MCNAMARA, SHARILYN (see MORRISON ET AL.), 175

MCPHERSON, JAMES, JR. (see NELSON ET AL.), 466

MCQUOWN, DENNIS (see WHITE ET AL.), 235

MADUSKA, ALBERT L. (see PITTMAN ET AL.), 797

MAGORA, FLORELLA, DONCHIN, Y., OLSHWANG, D., AND SCHENKER, J. G. Epidural morphine analgesia in second-trimester induced abortion, 260

MAHESH, VIRENDRA B. (see NEZHAT ET AL.), 1151

MAKLER, AMNON, AND ZINDER, OREN. The effect of copper on spermatozoal motility and viability evaluated objectively with the aid of the multiple-exposure photography method, 156

MANGURTEL, HENRY H. (see GOLDSTEIN ET AL.), 232

MANN, LEON I. (see CLAPP ET AL.), 60

— (see SZETO ET AL.), 528

MANRING, ANDRÉS (see ANDERSON, MANRING, AND CRENshaw), 33, 44

MARCH, CHARLES M. (see LOBO ET AL.), 714

MÄRDH, PER-ANDERS. An overview of infectious agents of salpingitis, their biology, and recent advances in methods of detection, 933

— (see MÖLLER, FREUNDT, AND MÄRDH), 990

— (see RUPA ET AL.), 960

— (see SVENSSON ET AL.), 1017

MARION, JANET P., KASSAM, GULZAR, FERNHOFF, PAUL M., BRANTLEY, KARLENE E., CARROLL, LINDA, ZACHARIAS, JUNE, KLEIN, LUILLA, PRIEST, JEAN H., AND ELSAS, LOUIS J., II. Acceptance of amniocentesis by low-income patients in an urban hospital, 11

MAROVITZ, W., LOUCOPOULOS, A., SATYASWAROOP, P. G., GURPIDE, E., TODD, R., AND NAFTOLIN, F. Apparent immunologic non-identity of human placental and endometrial 17 $\beta$ -estradiol dehydrogenase, 643

MARRS, RICHARD P., BERTOLLI, SUSAN J., AND KLETZKY, OSCAR A. The use of thyrotropin-releasing hormone in distinguishing prolactin-secreting pituitary adenoma, 620

— (see KLETZKY ET AL.), 660

MARTIN, CHESTER B., JR. (see HOOGLAND, DE HAAN, AND MARTIN), 441

— (see PEETERS, GRUTTERS, AND MARTIN), 1177

— (see VAN DONGEN ET AL.), 1

MARTIN, DAN C. (see MORRISON ET AL.), 99

MARTIN, DAVID H. (see WAGER ET AL.), 1028

MASLAR, ILA A. (see ROSENBERG, MASLAR, AND RIDDICK), 681

— (see LUCIANO ET AL.), 665

MATHUR, R. S. (see PHANICK, MEAD, AND PHILIP), 480

MEDINA, JORGE E., CIFUENTES, ARMANDO, ABERNATHY, JAMES R., SPIELER, J. M., AND WADE, MACLYN E. Comparative evaluation of two methods of natural family planning in Colombia, 1142

MEHEUS, ANDRE Z. Surveillance, prevention, and control of sexually transmitted agents associated with pelvic inflammatory disease, 1064

MEINGASSNER, JOSEF G. (see MÜLLEL ET AL.), 808

MELLY, M. A. (see GREGG, MELLY, AND MCGEE), 981

MENCZER, JOSEPH, FRENKEL, YAIR, AND SERR, DAVID M. Hysterosalpingography in young infertile patients with unsuspected endometrial adenocarcinoma, 352 (Comm. in brief)

MERGER, CHARLES, VALETTE, ANNE, RUF, HENRI, AND BOYER, JEAN. Characterization of triacylglycerol lipase activity in human amniotic fluid, 68

MERICK, RUDOLPH E. (see EDELMAN ET AL.), 703

MESCHIA, G. (see CLEWELL AND MESCHIA), 485

METTLER, L. (see SEMM AND METTLER), 121

MICHAEL, ALFRED F. (see HOUSER ET AL.), 409

MILLER, FRANK C. (see COTTON ET AL.), 6

MILLER, WAYNE A. (see MÜLLEL ET AL.), 808

MILNER, PAUL F., JONES, BENNIE R., AND DÖBLER, JOHANNA. Outcome of pregnancy in sickle cell anemia and sickle cell-hemoglobin C disease, 239

MILWIDSKY, ARIEL, YOUNES, MUAZZ A., BESCH, NORMA F., BESCH, PAIGE K., AND KAUFMAN, RAYMOND H. Receptor-like binding proteins for testosterone and progesterone in the human ovary, 93

MIN-YI, TANG (see KUO-FI ET AL.), 1227

MISHELL, DANIEL R., JR. (see LOBO ET AL.), 714

MITCHUM, ERNESTINE N. (see KEY ET AL.), 731

MITSUHASHI, NAOKI (see SATOH ET AL.), 748

MOAWAD, ATEF H. (see EVANS ET AL.), 648

MODANLOU, HOUCHANG D., DORCHESTER, WENDY, FREEMAN, ROGER K., AND ROMMAL, CATHERINE. Perinatal transport to a regional perinatal center in a metropolitan area: Maternal versus neonatal transport, 1157  
— (see ELLIOT ET AL.), 227

MÖLLER, BIRGER R., FREUNDT, EYVIND A., AND MÄRDH, PER-ANDERS. Experimental pelvic inflammatory disease provoked by *Chlamydia trachomatis* and *Mycoplasma hominis* in grivet monkeys, 990

MONTES, G. S. (see JUNQUEIRA ET AL.), 272

MORGAN, H. R. (see COWAN AND MORGAN), 348

MORRISON, IAN, CARTER, LORRAINE, McNAMARA, SHARILYN, AND CHEANG, MARY. A simplified intrapartum numerical scoring system, 175

MORRISON, JOHN C., MARTIN, DAN C., BLAIR, RICHARD A., ANDERSON, GARLAND D., KINCHELOE, BRADFORD W., BATES, G. WILLIAM, HENDRIX, JAMES W., RIVLIN, MICHEL E., FORMAN, EVELYN K., PROPST, MAUREEN G., AND NEEDHAM, ROBERT. The use of medroxyprogesterone acetate for relief of climacteric symptoms, 99

MORROW, C. PAUL (see COTTON ET AL.), 6  
— (see O'BRIEN ET AL.), 313  
— (see PETRILLI ET AL.), 321

MÖRTEL, RODRIGUE (see CHUNG ET AL.), 550

MOSLEY, GLADYS H. (see STRASSNER ET AL.), 697

MOTLEY, MARY ELLEN (see RAYBURN ET AL.), 223

MOYER, JANINE K. (see CURRAN ET AL.), 1105

MÜLLER-HEUBACH, EBERHARD (see EDELSTONE ET AL.), 703

MUIR, D. G., AND BELSEY, M. A. Pelvic inflammatory disease and its consequences in the developing world, 913

MÜLLER, MIKLÓS, MEINGASSNER, JOSEF G., MILLER, WAYNE A., AND LEDGER, WILLIAM J. Three metronidazole-resistant strains of *Trichomonas vaginalis* from the United States, 808

MUMFORD, STEPHEN D. (see CHI, MUMFORD, AND LAUFE), 307

MURAD, S. (see ZUGAIB ET AL.), 453

MURAM, DAVID, GILLIESON, MARTIN, AND WALTERS, JACK H. Myomas of the uterus in pregnancy: Ultrasonographic follow-up, 16

N

NADLER, HENRY L. (see ELIAS ET AL.), 169

NAFTOLIN, F. (see ADASHI ET AL.), 609  
— (see MAROVITZ ET AL.), 643

NAHHAS, WILLIAM A. (see CHUNG ET AL.), 550

NAKAO, CALVIN Y. (see PETRILLI ET AL.), 321

NATHANIELSZ, P. W., BAILEY, A., POORE, E. R., THORBURN, G. D., AND HARDING, R. The relationship between myometrial activity and sleep state and breathing in fetal sheep throughout the last third of gestation, 655  
— (see JANSEN ET AL.), 670

NEEDHAM, ROBERT (see MORRISON ET AL.), 99

NELSON, GEORGE H. Consideration of blood loss at delivery as percentage of estimated blood volume, 1117 (Clinical opinion)

—, MCPHERSON, JAMES, JR., PERLING, LANCE, AND CIECHAN, RICK. The effect of maternal dietary fat on fetal pulmonary maturation in rats, 466 (Comm. in brief)

NELSON, JAMES (see MACASAET ET AL.), 557

NEZHAT, CAMRAN, KARPAS, ANTHONY E., GREENBLATT, ROBERT B., AND MAHESH, VIRENDRA B. Estradiol implants for conception control, 1151

NICASTRI, ANTHONY (see MACASAET ET AL.), 557

NISKER, J. A., HAMMOND, G. L., DAVIDSON, B. J., FRUMAR, A. M., TAKARI, N. K., JUDD, H. L., AND SITERI, P. K. Serum sex hormone-binding globulin capacity and the percentage of free estradiol in postmenopausal women with and without endometrial carcinoma, 637

NISULA, BRUCE C., AND TALIADOUROS, GEORGE S. Thyroid function in gestational trophoblastic neoplasia: Evidence that the thyrotropic activity of chorionic gonadotropin mediates the thyrototoxicosis of choriocarcinoma, 77

NORRIS, HENRY J. (see HRESHCHYSHYN ET AL.), 139

NSANZE, H. Problems and approaches in the surveillance and control of sexually transmitted agents associated with pelvic inflammatory disease in Africa, 1088  
— (see ARYA, TABER, AND NSANZE), 929

NUWAYHID, BAHIJ (see ZUGAIB ET AL.), 444, 453

NWOSU, UCHENNA C., ANDAY, ENDLA K., BOLOGNESE, RONALD J., BON-GIOVANNI, ALFRED M., AND DELIVORIA-PAPADOPoulos, MARIA. Effects of *in utero* intravenous administration of thyroxine and other hormones on the lung fluid lecithin/sphingomyelin ratio in the fetal lamb, 459 (Comm. in brief)

O

O'BRIEN, TIMOTHY J., ENGVALL, EVA, SCHLAERTH, J. B., AND MORROW, C. PAUL. Trophoblastic disease monitoring: Evaluation of pregnancy-specific  $\beta_1$ -glycoprotein, 313

O'BRIEN, WILLIAM F., CEFALO, ROBERT C., AND BAIR, DONALD G. Ultrasonographic diagnosis of fetal cystic hygroma, 464 (Comm. in brief)

—, CODDINGTON, CHARLES C., AND CEFALO, ROBERT C. Serial ultrasonographic biparietal diameters for prediction of estimated date of confinement, 467 (Comm. in brief)

— (see DRAKE AND O'BRIEN), 346

— (see ALBRECHT, CEFALO, AND O'BRIEN), 1226

O'HARE, PHILIP A., FIUMARA, NICHOLAS J., AND MCMORMACK, WILLIAM M. Pelvic inflammatory disease among women presenting to emergency rooms of hospitals in Massachusetts, 909

O'KEEFE, DANIEL F. (see ELLIOT ET AL.), 227

O'KIEFF, JANE (see WEINGOLD, YONEKURA, AND O'KIEFF), 195

OLSHWANG, D. (see MAGORA ET AL.), 260

OSOBA, A. O. Microbiologic techniques for the diagnosis of pelvic inflammatory disease in developing countries, 1091

OSSER, S., LIEDHOLM, P., AND SJÖBERG, N.-O. Risk of pelvic inflammatory disease among users of intrauterine devices, irrespective of previous pregnancy, 864

OSTERGARD, DONALD R. (see WHITE ET AL.), 235

OSTERKAMP, TERRE (see LENKE AND OSTERKAMP), 1224

OWMAN, CH. (see WALLES ET AL.), 337

P

PAAVONEN, JORMA. *Chlamydia trachomatis* in acute salpingitis, 957

PALAN, V. T. (see SINNATHURAY ET AL.), 868

PARK, ROBERT C. (see HRESHCHYSHYN ET AL.), 139

PARKER, C. R., JR., EVERETT, R. B., WHALLEY, P. J., QUIRK, J. G., JR., GANT, F., AND MACDONALD, P. C. Hormone production during pregnancy in the primigravid patient. II. Plasma levels of  $\alpha$ -oxycorticosterone throughout pregnancy of normal women and women who developed pregnancy-induced hypertension, 626

PARMLEY, TIM (see GORDON ET AL.), 1120

PARRY, D. M. (see LÓPEZ BERNAL ET AL.), 1168

PASNICK, MARYKAY, MEAD, PHILIP B., AND PHILIP, ALISTAIR G. S. Selective maternal culturing to identify group B streptococcal infection, 480

PEETERS, LOUIS L. H., GRUTTERS, GERRIE, AND MARTIN, CHESTER B. JR. Distribution of cardiac output in the unstressed pregnant guinea pig, 1177

PENG-TI, CHU (see KUO-FEN ET AL.), 1227

PENNEY, L. L. Estimation of gestational age and maternal serum steroid concentrations: Total estriol, 745  
— AND DANIELL, W. C. Estimation of success in treatment of premature labor: Applicability of prolongation index in a double-blind, controlled, randomized trial, 345 (Comm. in brief)

PERINE, P. L., DUNCAN, M. E., KRAUSE, D. W., AND AWOKE, S. Pelvic inflammatory disease and puerperal sepsis in Ethiopia, I. Etiology, 969  
— (see DUNCAN ET AL.), 1059

PERLING, LANCE (see NELSON ET AL.), 466

PEROL, Y. (see HENRY-SUCHET ET AL.), 1022

PETRES, R. E. (see KREBS ET AL.), 213

PETRILLI, EDMUND S., TOWNSEND, DUANE E., MORROW, C. PAUL, AND NAKAO, CALVIN Y. Vaginal intraepithelial neoplasia: Biologic aspects and treatment with topical 5-fluorouracil and the carbon dioxide laser, 321

PHANSEY, S. A., SATTERFIELD, R., JORGENSEN, R. J., SALINAS, C. F., YODER, F. E., MATHUR, F. E., AND WILLIAMSON, H. O. XY gonadal dysgenesis in three siblings, 133

PHILBIN, GEORGE E. (see COTTON ET AL.), 220

PHILIP, ALISTAIR G. S. (see PASNICK, MEAD, AND PHILIP), 480

PHILLIPPE, MARK (see ACKER ET AL.), 1200

PHILLIPS, LYNNANNE (see POTTERAT ET AL.), 1101

PIASECKI, GEORGE J. (see COHN, PIASECKI, AND JACKSON), 1190

PICARD, L. (see CHALVARDJIAN ET AL.), 391

PIGEAU, F. (see HENRY-SUCHET ET AL.), 1022

PITTMAN, KENNETH A., SMYTH, ROBERT D., LOSADA, MANUEL, ZIGHELBOIM, ITIC, MADUSKA, ALBERT L., AND SUNSHINE, ABRAHAM. Human perinatal distribution of butorphanol, 797

PLATT, LAWRENCE D. (see SCHIFRIN AND PLATT), 1220  
— (see STRASSNER ET AL.), 697

POLIAKOFF, STEVEN R. (see HELMKAMP ET AL.), 395

PONTONNIER, GEORGES (see GRANDJEAN ET AL.), 790

POORE, E. R. (see NATHANIELSZ ET AL.), 653

POTTERAT, JOHN J., PHILLIPS, LYNANNE, ROTHENBERG, RICHARD B., AND DARROW, WILLIAM W. Gonococcal pelvic inflammatory disease: Case-finding observations, 1101

POYNARD, T. (see HENRY-SUCHET ET AL.), 1022

PRIEST, JEAN H. (see MARION ET AL.), 11

PROPT, MAUREEN G. (see MORRISON ET AL.), 99

PURDY, R. A. (see HEFFERNAN, FRASER, AND PURDY), 460

Q

QUEENAN, JOHN T. Ultrasound measurement of fetal limb bones, 297

QUENON, MARIANNE (see KIRKPATRICK, QUENON, AND DESIR), 523

QUIGLEY, MARTIN M., TYREY, LEE, AND HAMMOND, CHARLES B. Utility of assay of alpha subunit of human chorionic gonadotropin in management of gestational trophoblastic malignancies, 545

QUIRK, J. G., JR. (see PARKER ET AL.), 626

R

RAFFERTY, TERENCE D., AND BERKOWITZ, RICHARD L. Hemodynamics in patients with severe toxemia during labor and delivery, 263

RAJAN, V. S. Problems in the surveillance and control of sexually transmitted agents associated with pelvic inflammatory disease in the Far East, 1071

RAMPHAL, REUBEN, DONNELLY, WILLIAM H., AND SMALL, PARKER A., JR. Fatal influenza pneumonia in pregnancy: Failure to demonstrate transplacental transmission of influenza virus, 347 (Comm. in brief)

RASOR, JOAN L. (see BRAUNSTEIN ET AL.), 1205

RATNAM, A. V., DIN, S. N., AND CHATTERJEE, T. K. Gonococcal infection in women with pelvic inflammatory disease in Lusaka, Zambia, 965

RAYBURN, WILLIAM F. Clinical significance of perceptible fetal motion, 210

— ZUSPAN, FREDERICK, MOTLEY, MARY ELLEN, AND DONALDSON, MARCIA. An alternative to antepartum fetal heart rate testing, 223 (Current investigation)

READ, JOHN A. (see COTTON ET AL.), 6

REBAR, R. W. (see ADASHI ET AL.), 609

REDMAN, C. W. G. (see VISSER ET AL.), 429

REES, ELISABETH. The treatment of pelvic inflammatory disease, 1042

REIDY, JOHN A. (see GOLDBERG ET AL.), 436

REISCH, JOAN S. (see LEVENO ET AL.), 615

REME, JEAN-MICHEL (see GRANDJEAN ET AL.), 790

REMINGTON, JACK S. (see WILSON AND REMINGTON), 357

RENNERT, OWEN M. (see CHAN ET AL.), 257

RICHICHI, JOANN (see CHAN ET AL.), 257

RIDDICK, DANIEL H. (see ROSENBERG, MASLER, AND RIDDICK), 681

— (see LUCIANO ET AL.), 665

RIPA, K., TORVALD, SVENSSON, LARS, TREHARNE, JOHN D., WESTRÖM, LARS, AND MÄRDH, PER-ANDERS. *Chlamydia trachomatis* infection in patients with laparoscopically verified acute salpingitis, 960

— (see SVENSSON ET AL.), 1017

RIVLIN, MICHEL E. (see MORRISON ET AL.), 99

ROCK, JOHN A., AND JONES, HOWARD W., JR. The double uterus associated with an obstructed hemivagina and ipsilateral renal agenesis, 339

RODMAN, HARVEY M. (see KAM ET AL.), 351

ROGERS, JACK A., JR. (see HEATH ET AL.), 343

ROMMAL, CATHERINE (see MODANLOU ET AL.), 1157

ROSENBERG, SANFORD M., MASLAR, ILA A., AND RIDDICK, DANIEL H. Decidual production of prolactin in late gestation: Further evidence for a decidual source of amniotic fluid prolactin, 681

ROSENSTEIN, NEIL (see GORDON ET AL.), 1120

ROTHENBERG, RICHARD B. (see POTTERAT ET AL.), 1101

RUDD, EUGENE G. (see LONG, RUDD, AND DILLON), 755

RUF, HENRI (see MERGER ET AL.), 68

RUZ, GUSTAVO (see COOPERMANN AND RUIZ), 1026

RUNDALL, TOSHIKO T. (see KLETZKY ET AL.), 660

RUSHWAN, HAMID. Etiologic factors in pelvic inflammatory disease in Sudanese women, 877

RUSSELL, P. T. (see SEEDS ET AL.), 604

RYAN, KENNETH J. (see SCHIFF ET AL.), 1137

S

SABBAGHA, RUBY E., TAMURA, RALPH K., DAL COMPO, SHARON, ELIAS, SHERMAN, SALVINO, CORA, SHKOLNIK, ARNOLD, AND GERBIE, ALBERT B. Fetal cranial and craniocervical masses: Ultrasound characteristics and differential diagnosis, 511

— (see TAMURA AND SABBAGHA), 475

— (see ELIAS ET AL.), 169

ST. JOHN, RONALD K., BROWN, STUART T., AND TYLER, CARL W., JR. Pelvic inflammatory disease, 1980, 845 (Editorial)

— (see JONES, ZAIDI, AND ST. JOHN), 905

SAKAMOTO, SHOICHI (see SATOH ET AL.), 748

SALINAS, C. F. (see PHANSEY ET AL.), 133

SALVINO, CORA (see SABBAGHA ET AL.), 511

SANSON, M. J. (see HENRY-SUCHET ET AL.), 1022

SANTOS-RAMOS, RIGOBERTO (see LEVENO ET AL.), 615

SARRAMON, MARIE-FRANCE (see GRANDJEAN ET AL.), 790

SATOH, KAZUO, KAWAI, YASUO, MITSUHASHI, NAOKI, KINOSHITA, KATSUJUKI, AND SAKAMOTO, SHOICHI. Prostaglandin F<sub>2</sub> metabolites in plasma and urine during pseudopregnancy in the rabbit, 748

SATTERFIELD, R. (see PHANSEY ET AL.), 133

SATYASWAROOP, P. G. (see MAROVITZ ET AL.), 643

SCHACHER, JULIUS (see SWEET ET AL.), 952, 985

SCHAFFER, ROBERT L. (see KEELING ET AL.), 185

SCHENKER, J. G. (see MAGORA ET AL.), 260

SCHIFF, ISAAC, TULCHINSKY, DAN, RYAN, KENNETH J., KADNER, SUSAN, AND LEVITZ, MORTIMER. Plasma estriol and its conjugates following oral and vaginal administration of estriol to postmenopausal women: Correlations with gonadotropin levels, 1137

SCHIFRIN, BARRY S., AND PLATT, LAWRENCE D. Modified technique for monitoring fetal heart rate during intrauterine transfusion, 1220 (Comm. in brief)

SCHLAERTH, J. B. (see O'BRIEN ET AL.), 313

SCHMELTZ, RALPH (see KAM ET AL.), 351

SCHNEIDER, VOLKER, WALSH, JAMES W., AND GOPLERUD, DEAN R. Benign glandular inclusions in para-aortic lymph nodes: A cause for false positive lymphangiography, 350 (Comm. in brief)

SCHOTTEM, ANNEMARIE, AND GIESE, CHRISTA. The "female echo": Prenatal determination of the female fetus by ultrasound, 463 (Comm. in brief)

SCHRADER, MARK V. (see CURRAN ET AL.), 1105

SCHWARTZ, MOSHE, JEWELIEWICZ, RAPHAEL, DYRENFURTH, INGE, TROPFER, PAMELA, AND VANDE WIELE, RAYMOND L. The use of human menopausal and chorionic gonadotropins for induction of ovulation, 801

SCHWARTZ, PETER E., AND SMITH, JULIAN P. Second-look operations in ovarian cancer, 1124

SEEDS, A. Current concepts of amniotic fluid dynamics, 575 (Current developments)

—, LEUNG, L. S., STYS, S. J., CLARK, K. E., AND RUSSELL, P. T. Comparison of human and sheep chorion laeve permeability to glucose,  $\beta$ -hydroxybutyrate, and glycerol, 604

SEGRETI, A. (see KREBS ET AL.), 213

SEHGAL, NARINDER N., AND HITT, JOHN R. Plasma volume expansion in the treatment of pre-eclampsia, 165

SEITCHIK, JOSEPH. Measure of contraction strength in labor: Area and amplitude, 727

SEMM, K., AND METTLER, L. Technical progress in pelvic surgery via operative laparoscopy, 121 (Clinical opinion)

SENAKAYAKE, PRAMILA, AND KRAMER, DORINE G. Contraception and the etiology of pelvic inflammatory disease: New perspectives, 852

SERFATY, D. (see HENRY-SUCHET ET AL.), 1022

SERR, DAVID M. (see MENCZER, FRENKEL, AND SERR), 352

SHABTAI, MOSHE (see GRANAT ET AL.), 233

SHAW, R. (see CHALVARDJIAN ET AL.), 391

SHAW, S. T., JR. (see AZAR, BERSTEIN, AND SHAW), 833

SHERRER, C. WILLIS (see MABEE, DUNN, AND SHERRER), 181

SHIGIHARA, K. M. (see JUNQUEIRA ET AL.), 273

SHKOLNIK, ARNOLD (see ELIAS ET AL.), 169

— (see SABBAGHA ET AL.), 511

SHLESINGER, HADASSA (see WASSERMAN ET AL.), 763, 769

SIBOULET, A. (see HENRY-SUCHET ET AL.), 1022

SIITERI, P. K. (see NISKER ET AL.), 637

SIMMONS, MICHAEL (see COTTON ET AL.), 220

SIMPSON, JOE LEIGH (see ELIAS ET AL.), 169

SINNATHURAY, T. A., YUSOF, KHAIRUDDIN, PALAN, V. T., FONG, C. K., ADEEP, NAFISAH, CHONG, C. H., AND YIP, Y. C. Pattern of acute pelvic inflammatory disease in abortion-related admissions, 868

SJÖBERG, N.-O. (see OSSER, LIEDHOLM, AND SJÖBERG), 864

— (see WALLES ET AL.), 337

SMALL, PARKER A., JR. (see RAMPHAL, DONNELLY, AND SMALL), 347

SMITH, JOAN L. (see SPENCE, SMITH, AND VAETH), 1109

SMITH, JULIAN P. (see SCHWARTZ AND SMITH), 1124

SMITH, R. A. (see JOSHI ET AL.), 1131

SMITH, ROY G. (see JACOBS, SUCHOCKI, AND SMITH), 332  
 SMYTH, ROBERT D. (see PITTMAN ET AL.), 797  
 SOKOL, ROBERT J. (see GROSS AND SOKOL), 1225  
 — (see ZADOR ET AL.), 344  
 SORIERO, OLIVE M. (see VALENZUELA ET AL.), 1223  
 SORRELL, TANIA C. (see CHOW, CARLSON, AND SORRELL), 1003  
 SPELLACY, W. N., BUHI, W. C., AND BIRK, S. A. Carbohydrate metabolism with three months of low-estrogen contraceptive use, 151  
 SPENCE, MICHAEL R., SMITH, JOAN L., AND VAETH, C. R. A problem-oriented gynecology clinic for patients with sexually transmitted diseases, 1109  
 — (see GINSBURG ET AL.), 1055  
 SPIELER, J. M. (see MEDINA ET AL.), 1142  
 SPISSO, KENNETH R. (see HARBERT AND SPISSO), 686  
 STACEY, T. E. (see WEEDON ET AL.), 422  
 STAISCH, K. J., WESTLAKE, J. R., AND BASHORE, R. A. Blind oxytocin challenge test and perinatal outcome, 399  
 STEMPLE, LAURENCE E., AND LOTT, JOHN A. Diagnosis of fetal death in utero with amniotic fluid creatine kinase, 1173  
 STENGER, VINCENT G. (see SULEWSKI ET AL.), 128  
 STERN, JEFFREY L. (see GINSBURG ET AL.), 1055  
 STRASSNER, HOWARD T., JR., GOLDE, STEVEN H., MOSLEY, GLADYS H., AND PLATT, LAWRENCE D. Effect of blood in amniotic fluid on the detection of phosphatidylglycerol, 697  
 STRYKER, JOHN A. (see CHUNG ET AL.), 550  
 STYS, S. J. (see SEEDS ET AL.), 604  
 SUCHOCKI, SUSAN (see JACOBS, SUCHOCKI, AND SMITH), 332  
 SULEWSKI, JOAN M., CURIO, FREDERICK D., BRONITSKY, CARL, AND STENGREN, VINCENT G. The treatment of endometriosis at laparoscopy for infertility, 128  
 SUNDLER, F. (see WALLES ET AL.), 337  
 SUNG, MINNIE (see SWEET ET AL.), 952  
 SUNSHINE, ABRAHAM (see PITTMAN ET AL.), 797  
 SURWIT, EARL A. (see VAUGHN, SURWIT, AND HAMMOND), 73  
 SVENSSON, LARS, WESTRÖM, LARS, RIPA, K., TORVALD, AND MÄRDH, PER-ÄNDERS. Differences in some clinical and laboratory parameters in acute salpingitis related to culture and serologic findings, 1017  
 — (see RIPA ET AL.), 960  
 SWEET, RICHARD, BANKS, JOYCE, SUNG, MINNIE, DONEGAN, ELIZABETH, AND SCHACHTER, JULIUS. Experimental chlamydial salpingitis in the guinea pig, 952  
 —, DRAPER, D. L., SCHACHTER, J., JAMES, J., HADLEY, W. K., AND BROOKS, G. F. Microbiology and pathogenesis of acute salpingitis as determined by laparoscopy: What is the appropriate site to sample? 985  
 — (see DRAPER ET AL.), 818, 996  
 SYMMONDS, RICHARD E. (see WEBB AND SYMMONDS), 813  
 SZANTO, ERIKA (see HAGENFELDT AND SZANTO), 1039  
 SZAROWSKI, D. H. (see JOSHI ET AL.), 1131  
 SZETO, HAZEL H., CLAPP, JAMES F., III, ABRAMS, ROBERT, INTURRISI, CHARLES E., KAIKO, ROBERT F., LARROW, RODNEY W., AND MANN, LEON I. Brain uptake of meperidine in the fetal lamb, 528  
 — (see CLAPP ET AL.), 60

T

TABER, S. R. (see ARYA, TABER, AND NSANZE), 929  
 TABSH, KHALIL (see ZUGAIB ET AL.), 444, 453  
 TAGATZ, GEORGE E. (see HOUSER ET AL.), 409  
 TAKAI, N. K. (see NISKER ET AL.), 637  
 TALIADOUROS, GEORGE S. (see NISULA AND TALIADOUROS), 77  
 TAMURA, RALPH K., AND SABBAGHA, RUBY E. Percentile ranks of sonar fetal abdominal circumference measurements, 475 (Clinical opinion)  
 — (see SABBAGHA ET AL.), 511  
 TANGUY, G. (see FERRE ET AL.), 500  
 TAYLOR, PAMELA V. Maternal and fetal immune responses to human trophoblast antigens, 293  
 TEDESCHI, LUKE G. Multiple pulmonary fibroleiomyomas, 468 (Comm. in brief)  
 TENNES, KATHERINE, AND BLACKARD, CAROL. Maternal alcohol consumption, birth weight, and minor physical anomalies, 774  
 THALER, I., GOODMAN, J. D. S., AND DAWES, G. S. Effects of maternal cigarette smoking on fetal breathing and fetal movements, 282  
 THALER, MICHAEL (see KAPLINSKY, THALER, AND FRANKL), 237  
 THORBURN, G. D. (see NATHANIELSZ ET AL.), 653  
 TODD, R. (see MAROVITZ ET AL.), 643

TOLEDO, O. M. S. (see JUNQUEIRA ET AL.), 273  
 DE LA TORRE, LUIS ANTONIO. Problems and proposals for the surveillance and control of sexually transmitted diseases associated with pelvic inflammatory disease in South America, 1078  
 TOWNSEND, DUANE E. (see PETRILLI ET AL.), 321  
 TREHARNE, JOHN D. (see RIPA ET AL.), 960  
 TROPPER, PAMELA (see SCHWARTZ ET AL.), 801  
 TUMALA, RISTO (see KAUPPILA ET AL.), 404  
 TUCHINSKY, DAN (see SCHIFF ET AL.), 1137  
 TURNBULL, A. C. (see LÓPEZ BERNAL ET AL.), 1168  
 — (see VISSER ET AL.), 429  
 TYLER, CARL W., JR. (see ST. JOHN, BROWN, AND TYLER), 845  
 TYREY, LEE (see QUIGLEY, TYREY, AND HAMMOND), 545

U

UMANSKY, IRVING (see ACKER ET AL.), 1200  
 URBACH, GERALD I. (see KNAUF AND URBACH), 1222  
 USHIODA, ETSUO (see ZUGAIB ET AL.), 444, 453

V

VAETH, C. R. (see SPENCE, SMITH, AND VAETH), 1109  
 VALDES-VIVO, PEDRO (see WERTHEIN, ABREU, AND VALDES-VIVO), 1082  
 VALENZUELA, GUILLERMO, HAYASHI, ROBERT H., LACKRITZ, RICHARD M., AND SORIERO, OLIVE M. Uterine rupture at term with vaginal prostaglandin E<sub>2</sub>, 1223 (Comm. in brief)  
 VALETTE, ANN (see MERGER ET AL.), 68  
 VAN DONGEN, P. W. J., ESKES, T. K. A. B., MARTIN, C. B., AND VAN'T HOF, M. A. Postural blood pressure differences in pregnancy, 1  
 VAN THIEL, DAVID H. (see KAM ET AL.), 351  
 VANDE WIELE, RAYMOND L. (see SCHWARTZ ET AL.), 801  
 VAN'T HOF, M. A. (see VAN DONGEN ET AL.), 1  
 VASQUEZ, GLORIA, WINSTON, ROBERT M. L., BOECKX, WILLY, AND BROSENS, IVO. Tubal lesions subsequent to sterilization and their relation to fertility after attempts at reversal, 86  
 VAUGHN, THOMAS C., SURWIT, EARL A., AND HAMMOND, CHARLES B. Late recurrence of gestational trophoblastic neoplasia, 73  
 VISSER, G. H. A., REDMAN, C. W. G., HUISJES, H. J., AND TURNBULL, A. C. Nonstressed antepartum heart rate monitoring: Implications of decelerations after spontaneous contractions, 429

W

WADE, MACLYN E. (see BRAUNSTEIN ET AL.), 1205  
 — (see MEDINA ET AL.), 1142  
 WAGER, GAEL P., MARTIN, DAVID H., KOUTSKY, LAURA, ESCHENBACH, DAVID A., DALING, JANET R., CHIANG, W. T., ALEXANDER, E. R., AND HOLMES, KING K. Puerperal infectious morbidity: Relationship to route of delivery and to antepartum *Chlamydia trachomatis* infection, 1028  
 — (see WANG ET AL.), 1034  
 WAKABAYASHI, KATSUMI (see YAZAKI ET AL.), 189  
 WALKER, ERNEST M., JR. (see KEY ET AL.), 731  
 WALLES, B., HÄKANSON, R., HELM, G., OWMAN, CH., SJÖBERG, N.-O., AND SUNDLER, F. Relaxation of human female genital sphincters by the neuropeptide vasoactive intestinal polypeptide, 337  
 WALSH, JAMES W. (see SCHNEIDER, WALSH, AND GOLPLERUD), 350  
 WALTERS, JACK H. (see MURAM, GILLIESON, AND WALTERS), 16  
 WANG, SAN-PING, ESCHENBACH, DAVID A., HOLMES, KING K., WAGER, GAEL, AND GRAYSTON, J. THOMAS. *Chlamydia trachomatis* infection in Fitz-Hugh-Curtis syndrome, 1034  
 WARD, R. H. T. (see WEEDON ET AL.), 422  
 WASSERMAN, LINA, SHLESINGER, HADASSA, ABRAMOVICI, ARMAND, GOLDMAN, JACK A., AND ALLALOUF, DAVID. Changes in glycosaminoglycan composition of normal human placentas with maturation, 763  
 —, —, —, —, AND —. Glycosaminoglycan patterns in diabetic and toxemic term placentas, 769  
 WAXMAN, MARIAN (see MACASAET ET AL.), 557  
 WEBB, MAURICE J., AND SYMMONDS, RICHARD E. Site of recurrence of cervical cancer after radical hysterectomy, 813  
 WEEDON, A. P., STACEY, T. E., CANNING, JANE F., WARD, R. H. T., AND BOYD, R. D. H. Maternal-fetal electrical potential difference in conscious sheep: Effect of fetal death or acidosis, 422  
 WEI-YU, WU (see KUO-FEN ET AL.), 1227  
 WEINGOLD, ALLAN B., YONKEKURA, M., LYNN, AND O'KIEFFE, JANE. Nonstress testing, 195  
 WEINTRAUB, BRUCE D. (see FEIN, GOLDMAN, AND WEINTRAUB), 50-4  
 WEISS, MARTIN H. (see KLETZKY ET AL.), 660

WELLS, SAMUEL A., JR. (see HAAGENSEN ET AL.), 25  
WENTZ, ANNE COLSTON, AND ANDERSEN, RICHARD N. Response to repetitive luteinizing hormone-releasing hormone stimulation in hypothalamic and pituitary disease, 364  
WEPRIN, STUART A., AND ZUSMAN, FREDERICK P. The standing cystometrogram, 369  
WERTHEIN, LEONARDO J., ABREU, ALFREDO, AND VALDES-VIVO, PEDRO. Problems and approaches in the surveillance and control of sexually transmitted diseases: The Cuban experience, 1082  
WESTLAKE, J. R. (see STAISCH, WESTLAKE, AND BASHORE), 399  
WESTRÖM, L. Incidence, prevalence, and trends of acute pelvic inflammatory disease and its consequences in industrialized countries, 880  
— (see RIPA ET AL.), 960  
— (see SVENSSON ET AL.), 1017  
WHALLEY, PEGGY J. (see LEVENO ET AL.), 615  
— (see PARKER ET AL.), 626  
WHITCHER, CHARLES (see BRODSKY ET AL.), 1165  
WHITE, ROLFE D., MCQUOWN, DENNIS, McCARTHY, THOMAS A., AND OSTERGARD, DONALD R. Real-time ultrasonography in the evaluation of urinary stress incontinence, 235 (Comm. in brief)  
WIESNER, PAUL J. (see BROWN AND WIESNER), 1096  
WILLIAMS, PRESTON P. (see HOUSER ET AL.), 409  
WILLIAMSON, H. O. (see PHANSEY ET AL.), 133  
WILSON, CHRISTOPHER B., AND REMINGTON, JACK S. What can be done to prevent congenital toxoplasmosis, 357 (Clinical opinion)  
WILSON, EMERY A., JAWAD, M. J., AND DICKSON, LESLEY R. Suppression of human chorionic gonadotropin by progestational steroids, 708  
WILSON, STEPHEN J. (see YOUNG ET AL.), 203  
WINIKOFF, BEVERLY, AND BAER, EDWARD C. The obstetrician's opportunity: Translating "breast is best" from theory to practice, 105 (Current developments)  
WINSTON, ROBERT M. L. (see VASQUEZ ET AL.), 86  
WOODRUFF, J. DONALD (see BUSCEMI AND WOODRUFF), 146  
— (see HERNANDEZ AND WOODRUFF), 827  
WORLD HEALTH ORGANIZATION TASK FORCE. Temporal relationships between ovulation and defined changes in the concentration of plasma estradiol-17 $\beta$ , luteinizing hormone, follicle-stimulating hormone, and progesterone. I. Probit analysis, 383  
WORTHEN, NANCY, AND BUSTILLO, MARIA. Effect of urinary bladder fullness on fundal height measurements, 759  
WU, MARION L. (see BRODSKY ET AL.), 1165

YAZAKI, CHIAKI (see YAZAKI ET AL.), 189  
YAZAKI, KATSUMI, YAZAKI, CHIAKI, WAKABAYASHI, KATSUMI, AND IGARASHI, MASAO. Isoelectric heterogeneity of human chorionic gonadotropin: Presence of choriocarcinoma specific components, 189  
YEN, S. S. C. (see ADASHI ET AL.), 609  
YIP, Y. C. (see SINNATHURAY ET AL.), 868  
YLIKORKKALA, O. (see KAUPPILA AND YLIKORKKALA), 271  
— (see DAWOOD, YLIKORKKALA, AND FUCHS), 20  
YODER, F. E. (see PHANSEY ET AL.), 133  
YONEKURA, M. LYNN (see WEINGOLD, YONEKURA, AND O'KIEFFE), 195  
YOUNES, MUAZZ A. (see MILWIDSKY ET AL.), 93  
YOUNG, BRUCE K., KLEIN, STEVEN A., KATZ, MIRIAM, WILSON, STEPHEN J., AND DOUGLAS, GORDON W. Intravenous dexamethasone for prevention of neonatal respiratory distress: A prospective controlled study, 203  
YUSOF, KHAIRUDDIN (see SINNATHURAY ET AL.), 868

Z

ZACHARIAS, JUNE (see MARION ET AL.), 11  
ZADOR, IVAN E., HERTZ, ROGER H., SOKOL, ROBERT J., AND HIRSCH, VICTOR J. Sources of error in the estimation of fetal gestational age, 344 (Comm. in brief)  
ZAIIDI, AKBAR A. (see JONES, ZAIIDI, AND ST. JOHN), 905  
— (see DUNCAN ET AL.), 1059  
ZELEZNIK, ANTHONY H. (see CARITIS AND ZELEZNIK), 677  
ZIGHELBOIM, ITIC (see PITTMAN ET AL.), 797  
ZINDER, OREN (see MAKLER AND ZINDER), 156  
ZUGAIB, MARCELO, FORSYTHE, ALAN B., NUWAYHID, BAHIJ, LIEB, STEPHEN M., TABSH, KHALIL, ERKKOLA, RISTO, USHIODA, ET-SUO, BRINKMAN, C. R., III, AND ASSALI, N. S. Mechanisms of beat-to-beat variability in the heart rate of the neonatal lamb. I. Influence of the autonomic nervous system, 444  
—, —, —, —, —, —, MURAD, S., BRINKMAN, C. R., III, AND ASSALI, N. S. Mechanisms of beat-to-beat variability in the heart rate of the neonatal lamb. II. Effects of hypoxia, 453  
— (see JUNQUEIRA ET AL.), 273  
ZUSMAN, FREDERICK P. (see WEPRIN AND ZUSMAN), 369  
— (see RAYBURN ET AL.), 223

## Subject index\*

### A

Abdominal cavity, prolapsed umbilical cord into, in woman with previous cesarean section (Lenke and Osterkamp), 1224 (Comm. in brief)  
circumference measurements, sonar fetal, percentile ranks of (Tamura and Sabbagh), 475 (Clinical opinion)  
sacral colpopexy (Cowen and Morgan), 348 (Comm. in brief)  
Abortion, midtrimester, induced by hyperosmolar urea and prostaglandin F<sub>2α</sub> in patients with previous cesarean section: Clinical course and potential for uterine rupture (Atienza, Burkman, and King), 55  
-related admissions, pattern of acute pelvic inflammatory disease in (Sinnathuray et al.), 868  
second-trimester induced, epidural morphine analgesia in (Magora et al.), 260  
Abscess, tuboovarian, contraceptive practice and (Edelman and Berger), 541  
retrospective review (Ginsburg et al.), 1055  
Acidosis, fetal death or, effect of: Maternofetal electrical potential difference in conscious sheep (Weedon et al.), 422  
severe hypokalemia and: Potential complication of beta-adrenergic treatment (Gross and Sokol), 1225 (Comm. in brief)  
Adenocarcinoma, endometrial, arising in adenomyosis (Hernandez and Woodruff), 827  
unsuspected endometrial, hysterosalpingography in young infertile patients with (Menczer, Frenkel, and Serr), 352 (Comm. in brief)  
Adenoma, human prolactin-secreting pituitary, monolayer and suspension culture of (Kletzky et al.), 660  
prolactin-secreting pituitary, use of thyrotropin-releasing hormone in distinguishing (Marrs, Bertolli, and Kletzky), 620  
Adenomyosis, endometrial adenocarcinoma arising in (Hernandez and Woodruff), 827  
Adrenal hyperplasia, congenital, adult manifestation of, due to incomplete 21-hydroxylase deficiency mimicking polycystic ovarian disease (Lobo and Goebelsmann), 720  
Adrenergic agonists, effect of, on progesterone production by human placental cells in culture (Caritis and Zelezniak), 677  
beta-, treatment, potential complication of: Severe hypokalemia and acidosis (Gross and Sokol), 1225 (Comm. in brief)  
Adult manifestation of congenital adrenal hyperplasia due to incomplete 21-hydroxylase deficiency mimicking polycystic ovarian disease (Lobo and Goebelsmann), 720  
Africa, problems and approaches in surveillance and control of sexually transmitted agents associated with pelvic inflammatory disease in (Nsanzé), 1088  
Age, fetal gestational, sources of error in (Zador et al.), 344 (Comm. in brief)  
gestational, estimation of, and maternal serum steroid concentrations: Total estriol (Penney), 745  
Agenesis, ipsilateral renal, obstructed hemivagina and, double uterus associated with (Rock and Jones), 339  
Agonists, adrenergic, effect of, on progesterone production by human placental cells in culture (Caritis and Zelezniak), 677  
Alcohol consumption, maternal, birth weight, and minor physical anomalies (Tennes and Blackard), 774  
Aldosterone, renin-, axis, prolactin and, in human pregnancy (Ho Yuen and Korn), 738  
Altitude, high, re-evaluation of birth weights at (Cotton et al.), 220  
American women, postpartum lymphocytic thyroiditis in: Spectrum of thyroid dysfunction (Fein, Goldman, and Weinraub), 504  
Aminopeptidase assay, serum cystine, early primary diagnosis of ovarian cancer and detection of recurrence by (Kalinkov and Buchholz), 1148  
Amniocentesis, acceptance of, by low-income patients in urban hospital (Marion et al.), 11  
genetic, in twin gestations (Elias et al.), 169  
Amniotic fluid creatine kinase, diagnosis of fetal death in utero with (Stempel and Lott), 1173  
dynamics, current concepts of (Seeds), 575 (Current developments)

### Amniotic fluid—cont'd

effect of blood in, on detection of phosphatidylglycerol (Strassner et al.), 697  
human, characterization of triacylglycerol lipase activity in (Merger et al.), 68  
copper and ceruloplasmin activity in (Chan et al.), 257  
maternal plasma, and cord blood, analysis of, for human breast gross cystic disease fluid protein (Haagensen et al.), 25 obtained vaginally, lecithin/sphingomyelin ratio in (Goldstein et al.), 232 (Comm. in brief)  
prolactin, further evidence for decidua source of: Decidual production of prolactin in late gestation (Rosenberg, Maslar, and Riddick), 681  
Ampicillin, transplacental: Inhibitory concentrations in neonatal serum (Kraybill, Chaney, and McCarthy), 793  
Analgesia, epidural morphine, in second-trimester induced abortion (Magora et al.), 260  
Anemia, sickle cell, automated erythrocytopheresis for, during pregnancy (Key et al.), 731  
and sickle cell-hemoglobin C disease, outcome of pregnancy in (Milner, Jones, and Döbler), 239  
Angiography, fluorescein, in hypertensive pregnancies (Donkers and Jansonius), 461 (Comm. in brief)  
Anions and electrolytes, blood, during ritodrine infusion in preterm labor (Kirkpatrick, Quenon, and Desir), 523  
Anomalies, minor physical, birth weight, and maternal alcohol consumption (Tennes and Blackard), 774  
Antepartum fetal heart rate testing, alternative to (Rayburn et al.), 223 (Current investigation)  
heart rate monitoring, nonstressed: Implications of decelerations after spontaneous contractions (Visser et al.), 429  
Anthropometric data, comparative newborn, in symmetric versus asymmetric intrauterine growth retardation (Crane and Kopta), 518  
Antigen(s), human trophoblast, maternal and fetal immune responses to (Taylor), 293  
OCA, human ovarian tumor-associated, study of ovarian cancer patients using radioimmunoassay for (Knauf and Urbach), 1222 (Comm. in brief)  
Antigenic type, same principal outer membrane, gonococcal salpingitis is less likely to recur with *Neisseria gonorrhoeae* of (Buchanan et al.), 978  
Artery blood flow, ovarian, uterine and, in rhesus monkey near term (Abitbol, Demeter, and Benarosh), 414  
Assay of alpha subunit of human chorionic gonadotropin, utility of, in management of gestational trophoblastic malignancies (Quigley, Tyrey, and Hammond), 545  
serum cystine aminopeptidase, early primary diagnosis of ovarian cancer and detection of recurrence by (Kalinkov and Buchholz), 1148  
Automated erythrocytopheresis for sickle cell anemia during pregnancy (Key et al.), 731  
Autonomic blockade, umbilical venous blood flow and its distribution before and during, in fetal lambs (Edelstone et al.), 703  
nervous system, influence of, I. Mechanisms of beat-to-beat variability in heart rate of neonatal lamb (Zugaib et al.), 444

### B

Bacterial clearance in murine uterus and oviduct, I. Host defenses in acute pelvic inflammatory disease (Chow, Carlson, and Sorrell), 1003  
Bangladesh, pelvic infections following gynecologic procedures in (Begum), 875  
Beat-to-beat variability, heart rate and, analysis of: Interval difference index (van Geijn et al.), 246  
mechanisms of, in heart rate of neonatal lamb, I. Influence of autonomic nervous system (Zugaib et al.), 444  
II. Effects of hypoxia (Zugaib et al.), 453  
Beta-adrenergic treatment, potential complication of: Severe hypokalemia and acidosis (Gross and Sokol), 1225 (Comm. in brief)

\*September 1, 1-120; September 15, 121-238; October 1, 239-356; October 15, 357-474; November 1, 475-598; November 15, 599-726; December 1, part 1, 727-844; part 2, 845-1112; December 15, 1113-1262.

Binding globulin, sex hormone-, capacity, serum, and percentage of free estradiol on postmenopausal women with and without endometrial carcinoma (Nisker et al.), 632

proteins, receptor-like, for testosterone and progesterone in human ovary (Milwidsky et al.), 93

Biology of infectious agents of salpingitis and recent advances in methods of detection, overview of (Mårdh), 933

Biophysics of developing heart. I. Force-interval relationship (Anderson, Manring, and Crenshaw), 33

II. Interaction of force-interval relationship with inotropic state and muscle length (preload) (Anderson, Manring, and Crenshaw), 33

Biohythms of primate uterus (*Macaca mulatta*) during labor and delivery (Harbert and Spisso), 686

Biparietal diameter(s), discordancy of, after 28 weeks' gestation: Sonar cephalometry in twin pregnancy (Leveno et al.), 615

serial ultrasonographic, for prediction of estimated date of confinement (O'Brien, Coddington, and Cefalo), 467 (Comm. in brief)

Birth weight(s) at high altitude, re-evaluation of (Cotton et al.), 220

minor physical anomalies, and maternal alcohol consumption (Tennes and Blackard), 774

Bladder fullness, urinary, effect of, on fundal height measurements (Worthen and Bustillo), 759

physiology, effect of radical hysterectomy on (Forney), 374

Blood in amniotic fluid, effect of, on detection of phosphatidylglycerol (Strassner et al.), 697

anions and electrolytes during ritodrine infusion in preterm labor (Kirkpatrick, Quenon, and Desir), 523

cord, amniotic fluid, and maternal plasma, analysis of, for human breast gross cystic disease fluid protein (Haagensen et al.), 25

flow response, umbilical, to embolization of uterine circulation (Clapp et al.), 60

umbilical venous, and its distribution before and during autonomic blockade in fetal lambs (Edelstone et al.), 703

uterine and ovarian artery, in rhesus monkey near term (Abitbol, Demeter, and Benarosh), 414

loss at delivery, consideration of, as percentage of estimated blood volume (Nelson), 1117 (Clinical opinion)

pressure differences, postural, in pregnancy (Van Dongen et al.), 1

pure fetal, from umbilical cord obtained at fetoscopy: Experience with 125 consecutive cases (MacKenzie and Maclean), 1214

volume, estimated, consideration of blood loss at delivery as percentage of (Nelson), 1117 (Clinical opinion)

Bones, fetal limb, ultrasound measurement of (Queenan, O'Brien, and Campbell), 297

Books received, 238, 474, 598, 1236

Brain uptake of meperidine in fetal lamb (Szeto et al.), 528

"Breast is best," translating, from theory to practice: Obstetrician's opportunity (Winikoff and Baer), 105 (Current developments)

gross cystic disease fluid protein, human, analysis of amniotic fluid, maternal plasma, and cord blood for (Haagensen et al.), 25

Breathing, fetal, and fetal movements, effects of maternal cigarette smoking on (Thaler, Goodman, and Dawes), 282

sleep state and, myometrial activity and, relationship between, in fetal sheep throughout last third of gestation (Nathanielsz et al.), 653

Buccal Pitocin, plasma oxytocin levels and disappearance rate after (Dawood, Ylikorkala, and Fuchs), 20

Butorphanol, human perinatal distribution of (Pittman et al.), 797

C

C-reactive protein as predictor of infectious morbidity with premature rupture of membranes (Evans et al.), 648

Cancer, cervical, site of recurrence of, after radical hysterectomy (Webb and Symmonds), 813

ovarian, early primary diagnosis of, and detection of recurrence by serum cysteine aminopeptidase assay (Kalinkov and Buchholz), 1148

second-look operations in (Schwartz and Smith), 1124

patients, ovarian, study of, using radioimmunoassay for human ovarian tumor-associated antigen OCA (Knauf and Urbach), 1222 (Comm. in brief)

Stage I ovarian, role of adjuvant therapy in (Hreshchysyn et al.), 139

vulvar, progressive histobiologic alterations in development of (Buscema and Woodruff), 146

Carbohydrate metabolism with three months of low-estrogen contraceptive use (Spellacy, Buh, and Birk), 151

Carbon dioxide laser, topical 5-fluorouracil and, biologic aspects and treatment with: Vaginal intraepithelial neoplasia (Petrilli et al.), 321

Carcinoma, endometrial, serum sex hormone-binding globulin capacity and percentage of free estradiol in postmenopausal women with and without (Nisker et al.), 637

significance of residual disease after radiotherapy in: Clinopathologic correlation (Macasaet et al.), 557

Stages II and IIIA, of cervix, analysis of factors contributing to treatment failures in (Chung et al.), 550

Cardiac output, distribution of, in unstressed pregnant guinea pig (Peeters, Grutter, and Martin), 1177

Cardiovascular function during hypoxemia, effect of fetal heart rate on (Cohn, Piascik, and Jackson), 1190

Cefamandole nafate solution, intrauterine irrigation with, at cesarean section: Preliminary report (Long, Rudd, and Dillon), 755

Cell(s) anemia, sickle, automated erythrocytophoresis for, during pregnancy (Key et al.), 731

and sickle cell-hemoglobin C disease, outcome of pregnancy in (Milner, Jones, and Döbler), 239

exchange, red, in pregnancy complicated by major hemoglobinopathy (Keeling et al.), 185

human placental, in culture, effect of adrenergic agonists on progesterone production by (Caritis and Zelezniak), 677

tumors, granulosa: Comparison of survival in patients and matched controls (Björkholm), 329

Cephalometry, sonar, in twin pregnancy: Discordancy of biparietal diameter after 28 weeks' gestation (Leveno et al.), 615

Ceruloplasmin activity, copper and, in human amniotic fluid (Chan et al.), 257

Cervical cancer, site of recurrence of, after radical hysterectomy (Webb and Symmonds), 813

dilation, morphologic and histochemical evidence for occurrence of collagenolysis and for role of neutrophilic polymorphonuclear leukocytes during (Junqueira et al.), 273

Cervix, Stages IB and II A carcinoma of, analysis of factors contributing to treatment failures in (Chung et al.), 550

Cesarean section, intrauterine irrigation with cefamandole nafate solution at: Preliminary report (Long, Rudd, and Dillon), 755

previous, midtrimester abortion induced by hyperosmolar urea and prostaglandin F<sub>2</sub>α in patients with: Clinical course and potential for uterine rupture (Atienza, Burkman, and King), 55

prolapsed umbilical cord into abdominal cavity in women with (Lenke and Osterkamp), 1224 (Comm. in brief)

*Chlamydia trachomatis* in acute salpingitis (Paavonen), 957

infection, antepartum, and route of delivery, relationship to: puerperal infectious morbidity (Wager et al.), 1028

in Fitz-Hugh-Curtis syndrome (Wager et al.), 1034

in patients with laparoscopically verified acute salpingitis (Ripa et al.), 960

and *Mycoplasma hominis*, experimental pelvic inflammatory disease provoked by, in rhesus monkeys (Möller, Freundt, and Mårdh), 990

Chlamydial salpingitis, experimental, in guinea pig (Sweet et al.), 952

Chorea, oral contraceptive-induced (Kaplinsky, Thaler, and Frankl), 237 (Comm. in brief)

Choriocarcinoma, evidence that thyrotropic activity of chorionic gonadotropin mediates thyrotoxicosis of: Thyroid function in gestational trophoblastic neoplasia (Nisula and Taliadouros), 77

specific components, presence of: Isoelectric heterogeneity of human chorionic gonadotropin (Yazaki et al.), 189

Chorion laeve permeability, human and sheep, to glucose, β-hydroxybutyrate, and glycerol, comparison of (Seeds et al.), 604

Chorionic gonadotropin(s), human, human placental lactogen, and pregnancy-specific β<sub>1</sub>-glycoprotein, interrelationships of, throughout normal human gestation (Braunstein et al.), 1205

isoelectric heterogeneity of: Presence of choriocarcinoma specific components (Yazaki et al.), 189

menopausal and, use of, for induction of ovulation (Schwartz et al.), 801

suppression of, by progestational steroids (Wilson, Jawad, and Dickson), 708

utility of assay of alpha subunit of, in management of gestational trophoblastic malignancies (Quigley, Tyrey, and Hammond), 545

Human chorionic gonadotropin—cont'd  
 thyrotropic activity of, mediates thyrotoxicosis of choriocarcinoma, evidence that: Thyroid function in gestational trophoblastic neoplasia (Nisula and Taliadouros), 77

Chromosomal diagnosis, first-trimester fetal, using endocervical lavage: Negative evaluation (Goldberg et al.), 436

Cigarette smoking, maternal, effects of, on fetal breathing and fetal movements (Thaler, Goodman, and Dawes), 282  
 obesity, and energy consumption, maternal, relation of, to infant size (Haworth et al.), 1185

Circulation, uterine, umbilical blood flow response to embolization of (Clapp et al.), 60

Circumference measurements, sonar fetal abdominal, percentile ranks of (Tamura and Sabbagh), 475 (Clinical opinion)

Climacteric symptoms, use of medroxyprogesterone acetate for relief of (Morrison et al.), 99

Clinic, problem-oriented gynecology, for patients with sexually transmitted diseases (Spence, Smith, and Vaeth), 1109

Clinical opinion, 121-127, 357-363, 475-479, 1117-1119

Collagenolysis, morphologic and histochemical evidence for occurrence of, and for role of neutrophilic polymorphonuclear leukocytes during cervical dilation (Junqueira et al.), 273

Colombia, comparative evaluation of two methods of natural family planning in (Medina et al.), 1142

Colpopexy, abdominal sacral (Cowan and Morgan), 348 (Comm. in brief)

Communications in brief, 227-237, 343-353, 459-470, 1219-1230

Computer-assisted analysis of therapy of acute salpingitis (Bell and James), 1048

Conception control, estradiol implants for (Nezhat et al.), 1151

Confinement, serial ultrasonographic biparietal diameters for prediction of estimated date of (O'Brien, Coddington, and Cefalo), 467 (Comm. in brief)

Congenital adrenal hyperplasia, adult manifestation of, due to incomplete 21-hydroxylase deficiency mimicking polycystic ovarian disease (Lobo and Goebelmann), 720  
 toxoplasmosis, what can be done to prevent (Wilson and Remington), 357 (Clinical opinion)

Conjugates, its, plasma estriol and, following oral and vaginal administration of estriol to postmenopausal women: Correlations with gonadotropin levels (Schiff et al.), 1137

Conscious sheep, maternofetal electrical potential difference in: Effect of fetal death or acidosis (Weedon et al.), 422

Consultants for the American Journal of Obstetrics and Gynecology, 1113

Contraception and etiology of pelvic inflammatory disease: new perspectives (Senanayake and Kramer), 852  
 oral, -induced chorea (Kaplinsky, Thaler, and Frankl), 237 (Comm. in brief)  
 practice and tuboovarian abscess (Edelman and Berger), 541  
 use, low-estrogen, carbohydrate metabolism with three months of (Spallacy, Buhi, and Birk), 151

Contractions(s), spontaneous, implications of decelerations after: Nonstressed antepartum heart rate monitoring (Visser et al.), 429  
 strength, measure of, in labor: Area and amplitude (Scitchik), 727

Copper and ceruloplasmin activity in human amniotic fluid (Chan et al.), 257  
 effect of, on spermatozoal motility and viability evaluated objectively with aid of multiple-exposure photography method (Makler and Zinder), 156

Cord blood, amniotic fluid, and maternal plasma, analysis of, for human breast gross cystic disease fluid protein (Haagensen et al.), 25

prolapsed umbilical, into abdominal cavity in woman with previous cesarean section (Lenke and Osterkamp), 1224 (Comm. in brief)

umbilical, pure fetal blood from, obtained at fetoscopy: Experience with 125 consecutive cases (MacKenzie and Maclean), 1214

Correspondence, 471-473, 587-591, 838-842, 1231-1235

Cortisol and 17 $\alpha$ -hydroxyprogesterone caproate, suppression of threatened premature labor by administration of: Comparison with ritodrine (Kauppila et al.), 404  
 metabolism, evidence that fetal membranes are not involved in: Study of dichorionic twin pregnancies (López Bernal et al.), 1168

Countries, developing, microbiologic techniques for diagnosis of pelvic inflammatory disease in (Osoba), 1091

Countries—cont'd  
 industrialized, incidence, prevalence, and trends of acute pelvic inflammatory disease and consequences in (Westrom), 880

Cranial and craniocervical masses, fetal: Ultrasound characteristics and differential diagnosis (Sabbagh et al.), 511

Craniocervical masses, fetal cranial and: Ultrasound characteristics and differential diagnosis (Sabbagh et al.), 511

Creatine kinase, amniotic fluid, diagnosis of fetal death in utero with (Stempel and Lott), 1173

Cuban experience: problems and approaches in surveillance and control of sexually transmitted diseases (Werthein, Abreu, and Valdes-Vivo), 1082

Culdocentesis, rare complication of: Accidental puncture of pelvic kidney (Granat et al.), 233 (Comm. in brief)

Culture, effect of adrenergic agonists on progesterone production by human placental cells in (Caritis and Zeleznik), 677  
 monolayer and suspension, of human prolactin-secreting pituitary adenoma (Kletzky et al.), 660  
 and serologic findings, differences in some clinical and laboratory parameters in acute salpingitis related to (Svensson et al.), 1017

Culturing, selective maternal, to identify group B streptococcal infection (Pasnick, Mead, and Philip), 480

Curettage, suction, for elective termination of pregnancy, electrocardiographic changes induced by (Mabee, Dunn, and Sherrer), 181

Current developments, 105-117, 575-586  
 investigation, 223-226

Cystic disease fluid protein, human breast gross, analysis of amniotic fluid, maternal plasma, and cord blood for (Haagensen et al.), 25

hygroma, fetal, ultrasonographic diagnosis of (O'Brien, Cefalo, and Bair), 464 (Comm. in brief)

teratomas, benign, in postmenopausal women (Gordon et al.), 1120

Cystine aminopeptidase assay, serum, early primary diagnosis of ovarian cancer and detection of recurrence by (Kalinkov and Buchholz), 1148

Cystometrogram, standing (Weprin and Zuspan), 369

D

Death, fetal, or acidosis, effect of: Maternofetal electrical potential difference in conscious sheep (Weedon et al.), 422  
 in utero, diagnosis of, with amniotic fluid creatine kinase (Stempel and Lott), 1173

Decelerations after spontaneous contractions, implications of: Non-stressed antepartum heart rate monitoring (Visser et al.), 429

Decidua, human, stimulatory activity of serum on prolactin production by (Luciano et al.), 665

Decidual production of prolactin in late gestation: Further evidence for decidual source of amniotic fluid prolactin (Rosenberg, Maslar, and Riddick), 681

Defenses, host, in acute pelvic inflammatory disease. I. Bacterial clearance in murine uterus and oviduct (Chow, Carlson, and Sorrell), 1003

Dehydroepiandrosterone sulfate secretion, prolactin modulation of (Lobo et al.), 632  
 stable prolactin level after enhanced estradiol production (Kaupila and Ylikorkala), 271

Delivery, consideration of blood loss at, as percentage of estimated blood volume (Nelson), 1117 (Clinical opinion)

labor and, biorhythms of primate uterus (*Macaca mulatta*) during (Harbert and Spisso), 686  
 hemodynamics in patients with severe toxemia during (Rafferty and Berkowitz), 263

route of, and antepartum *Chlamydia trachomatis* infection, relationship to: puerperal infectious morbidity (Wager et al.), 1028

Deoxycorticosterone, plasma levels of, throughout pregnancy of normal women and women who developed pregnancy-induced hypertension, II. Hormone production during pregnancy in primigravid patient (Parker et al.), 626

Device(s), intrauterine, risk of pelvic inflammatory disease among users of, irrespective of previous pregnancy (Osser, Liedholm, and Sjöberg), 864  
 use and risk of pelvic inflammatory disease (Burkman), 861

Dexamethasone, intravenous, for prevention of neonatal respiratory distress: Prospective controlled study (Young et al.), 203

Diabetes, gestational, detection of, by means of ultrasonic diagnosis of excessive fetal growth (Grandjean et al.), 790

Diabetic and toxemic term placentas, glycosaminoglycan patterns in (Wasserman et al.), 769

Diameter, biparietal, discordancy of, after 28 weeks' gestation: Sonar cephalometry in twin pregnancy (Leveno et al.), 615

Dichorionic twin pregnancies, study of: Evidence that fetal membranes are not involved in cortisol metabolism (López Bernal et al.), 1168

Dietary fat, maternal, effect of, on fetal pulmonary maturation in rats (Nelson et al.), 466 (Comm. in brief)

Dilation, cervical, morphologic and histochemical evidence for occurrence of collagenolysis and for role of neutrophilic polymorphonuclear leukocytes during (Junqueira et al.), 273

Disease(s), acute pelvic inflammatory, differential diagnosis of (Jacobson), 1006

host defenses in. I. Bacterial clearance in murine uterus and oviduct (Chow, Carlson, and Sorrell), 1003

incidence, prevalence, and trends of, and consequences in industrialized countries (Weström), 880

pattern of, in abortion-related admissions (Sinnathuray et al.), 868

experimental pelvic inflammatory, provoked by *Chlamydia trachomatis* and *Mycoplasma hominis* in grivet monkeys (Möller, Freundt, and Mårdh), 990

fluid protein, human breast gross cystic, analysis of amniotic fluid, maternal plasma, and cord blood for (Haagensen et al.), 25

gonococcal pelvic inflammatory: case-finding observations (Potterat et al.), 1101

hypothalamic and pituitary, response to repetitive luteinizing hormone-releasing hormone stimulation in (Wentz and Andersen), 364

monitoring, trophoblastic: Evaluation of pregnancy-specific  $\beta_1$ -glycoprotein (O'Brien et al.), 313

pelvic inflammatory, 1980 (St. John, Brown, and Tyler), 845 (Editorial)

among women presenting to emergency rooms of hospitals in Massachusetts (O'Hare, Fiumara, and McCormack), 909

and consequences in developing world (Muir and Belsey), 913

economic consequences of, in United States (Curran), 848

etiological factors in, in Sudanese women (Rushwan), 877

etiology of, and contraception: new perspectives (Senanayake and Kramer), 852

gonococcal infection in women with, in Lusaka, Zambia (Ratnam, Din, and Chatterjee), 965

and gonorrhea, trends for, in England and Wales and for gonorrhea in defined population (Adler), 901

or infertility with tubal obstruction, microbiology of specimens obtained by laparoscopy from controls and from patients with: *Chlamydia trachomatis* and *Ureaplasma urealyticum* (Henry-Suchet et al.), 1022

microbiologic techniques for diagnosis of, in developing countries (Osoba), 1091

problems and approaches to control and surveillance of sexually transmitted agents associated with, in United States (Brown and Wiesner), 1096

in surveillance and control of sexually transmitted agents associated with, in Africa (Nsanzé), 1088

of surveillance and control of sexually transmitted agents associated with, in Far East (Rajan), 1071

and puerperal sepsis in Ethiopia. I. Etiology (Perine et al.), 969

II. Treatment (Duncan et al.), 1059

risk of, among users of intrauterine devices, irrespective of previous pregnancy (Osser, Liedholm, and Sjöberg), 864

and intrauterine device use (Burkman), 861

and salpingitis, frequency and distribution of, in short-stay hospitals in United States (Jones, Zaidi, and St. John), 905

surveillance, prevention, and control of sexually transmitted agents associated with (Meheus), 1064

treatment of (Rees), 1042

polycystic ovarian, incomplete 21-hydroxylase deficiency mimicking, adult manifestation of congenital adrenal hyperplasia due to (Lobo and Goebelmann), 720

residual, after radiotherapy in endometrial carcinoma, significance of: Clinicopathologic correlation (Macasaet et al.), 557

sexually transmitted, associated with pelvic inflammatory disease in South America, problems and proposals for control and surveillance of (de la Torre), 1078

problem(s) and approaches in surveillance and control of: Cuban experience (Werthein, Abreu, and Valdes-Vivo), 1082

Disease(s), sexually transmitted, problem(s)—cont'd

-oriented gynecology clinic for patients with (Spence, Smith, and Vaeth), 1109

sickle cell-hemoglobin C, sickle cell anemia and, outcome of pregnancy in (Milner, Jones, and Döbler), 239

Distress, neonatal respiratory, intravenous dexamethasone for prevention of: Prospective controlled study (Young et al.), 203

Dysgenesis, XY gonadal, in three siblings (Phansey et al.), 133

E

Economic consequences of pelvic inflammatory disease in United States (Curran), 848

Electrical potential difference, maternofetal, in conscious sheep: Effect of fetal death or acidosis (Weedon et al.), 422

Electrocardiographic changes induced by suction curettage for elective termination of pregnancy (Mabee, Dunn, and Sherrer), 181

Electrolytes, blood anions and, during ritodrine infusion in preterm labor (Kirkpatrick, Quenon, and Desir), 523

Electron microscopy, scanning, of attachment of *Neisseria gonorrhoeae* colony phenotypes to surfaces of human genital epithelia (Draper et al.), 818

Embolization of uterine circulation, umbilical blood flow response to (Clapp et al.), 60

Emergency department, gonorrhea in: management, case follow-up, and contact tracing of cases in women (Curran et al.), 1105

rooms of hospitals in Massachusetts, pelvic inflammatory disease among women presenting to (O'Hare, Fiumara, and McCormack), 909

Endocervical lavage, first-trimester fetal chromosomal diagnosis using: Negative evaluation (Goldberg et al.), 430

Endometrial adenocarcinoma arising in adenomyosis (Hernandez and Woodruff), 827

unsuspected, hysterosalpingography in young infertile patients with (Menczer, Frenkel, and Serr), 352 (Comm. in brief)

carcinoma, serum sex hormone-binding globulin capacity and percentage of free estradiol in postmenopausal women with and without (Nisker et al.), 637

significance of residual disease after radiotherapy in: Clinicopathologic correlation (Macasaet et al.), 557

changes after administration of gossypol for menorrhagia (Kuo-Fen et al.), 1227 (Comm. in brief)

17 $\beta$ -estradiol dehydrogenase, human placental and, apparent immunologic nonidentity of (Marovitz et al.), 643

protein, progestogen-dependent, in women: Tissue concentration in relation to developmental stage and to serum hormone levels (Joshi et al.), 1131

Endometriosis, treatment of, at laparoscopy for infertility (Sulewski et al.), 128

Endometrium, human, peroxidase activity in glands and stroma of (Holinka and Gürpide), 599

Energy consumption, cigarette smoking, and obesity, maternal, relation of, to infant size (Haworth et al.), 1185

England and Wales, trends for gonorrhea and pelvic inflammatory disease in, and for gonorrhea in defined population (Adler), 901

Epidemiology and etiology, overview of: salpingitis (Holmes, Eschenbach, and Knapp), 893

Epidural morphine analgesia in second-trimester induced abortion (Magora et al.), 260

Epithelia, human genital, scanning electron microscopy of attachment of *Neisseria gonorrhoeae* colony phenotypes to surfaces of (Draper et al.), 818

Errata, 226, 473, 1235

Erythrocytopheresis, automated, for sickle cell anemia during pregnancy (Key et al.), 731

Estradiol, free, percentage of, serum sex hormone-binding globulin capacity and, in postmenopausal women with and without endometrial carcinoma (Nisker et al.), 637

implants for conception control (Nezhat et al.), 1151

pellets, subdermal, following hysterectomy and oophorectomy (Lobo et al.), 714

production, enhanced, stable prolactin level after, following dehydroepiandrosterone sulfate (Kauppila and Ylikorkala), 271

17 $\beta$ -dehydrogenase, human placental and endometrial, apparent immunologic nonidentity of (Marovitz et al.), 643

luteinizing hormone, follicle-stimulating hormone, and progestrone, plasma, temporal relationships between ovulation and defined changes in concentration of. I. Probit analysis (World Health Organization Task Force), 383

Estriol, plasma, and its conjugates following oral and vaginal administration of estriol to postmenopausal women: Correlations with gonadotropin levels (Schiff et al.), 1137  
total: Estimation of gestational age and maternal serum steroid concentrations (Penney), 745  
Estrogen, low-, contraceptive use, carbohydrate metabolism with three months of (Spellacy, Buh, and Birk), 151  
response in sheep, stimulus summation and tachyphylaxis in (Clewell, Stys, and Meschia), 485  
Ethiopia, pelvic inflammatory disease and puerperal sepsis in. I. Etiology (Perine et al.), 969  
II. Treatment (Duncan et al.), 1059  
Etiologic factors in pelvic inflammatory disease in Sudanese women (Rushwan), 877  
Etiology, I. Pelvic inflammatory disease and puerperal sepsis in Ethiopia (Perine et al.), 969  
and epidemiology, overview of: salpingitis (Holmes, Eschenbach, and Knapp), 893  
Extraction, vacuum, complication of: *Streptococcus sanguis* sepsis and meningitis (Heath et al.), 343 (Comm. in brief)

## F

Fallopian tube mucosa, human, toxin for: gonococcal lipopolysaccharide (Gregg, Melly, and McGee), 981  
Family planning, natural, in Colombia, comparative evaluation of two methods of (Medina et al.), 1142  
Far East, problems in surveillance and control of sexually transmitted agents associated with pelvic inflammatory disease in (Rajan), 1071  
Fat, maternal dietary, effect of, on fetal pulmonary maturation in rats (Nelson et al.), 466 (Comm. in brief)  
"Female echo": Prenatal determination of female fetus by ultrasound (Schotten and Giese), 463 (Comm. in brief)  
Fertility, their relation to, after attempts at reversal, tubal lesions subsequent to sterilization and (Vasquez et al.), 86  
Fetal abdominal circumference measurements, sonar, percentiles ranks of (Tamura and Sabbagh), 475 (Clinical opinion)  
blood, pure, from umbilical cord obtained at fetoscopy: Experience with 125 consecutive cases (MacKenzie and Maclean), 1214  
breathing and fetal movements, effects of maternal cigarette smoking on (Thaler, Goodman, and Dawes), 282  
chromosomal diagnosis, first-trimester, using endocervical lavage: Negative evaluation (Goldberg et al.), 436  
cranial and craniocervical masses: Ultrasound characteristics and differential diagnosis (Sabbagh), 511  
cystic hygroma, ultrasonographic diagnosis of (O'Brien, Cefalo, and Bair), 464 (Comm. in brief)  
death or acidosis, effect of: Maternofetal electrical potential difference in conscious sheep (Weedon et al.), 422  
in utero, diagnosis of, with amniotic fluid creatine kinase (Stempel and Lott), 1173  
gestational age, sources of error in (Zador et al.), 344 (Comm. in brief)  
growth, excessive, detection of gestational diabetes by means of ultrasonic diagnosis of (Grandjean et al.), 790  
heart rate, effect of, on cardiovascular function during hypoxemia (Cohn, Piascik, and Jackson), 1190  
modified technique for monitoring, during intrauterine transfusion (Schifrin and Platt), 1220 (Comm. in brief)  
monitoring, intrapartum. IV. Observations on elective and nonelective fetal heart rate monitoring (Krebs et al.), 213  
testing, antepartum, alternative to (Rayburn et al.), 223 (Current investigation)  
immune responses, maternal and, to human trophoblast antigens (Taylor), 293  
lamb(s), brain uptake of meperidine in (Szeto et al.), 528  
effect of in utero intravenous administration of thyroxine and other hormones on lung fluid lecithin/sphingomyelin ratio in (Nwosu et al.), 459 (Comm. in brief)  
umbilical venous blood flow and its distribution before and during autonomic blockade in (Edelstone et al.), 703  
limb bones, ultrasound measurement of (Queenan, O'Brien, and Campbell), 297  
membranes are not involved in cortisol metabolism, evidence that: Study of dichorionic twin pregnancies (López Bernal et al.), 1168  
motion, clinical significance of (Rayburn), 210

## Fetal—cont'd

and neonatal sinusoidal heart rate pattern, significance of: Further clinical observations in Rh incompatibility (Elliott et al.), 227 (Comm. in brief)  
outcome, placental size during early pregnancy and: Preliminary report of sequential ultrasonographic study (Hoogland, de Haan, and Martin), 441  
surgery during pregnancy and (Brodsky et al.), 1165  
pulmonary maturation, effect of maternal dietary fat on, in rats (Nelson et al.), 466 (Comm. in brief)  
sheep, comparison of continuous transcutaneous and continuous intravascular  $PO_2$  measurement in (Jansen et al.), 670  
relationship between myometrial activity and sleep state and breathing in, throughout last third of gestation (Nathanielsz et al.), 653  
Fetoscopy, pure fetal blood from umbilical cord obtained at: Experience with 125 consecutive cases (MacKenzie and Maclean), 1214  
Fetus, female, prenatal determination of, by ultrasound: "Female echo" (Schotten and Giese), 463 (Comm. in brief)  
Fibroleiomyomas, multiple pulmonary (Tedeschi), 468 (Comm. in brief)  
Fitz-Hugh-Curtis syndrome, *Chlamydia trachomatis* infection in (Wager et al.), 1034  
Fluorescein angiography in hypertensive pregnancies (Donkers and Janssens), 461 (Comm. in brief)  
Fluorouracil, 5-, topical, and carbon dioxide laser, biologic aspects and treatment with: Vaginal intraepithelial neoplasia (Petrilli et al.), 321  
Follicle-stimulating hormone, progesterone, estradiol-17 $\beta$ , and luteinizing hormone, plasma, temporal relationships between ovulation and defined changes in concentration of. I. Probit analysis (World Health Organization Task Force), 383  
Force-interval relationship, I. Biophysics of developing heart (Anderson, Manning, and Crenshaw), 33  
interaction of, with inotropic state and muscle length (preload). II. Biophysics of developing heart (Anderson, Manning, and Crenshaw), 44  
Fundal height measurements, effect of urinary bladder fullness on (Worthen and Bustillo), 759

## G

Gap junctions, presence of, in myometrium of women during various stages of menstruation (Garfield and Hayashi), 569  
Genetic amniocentesis in twin gestations (Elias et al.), 169  
Genital epithelia, human, scanning electron microscopy of attachment of *Neisseria gonorrhoeae* colony phenotypes to surfaces of (Draper et al.), 818  
sphincters, human, relaxation of, by neuropeptide vasoactive intestinal polypeptide (Walles et al.), 337  
tract, female, malacoplakia of (Chalvardjian et al.), 391  
tuberculosis in women (Falk, Ludviksson, and Agren), 974  
Gestation(s), late, decidual production of prolactin in: Further evidence for decidual source of amniotic fluid prolactin (Rosenberg, Maslar, and Riddick), 681  
normal human, interrelationships of human chorionic gonadotropin, human placental lactogen, and pregnancy-specific  $\beta_1$ -glycoprotein during (Braunstein et al.), 1205  
relationship between myometrial activity and sleep state and breathing in fetal sheep throughout last third of (Nathanielsz et al.), 653  
twin, genetic amniocentesis in (Elias et al.), 169  
28 weeks', discordancy of biparietal diameter after: Sonar cephalometry in twin pregnancy (Leveno et al.), 615  
Gestational age, estimation of, and maternal serum steroid concentrations: Total estriol (Penney), 745  
fetal, sources of error in (Zador et al.), 344 (Comm. in brief)  
diabetes, detection of, by means of ultrasonic diagnosis of excessive fetal growth (Grandjean et al.), 790  
trophoblastic malignancies, utility of assay of alpha subunit of human chorionic gonadotropin in management of (Quigley, Tyrey, and Hammond), 545  
neoplasia, late recurrences of (Vaughn, Surwit, and Hammond), 73  
thyroid function in: Evidence that thyrotropic activity of chorionic gonadotropin mediates thyrotoxicosis of choriocarcinoma (Nisula and Taliadouros), 77

Glands and stroma of human endometrium, peroxidase activity in (Holinka and Gupide), 599

Glandular inclusions, benign, in para-aortic lymph nodes: Cause for false positive lymphangiography (Schneider, Walsh, and Goplerud), 350 (Comm. in brief)

Globulin, sex hormone-binding, capacity, serum, and percentage of free estradiol in postmenopausal women with and without endometrial carcinoma (Nisker et al.), 632

Glucose,  $\beta$ -hydroxybutyrate, and glycerol, comparison of human and sheep chorion laeve permeability to (Seeds et al.), 604

Glycerol, glucose, and  $\beta$ -hydroxybutyrate, comparison of human and sheep chorion laeve permeability to (Seeds et al.), 604

Glycoprotein,  $\beta_1$ , pregnancy-specific, evaluation of: Trophoblastic disease monitoring (O'Brien et al.), 313  
human chorionic gonadotropin, and human placental lactogen, interrelationships of, throughout normal human gestation (Braunstein et al.), 1205  
as prognostic indicator in complications of early pregnancy (Ho and Jones), 253

Glycosaminoglycan composition of normal human placentas, changes in, with maturation (Wasserman et al.), 763  
patterns in diabetic and toxemic term placentas (Wasserman et al.), 769

Gonadal dysgenesis, XY, in three siblings (Phansey et al.), 133

Gonadotropin(s), chorionic, thyrotropic activity of, mediates thyrotoxicosis of choriocarcinoma, evidence that: Thyroid function in gestational trophoblastic neoplasia (Nisula and Taliadouros), 77

human chorionic, human placental lactogen, and pregnancy-specific  $\beta_1$ -glycoprotein, interrelationships of, throughout normal human gestation (Braunstein et al.), 1205

isoelectric heterogeneity of: Presence of choriocarcinoma specific components (Yazaki et al.), 189

suppression of, by progestational steroids (Wilson, Jawad, and Dickson), 708

utility of assay of alpha subunit of, in management of gestational trophoblastic malignancies (Quigley, Tyrey, and Hammond), 545

menopausal and chorionic, use of, for induction of ovulation (Schwartz et al.), 801

levels, correlations with: Plasma estriol and its conjugates following oral and vaginal administration of estriol to postmenopausal women (Schiff et al.), 1137

Gonococcal infection in women with pelvic inflammatory disease in Lusaka, Zambia (Ratnam, Din, and Chatterjee), 965

lipopolysaccharide: toxin for human fallopian tube mucosa (Gregg, Melly, and McGee), 981

pelvic inflammatory disease: case-finding observations (Potterat et al.), 1101

salpingitis is less likely to recur with *Neisseria gonorrhoeae* of same principal outer membrane antigenic type (Buchanan et al.), 978

Gonorrhea in emergency department: management, case follow-up, and contact tracing of cases in women (Curran et al.), 1105

and female infertility in rural Uganda (Arya, Taber, and Nsanze), 929

and pelvic inflammatory disease, trends for, in England and Wales and for gonorrhea in defined population (Adler), 901

Gossypol, administration of, for menorrhagia, endometrial changes after (Kuo-Fen et al.), 1227 (Comm. in brief)

Granulosa cell tumors: Comparison of survival in patients and matched controls (Björkholm), 329

Growth, excessive fetal, detection of gestational diabetes by means of ultrasonic diagnosis of (Grandjean et al.), 790

retardation, intrauterine, symmetric versus asymmetric, comparative newborn anthropometric data in (Crane and Kopta), 518

**II**

Heart, developing, biophysics of. I. Force-interval relationship (Anderson, Manring, and Crenshaw), 33

II. Interaction of force-interval relationship with inotropic state and muscle length (preload) (Anderson, Manring, and Crenshaw), 33

rate and beat-to-beat variability, analysis of: Interval difference index (van Geijn et al.), 246

fetal, effect of, on cardiovascular function during hypoxemia (Cohn, Pisecki, and Jackson), 1190

Heart rate, fetal—cont'd

modified technique for monitoring, during intrauterine transfusion (Schifrin and Platt), 1220 (Comm. in brief)

monitoring, intrapartum fetal. IV. Observations on elective and nonelective fetal heart rate monitoring (Krebs et al.), 213  
nonstressed antepartum: Implications of decelerations after spontaneous contractions (Visser et al.), 429

of neonatal lamb, mechanisms of beat-to-beat variability in. I. Influence of autonomic nervous system (Zugaib et al.), 444

II. Effects of hypoxia (Zugaib et al.), 453

pattern, fetal and neonatal sinusoidal, significance of: Further clinical observations in Rh incompatibility (Elliott et al.), 227 (Comm. in brief)

testing, antepartum fetal, alternative to (Rayburn et al.), 223 (Current investigation)

Height measurements, fundal, effect of urinary bladder fullness on (Worthen and Bustillo), 759

Hematocephalometry in presence of normal menstruation (Drake and O'Brien), 346 (Comm. in brief)

Hemivagina, obstructed, and ipsilateral renal agenesis, double uterus associated with (Rock and Jones), 339

Hemodynamic(s) observations in evacuation of molar pregnancy (Cotton et al.), 6  
in patients with severe toxemia during labor and delivery (Rafferty and Berkowitz), 263

Hemoglobin C, sickle cell-, disease, sickle cell anemia and, outcome of pregnancy in (Milner, Jones, and Döbler), 239

Hemoglobinopathy, major, red cell exchange in pregnancy complicated by (Keeling et al.), 185

Heterogeneity, isoelectric, of human chorionic gonadotropin: Presence of choriocarcinoma specific components (Yazaki et al.), 189

High altitude, re-evaluation of birth weights at (Cotton et al.), 220

Histobiologic alterations, progressive, in development of vulvar cancer (Buscema and Woodruff), 146

Histochemical evidence, morphologic and, for occurrence of collagenesis and for role of neutrophilic polymorphonuclear leukocytes during cervical dilation (Junqueira et al.), 273

Hormone(s) levels, serum, tissue concentration in relation to developmental stage and to: Progestogen-dependent endometrial protein in women (Joshi et al.), 1131  
luteinizing, follicle-stimulating hormone, progesterone, and estradiol-17 $\beta$ , plasma, temporal relationships between ovulation and defined changes in concentration of. I. Probit analysis (World Health Organization Task Force), 383  
—releasing hormone stimulation, repetitive, response to, in hypothalamic and pituitary disease (Wentz and Andersen), 364

other, thyroxine and, effect of in utero intravenous administration of, on lung fluid lecithin/sphingomyelin ratio in fetal lamb (Nwosu et al.), 459 (Comm. in brief)

production during pregnancy in primigravid patient. II. Plasma levels of deoxycorticosterone throughout pregnancy of normal women and women who developed pregnancy-induced hypertension (Parker et al.), 626

sex, —binding globulin capacity, serum, and percentage of free estradiol in postmenopausal women with and without endometrial carcinoma (Nisker et al.), 632

thyrotropin-releasing, use of, in distinguishing prolactin-secreting pituitary adenoma (Marrs, Bertolli, and Kletzky), 620

Hospital(s) (multi-) twin study, Northwestern University. I. Description of 588 twin pregnancies and associated pregnancy loss, 1971 to 1975 (Keith et al.), 781

short-stay, in United States, frequency and distribution of salpingitis and pelvic inflammatory disease in (Jones, Zaidi, and St. John), 905

urban, acceptance of amniocentesis by low-income patients in (Marion et al.), 11

Host defenses in acute pelvic inflammatory disease. I. Bacterial clearance in murine uterus and oviduct (Chow, Carlson, and Sorrell), 1003

Human chorionic gonadotropin, human placental lactogen, and pregnancy-specific  $\beta_1$ -glycoprotein, interrelationships of, throughout normal human gestation (Braunstein et al.), 1205

isoelectric heterogeneity of: Presence of choriocarcinoma specific components (Yazaki et al.), 189

Human chorionic gonadotropin—cont'd  
suppression of, by progestational steroids (Wilson, Jawad, and Dickson), 708  
utility of assay of alpha subunit of, in management of gestational trophoblastic malignancies (Quigley, Tyrey, and Hammond), 545  
menopausal and chorionic gonadotropins, use of, for induction of ovulation (Schwartz et al.), 801

Hydroxybutyrate,  $\beta$ -, glycerol, and glucose, comparison of human and sheep chorion laeve permeability to (Seeds et al.), 604

Hydroxylase, 21-, deficiency, incomplete, mimicking polycystic ovarian disease, adult manifestation of congenital adrenal hyperplasia due to (Lobo and Goebelmann), 720

Hydroxyprogesterone, 17 $\alpha$ -, caproate, cortisol and, suppression of threatened premature labor by administration of: Comparison with ritodrine (Kaupilla et al.), 404

Hydroxysteroid,  $\Delta^5,3\beta$ -, dehydrogenase activity, steroid concentrations and, in human placenta (Ferre et al.), 500

Hygroma, fetal cystic, ultrasonographic diagnosis of (O'Brien, Cefalo, and Bair), 464 (Comm. in brief)

Hyperosmolar urea and prostaglandin F $_2\alpha$ , midtrimester abortion induced by, in patients with previous cesarean section: Clinical course and potential for uterine rupture (Atienza, Burkman, and King), 55

Hyperplasia, congenital adrenal, adult manifestation of, due to incomplete 21-hydroxylase deficiency mimicking polycystic ovarian disease (Lobo and Goebelmann), 720

Hypertension, pregnancy-induced, women who developed, plasma levels of deoxycorticosterone throughout pregnancy of normal women and, II. Hormone production during pregnancy in primigravid patient (Parker et al.), 626

Hypertensive pregnancies, fluorescein angiography in (Donkers and Janssens), 461 (Comm. in brief)

Hypokalemia, severe, and acidosis: Potential complication of beta-adrenergic treatment (Gross and Sokol), 1225 (Comm. in brief)

Hypothalamic and pituitary disease, response to repetitive luteinizing hormone-releasing hormone stimulation in (Wentz and Andersen), 364

Hypoxemia, effect of fetal heart rate on cardiovascular function during (Cohn, Piasecki, and Jackson), 1190

Hypoxia, effects of, II. Mechanisms of beat-to-beat variability in heart rate of neonatal lamb (Zugab et al.), 453

Hysterectomy and oophorectomy, subdermal estradiol pellets following (Lobo et al.), 714

radical, effect of, on bladder physiology (Forney), 374  
site of recurrence of cervical cancer after (Webb and Symmonds), 813

Hysterosalpingography in young infertile patients with unsuspected endometrial adenocarcinoma (Menczer, Frenkel, and Serr), 352 (Comm. in brief)

I

Immune responses, maternal and fetal, to human trophoblast antigens (Taylor), 293

Immunization, tularemia, in early pregnancy (Albrecht, Cefalo, and O'Brien), 1226 (Comm. in brief)

Immunologic nonidentity, apparent, of human placental and endometrial 17 $\beta$ -estradiol dehydrogenase (Marovitz et al.), 643

Implants, estradiol, for conception control (Nezhat et al.), 1151

Inclusions, benign glandular, in para-aortic lymph nodes: Cause for false positive lymphangiography (Schneider, Walsh, and Goplerud), 350 (Comm. in brief)

Incontinence, urinary stress, real-time ultrasonography in evaluation of (White et al.), 235 (Comm. in brief)

Incubated plasma of pregnant rabbits, increased pressor activity in (Katz, Cordon, and Creasy), 741

India, Delhi, etiology of pelvic infections treated by gynecologic service of Kasturba Hospital (Kochar), 872

Industrialized countries, incidence, prevalence, and trends of acute pelvic inflammatory disease and consequences in (Westrom), 880

Infant size, relation of maternal cigarette smoking, obesity, and energy consumption to (Haworth et al.), 1185

Infection(s), acute pelvic, clinical aspects of progressive stages of (Cooperman and Ruiz), 1026

antepartum *Chlamydia trachomatis*, and route of delivery, relationship to: puerperal infectious morbidity (Wager et al.), 1028

Infection(s)—cont'd

*Chlamydia trachomatis*, in Fitz-Hugh-Curtis syndrome (Wager et al.), 1034  
in patients with laparoscopically verified acute salpingitis (Ripa et al.), 960  
gonococcal, in women with pelvic inflammatory disease in Lusaka, Zambia (Ratnam, Din, and Chatterjee), 965

group B streptococcal, selective maternal culturing to identify (Pasnich, Mead, and Philip), 480

pelvic, etiology of, treated by gynecologic service of Kasturba Hospital, Delhi, India (Kochar), 872  
following gynecologic procedures in Bangladesh (Begum), 875

Infectious agents of salpingitis, their biology, and recent advances in methods of detection, overview of (Mardh), 933

morbidity, C-reactive protein as predictor of, with premature rupture of membranes (Evans et al.), 648

puerperal: relationship to route of delivery and to antepartum *Chlamydia trachomatis* infection (Wager et al.), 1028

Infertile patients, young, with unsuspected endometrial adenocarcinoma, hysterosalpingography in (Menczer, Frenkel, and Serr), 352 (Comm. in brief)

Infertility, female, and gonorrhea in rural Uganda (Arya, Taber, and Nsanze), 929

and pelvic inflammatory disease with tubal obstruction, microbiology of specimens obtained by laparoscopy from controls and from patients with: *Chlamydia trachomatis* and *Ureaplasma urealyticum* (Henry-Suchet et al.), 1022

treatment of endometriosis at laparoscopy for (Sulewski et al.), 128

Inflammatory disease, acute pelvic, differential diagnosis of (Jacobson), 1006

host defenses in. I. Bacterial clearance in murine uterus and oviduct (Chow, Carlson, and Sorrell), 1003

incidence, prevalence, and trends of, and consequences in industrialized countries (Westrom), 880

pattern of, in abortion-related admissions (Sinnathuray et al.), 868

experimental pelvic, provoked by *Chlamydia trachomatis* and *Myco*  
*plasma hominis* in grivet monkeys (Møller, Freundt, and Mardh), 990

gonococcal pelvic: case-finding observations (Potterat et al.), 1101

pelvic, 1980 (St. John, Brown, and Tyler), 845 (Editorial)  
among women presenting to emergency rooms of hospitals in Massachusetts (O'Hare, Fiumara, and McCormack), 909

and consequences in developing world (Muir and Belsey), 913

economic consequences of, in United States (Curran), 848

etiological factors in, in Sudanese women (Rushwan), 877

etiology of, and contraception: new perspectives (Senanayake and Kramer), 852

gonococcal infection in women with, in Lusaka, Zambia (Ratnam, Din, and Chatterjee), 965

and gonorrhea, trends for, in England and Wales and for gonorrhea in defined population (Adler), 901

or infertility with tubal obstruction, microbiology of specimens obtained by laparoscopy from controls and from patients with: *Chlamydia trachomatis* and *Ureaplasma urealyticum* (Henry-Suchet et al.), 1022

microbiologic techniques for diagnosis of, in developing countries (Osoba), 1091

problems and approaches to control and surveillance of sexually transmitted agents associated with, in United States (Brown and Wiesner), 1096

in surveillance and control of sexually transmitted agents associated with, in Africa (Nsanze), 1088

proposals for surveillance and control of sexually transmitted diseases associated with, in South America (de la Torre), 1078

of surveillance and control of sexually transmitted agents associated with, in Far East (Rajan), 1071

and puerperal sepsis in Ethiopia. I. Etiology (Perine et al.), 969

II. Treatment (Duncan et al.), 1059

risk of, among users of intrauterine devices, irrespective of previous pregnancy (Osser, Liedholm, and Sjöberg), 864

and intrauterine device use (Burkman), 861

and salpingitis, frequency and distribution of, in short-stay hospitals in United States (Jones, Zaidi, and St. John), 905

surveillance, prevention, and control of sexually transmitted agents associated with (Meheus), 1064

treatment of (Rees), 1042

Influenza virus, failure to demonstrate transplacental transmission of: Fatal influenza pneumonia in pregnancy (Rampal, Donnelly, and Small), 347 (Comm. in brief)  
Influenza pneumonia, fatal, in pregnancy: Failure to demonstrate transplacental transmission of influenza virus (Rampal, Donnelly, and Small), 347 (Comm. in brief)  
Infusion, ritodrine, blood anions and electrolytes during, in preterm labor (Kirkpatrick, Quenon, and Desir), 523  
Inotropic state and muscle length (preload), interaction of force-interval relationship with, II. Biophysics of developing heart (Anderson, Manring, and Crenshaw), 44  
International Symposium on Pelvic Inflammatory Disease, 845-1112  
Intestinal peptidase, neuropeptide vasoactive, relaxation of human female genital sphincters by (Walles et al.), 337  
Intraepithelial neoplasia, vaginal: Biologic aspects and treatment with topical 5-fluorouracil and carbon dioxide laser (Petrilli et al.), 321  
Intrapartum fetal heart rate monitoring. IV. Observations on elective and nonelective fetal heart rate monitoring (Krebs et al.), 213  
numerical scoring system, simplified (Morrison et al.), 175  
Intrauterine device(s), risk of pelvic inflammatory disease among users of, irrespective of previous pregnancy (Osser, Liedholm, and Sjoberg), 864  
use and risk of pelvic inflammatory disease (Burkman), 861  
growth retardation, symmetric versus asymmetric, comparative newborn anthropometric data in (Crane and Kopta), 518  
irrigation with cefamandole nafate solution at cesarean section: Preliminary report (Long, Rudd, and Dillon), 755  
transfusion(s), modified technique for monitoring fetal heart rate during (Schifrin and Platt), 1220 (Comm. in brief)  
ultrasound-facilitated (Acker et al.), 1200  
Intravascular, continuous,  $\text{PO}_2$  measurement, continuous transcutaneous and, comparison of, in fetal sheep (Jansen et al.), 670  
Intravenous administration, *in utero*, of thyroxine and other hormones, effect of, on lung fluid lecithin/sphingomyelin ratio in fetal lamb (Nwosu et al.), 459 (Comm. in brief)  
dexamethasone for prevention of neonatal respiratory distress: Prospective controlled study (Young et al.), 203  
Irrigation, intrauterine, with cefamandole nafate solution at cesarean section: Preliminary report (Long, Rudd, and Dillon), 755  
Isoelectric heterogeneity of human chorionic gonadotropin: Presence of choriocarcinoma specific components (Yazaki et al.), 189  
Items, 118-120, 354-356, 592-597, 843-844

## K

Kidney, pelvic, accidental puncture of: Rare complication of culdocentesis (Granat et al.), 233 (Comm. in brief)  
Kinase, amniotic fluid creatine, diagnosis of fetal death in utero with (Stempel and Lott), 1173

## L

Labor and delivery, biorhythms of primate uterus (*Macaca mulatta*) during (Harbert and Spisso), 686  
hemodynamics in patients with severe toxemia during (Rafferty and Berkowitz), 263  
measure of contraction strength in: Area and amplitude (Seitchik), 727  
premature, estimation of success in treatment of: Applicability of prolongation index in double-blind, controlled, randomized trial (Penney and Daniell), 345 (Comm. in brief)  
preterm, blood anions and electrolytes during ritodrine infusion in (Kirkpatrick, Quenon, and Desir), 523  
threatened premature, suppression of, by administration of cortisol and 17 $\alpha$ -hydroxyprogesterone caproate: Comparison with ritodrine (Kauppila et al.), 404  
Laboratory and clinical parameters, some, differences in, in acute salpingitis related to culture and serologic findings (Svensson et al.), 1017  
Lavage, endocervical, first-trimester fetal chromosomal diagnosis using: Negative evaluation (Goldberg et al.), 436  
Lactogen, human placental, pregnancy-specific  $\beta_1$ -glycoprotein, and human chorionic gonadotropin, interrelationships of, throughout normal human gestation (Braunstein et al.), 1205  
Laparoscopically verified acute salpingitis, *Chlamydia trachomatis* infection in patients with (Ripa et al.), 960

Laparoscopy in diagnosis and management of patients with suspected salpingo-oophoritis (Ledger), 1012  
for infertility, treatment of endometriosis at (Sulewski et al.), 128  
microbiology and pathogenesis of acute salpingitis as determined by: what is appropriate site to sample? (Sweet et al.), 985  
of specimens obtained by, from controls and from patients with pelvic inflammatory disease or infertility with tubal obstruction: *Chlamydia trachomatis* and *Ureaplasma urealyticum* (Henry-Sucher et al.), 1022  
operative, technical progress in pelvic surgery via (Semm and Mettler), 121  
Laser, carbon dioxide, topical 5-fluorouracil and, biologic aspects and treatment with: Vaginal intraepithelial neoplasia (Petrilli et al.), 321  
Lecithin/sphingomyelin ratio in amniotic fluid obtained vaginally (Goldstein et al.), 232 (Comm. in brief)  
lung fluid, effect of *in utero* intravenous administration of thyroxine and other hormones on, in fetal lamb (Nwosu et al.), 459 (Comm. in brief)  
Leiomyoma, uterine, L-5 radiculopathy secondary to, in primigravid patient (Heffernan, Fraser, and Purdy), 460 (Comm. in brief)  
Leukocytes, neutrophilic polymorphonuclear, morphologic and histochemical evidence for occurrence of collagenolysis and for role of, during cervical dilation (Junqueira et al.), 273  
Limb bones, fetal, ultrasound measurement of (Queenan, O'Brien, and Campbell), 297  
Lipopolysaccharide, gonococcal: toxin for human fallopian tube mucosa (Gregg, Melly, and McGee), 981  
Low-income patients in urban hospital, acceptance of amniocentesis by (Maron et al.), 111  
Lung fluid lecithin/sphingomyelin ratio, effect of *in utero* intravenous administration of thyroxine and other hormones on, in fetal lamb (Nwosu et al.), 459 (Comm. in brief)  
Lupus erythematosus, systemic, pregnancy and (Houser et al.), 409  
Luteinizing hormone, follicle-stimulating hormone, progesterone, and estradiol-17 $\beta$ , plasma, temporal relationships between ovulation and defined changes in concentration of. I. Probit analysis (World Health Organization Task Force), 383  
-releasing hormone stimulation, repetitive, response to, in hypothalamic and pituitary disease (Wentz and Andersen), 364  
Lymph nodes, para-aortic, benign glandular inclusions in: Cause for false positive lymphangiography (Schneider, Walsh, and Goplerud), 350 (Comm. in brief)  
Lymphocyst, para-aortic (Helmkamp et al.), 395  
Lymphocytic thyroiditis, postpartum, in American women: Spectrum of thyroid dysfunction (Fein, Goldman, and Weintraub), 504

## M

Malacoplakia of female genital tract (Chalvardjian et al.), 391  
Malignancies, gestational trophoblastic, utility of assay of alpha subunit of human chorionic gonadotropin in management of (Quigley, Tyrey, and Hammond), 545  
Massachusetts, pelvic inflammatory disease among women presenting to emergency rooms of hospitals in (O'Hare, Fiumara, and McCormack), 909  
Masses, fetal crania and craniocervical: Ultrasound characteristics and differential diagnosis (Sabbagh et al.), 511  
Maternal alcohol consumption, birth weight, and minor physical anomalies (Tennes and Blackard), 774  
cigarette smoking, effects of, on fetal breathing and fetal movements (Thaler, Goodman, and Dawes), 282  
obesity, and energy consumption, relation of, to infant size (Haworth et al.), 1185  
culturing, selective, to identify group B streptococcal infection (Pasnack, Mead, and Philip), 480  
dietary fat, effect of, on fetal pulmonary maturation in rats (Nelson et al.), 466 (Comm. in brief)  
and fetal immune responses to human trophoblast antigens (Taylor), 293  
plasma, cord blood, and amniotic fluid, analysis of, for human breast gross cystic disease fluid protein (Haagensen et al.), 25  
serum steroid concentrations, estimation of gestational age and: Total estriol (Penney), 745  
versus neonatal transport: Perinatal transport to regional perinatal center in metropolitan area (Modanlou et al.), 1157

Maternofetal electrical potential difference in conscious sheep: Effect of fetal death or acidosis (Weedon et al.), 422

Maturation, changes in glycosaminoglycan composition of normal human placentas with (Wasserman et al.), 763

  fetal pulmonary, effect of maternal dietary fat on, in rats (Nelson et al.), 466 (Comm. in brief)

  neurological, possible acceleration of, following high-risk pregnancy (Amiel-Tison), 303

Medroxyprogesterone acetate, use of, for relief of climacteric symptoms (Morrison et al.), 99

Membrane(s) antigenic type, same principal outer, gonococcal salpingitis is less likely to recur with *Neisseria gonorrhoeae* of (Buchanan et al.), 978

  fetal, are not involved in cortisol metabolism, evidence that: Study of dichorionic twin pregnancies (López Bernal et al.), 1168

  premature rupture of, C-reactive protein as predictor of infectious morbidity with (Evans et al.), 648

Meningitis, *Streptococcus sanguis* sepsis and: Complication of vacuum extraction (Heath et al.), 343 (Comm. in brief)

Menopausal and chorionic gonadotropins, human, use of, for induction of ovulation (Schwartz et al.), 801

Menorrhagia, endometrial changes after administration of gossypol for (Kuo-Fen et al.), 1227 (Comm. in brief)

Menstruation, normal, hematocolpometry in presence of (Drake and O'Brien), 346 (Comm. in brief)

  presence of gap junctions in myometrium of women during various stages of (Garfield and Hayashi), 569

Mepерidine, brain uptake of, in fetal lamb (Szeto et al.), 528

Metabolism, carbohydrate, with three months of low-estrogen contraceptive use (Spellacy, Buhi, and Birk), 151

  cortisol, evidence that fetal membranes are not involved in: Study of dichorionic twin pregnancies (López Bernal et al.), 1168

  prostaglandin, early steps in, in human placenta (Jarabak), 534

Metabolites, prostaglandin F<sub>2α</sub>, in plasma and urine during pseudopregnancy in rabbit (Satoh et al.), 748

Metronidazole-resistant strains, three, of *Trichomonas vaginalis* from United States (Müller et al.), 808

Metropolitan area, perinatal transport to regional perinatal center in: Maternal versus neonatal transport (Modanlou et al.), 1157

Microbiologic techniques for diagnosis of pelvic inflammatory disease in developing countries (Osoba), 1091

Microbiology and pathogenesis of acute salpingitis as determined by laparoscopy: what is appropriate site to sample? (Sweet et al.), 985

  of specimens obtained by laparoscopy from controls and from patients with pelvic inflammatory disease or infertility with tubal obstruction: *Chlamydia trachomatis* and *Ureaplasma urealyticum* (Henry-Suchet et al.), 1022

Microscopy, scanning electron, of attachment of *Neisseria gonorrhoeae* colony phenotypes to surfaces of human genital epithelia (Draper et al.), 818

Midtrimester abortion induced by hyperosmolar urea and prostaglandin F<sub>2α</sub> in patients with previous cesarean section: Clinical course and potential for uterine rupture (Atienza, Burkman, and King), 55

Modeling, in vitro, of acute salpingitis caused by *Neisseria gonorrhoeae* (Draper et al.), 996

Molar pregnancy, hemodynamic observations in evacuation of (Cotton et al.), 6

Monitoring fetal heart rate during intrauterine transfusion, modified technique for (Schifrin and Platt), 1220 (Comm. in brief)

  intrapartum fetal heart rate. IV. Observations on elective and nonelective fetal heart rate monitoring (Krebs et al.), 213

  nonstressed antepartum heart rate: Implications of decelerations after spontaneous contractions (Visser et al.), 429

  trophoblastic disease: Evaluation of pregnancy-specific β<sub>1</sub>-glycoprotein (O'Brien et al.), 313

Monolayer and suspension culture of human prolactin-secreting pituitary adenoma (Kletzky et al.), 660

Morbidity, infectious, C-reactive protein as predictor of, with premature rupture of membranes (Evans et al.), 648

  puerperal infectious: relationship to route of delivery and to antepartum *Chlamydia trachomatis* infection (Wager et al.), 1028

Morphine analgesia, epidural, in second-trimester induced abortion (Magora et al.), 260

Morphologic and histochemical evidence for occurrence of collagenolysis and for role of neutrophilic polymorphonuclear leukocytes during cervical dilation (Junqueira et al.), 273

Motility and viability, spermatozoal, effect of copper on, evaluated objectively with aid of multiple-exposure photography method (Makler and Zinder), 156

Motion, perceptible fetal, clinical significance of (Rayburn), 210

Movements, fetal, fetal breathing and, effects of maternal cigarette smoking on (Thaler, Goodman, and Dawes), 282

Mucosa, human fallopian tube, toxin for: gonococcal lipopolysaccharide (Gregg, Melly, and McGee), 981

Muscle length (preload), inotropic state and, interaction of force-interval relationship with, II. Biophysics of developing heart (Anderson, Manring, and Crenshaw), 44

*Mycoplasma hominis* and *Chlamydia trachomatis*, experimental pelvic inflammatory disease provoked by, in rhesus monkeys (Møller, Freundt, and Mårdh), 990

Myomas of uterus in pregnancy: Ultrasonographic follow-up (Muram, Gillieson, and Walters), 16

Myometrial activity and sleep state and breathing, relationship between, in fetal sheep throughout last third of gestation (Nathanielsz et al.), 653

Myometrium of women, presence of gap junctions in, during various stages of menstruation (Garfield and Hayashi), 569

N

*Neisseria gonorrhoeae* colony phenotypes, scanning electron microscopy of attachment of, to surfaces of human genital epithelia (Draper et al.), 818

  of same principal outer membrane antigenic type, gonococcal salpingitis is less likely to recur with (Buchanan et al.), 978

in vitro modeling of acute salpingitis caused by (Draper et al.), 996

Neonatal lamb, mechanisms of beat-to-beat variability in heart rate of. I. Influence of autonomic nervous system (Zugaib et al.), 444

  II. Effects of hypoxia (Zugaib et al.), 453

  respiratory distress, intravenous dexamethasone for prevention of: Prospective controlled study (Young et al.), 203

serum, inhibitory concentrations in: Transplacental ampicillin (Kraybill, Chaney, and McCarthy), 793

sinusoidal heart rate pattern, fetal and, significance of: Further clinical observations in Rh incompatibility (Elliott et al.), 227 (Comm. in brief)

transport, maternal versus: Perinatal transport to regional perinatal center in metropolitan area (Modanlou et al.), 1157

Neoplasia, gestational trophoblastic, late recurrences of (Vaughn, Surwit, and Hammond), 73

thyroid function in: Evidence that thyrotropic activity of chorionic gonadotropin mediates thyrotoxicosis of choriocarcinoma (Nisula and Taliadouros), 77

vaginal intraepithelial: Biologic aspects and treatment with topical 5-fluorouracil and carbon dioxide laser (Petrilli et al.), 321

Nervous system, autonomic, influence of. I. Mechanisms of beat-to-beat variability in heart rate of neonatal lamb (Zugaib et al.), 444

Neurological maturation, possible acceleration of, following high-risk pregnancy (Amiel-Tison), 303

Neuropeptide vasoactive intestinal polypeptide, relaxation of human female genital sphincters by (Walles et al.), 337

Neutrophilic polymorphonuclear leukocytes: morphologic and histochemical evidence for occurrence of collagenolysis and for role of, during cervical dilation (Junqueira et al.), 273

Newborn anthropometric data, comparative, in symmetric versus asymmetric intrauterine growth retardation (Crane and Kopita), 518

Nodes, para-aortic lymph, benign glandular inclusions in: Cause for false positive lymphangiography (Schneider, Walsh, and Goplerud), 350 (Comm. in brief)

Nonstress testing (Weingold, Yonekura, and O'Kieffe), 195

Northwestern University multihospital twin study. I. Description of 588 twin pregnancies and associated pregnancy loss, 1971 to 1975 (Keith et al.), 781

O

Obesity, energy consumption, and cigarette smoking, maternal, relation of, to infant size (Flaworth et al.), 1185

Obstetric parameters, relationship of, to concentration of pregnancy-associated plasma protein A (Bischof, Hughes, and Klopfer), 494

ultrasound, Trendelenburg position for (Hill and Breckle), 1229 (Comm. in brief)

Obstetrician's opportunity: Translating "breast is best" from theory to practice (Winikoff and Baer), 105 (Current developments)

OCA, human ovarian tumor-associated antigen, study of ovarian cancer patients using radioimmunoassay for (Knauf and Urbach), 1222 (Comm. in brief)

Oophorectomy, hysterectomy and, subdermal estradiol pellets following (Lobo et al.), 714

Operations, second-look, in ovarian cancer (Schwartz and Smith), 1124

Operative laparoscopy, technical progress in pelvic surgery via (Semm and Mettler), 121

Oral contraceptive-induced chorea (Kaplinsky, Thaler, and Frankl), 237 (Comm. in brief)

and vaginal administration of estriol to postmenopausal women, plasma estriol and its conjugates following: Correlations with gonadotropin levels (Schiff et al.), 1137

Ovarian artery blood flow, uterine and, in rhesus monkey near term (Abitbol, Demeter, and Benarosh), 414

cancer, early primary diagnosis of, and detection of recurrence by serum cystine aminopeptidase assay (Kalinkov and Buchholz), 1148

patients, study of, using radioimmunoassay for human ovarian tumor-associated antigen OCA (Knauf and Urbach), 1222 (Comm. in brief)

second-look operations in (Schwartz and Smith), 1124

Stage I, role of adjuvant therapy in (Hreschyshyn et al.), 139

disease, polycystic, incomplete 21-hydroxylase deficiency mimicking, adult manifestation of congenital adrenal hyperplasia due to (Lobo and Goebelmann), 720

progesterone receptor, human, evidence for (Jacobs, Suchocki, and Smith), 332

Ovary, human, receptor-like binding proteins for testosterone and progesterone in (Milwidsky et al.), 93

postmenopausal, steroid secretion by (Longcope, Hunter, and Franz), 564

Oviduct and uterus, murine, bacterial clearance in, I. Host defenses in acute pelvic inflammatory disease (Chow, Carlson, and Sorrell), 1003

Ovulation and defined changes in concentration of plasma estradiol-17 $\beta$ , luteinizing hormone, follicle-stimulating hormone, and progesterone, temporal relationships between. I. Probit analysis (World Health Organization Task Force), 383

Oxytocin challenge test, blind, and perinatal outcome (Staisch, Westlake, and Bashore), 399

levels, plasma, and disappearance rate after buccal Pitocin (Dawood, Ylikorkala, and Fuchs), 20

P

Papers of Society for Gynecologic Investigation, 599-726

Para-aortic lymph nodes, benign glandular inclusions in: Cause for false positive lymphangiography (Schneider, Walsh, and Goplerud), 350 (Comm. in brief)

lymphocyst (Helmkamp et al.), 395

*Pasteurella multocida* septicemia and peritonitis, first reported case of, during pregnancy: Human pasteurellosis (Kam et al.), 351 (Comm. in brief)

Pasteurellosis, human: First reported case of *Pasteurella multocida* septicemia and peritonitis during pregnancy (Kam et al.), 351 (Comm. in brief)

Pathogenesis and microbiology of acute salpingitis as determined by laparoscopy: what is appropriate site to sample? (Sweet et al.), 985

Pelvic infections, acute, clinical aspects of progressive stages of (Cooperman and Ruiz), 1026

etiology of, treated by gynecologic service of Kasturba Hospital, Delhi, India (Kochar), 872

following gynecologic procedures in Bangladesh (Begum), 875

inflammatory disease, 1980 (St. John, Brown, and Tyler), 845 (Editorial)

acute, differential diagnosis of (Jacobson), 1006

host defenses in. I. Bacterial clearance in murine uterus and oviduct (Chow, Carlson, and Sorrell), 1003

incidence, prevalence, and trends of, and consequences in industrialized countries (Weström), 880

pattern of, in abortion-related admissions (Sinnathuray et al.), 868

among women presenting to emergency rooms of hospitals in Massachusetts (O'Hare, Fiumara, and McCormack), 909

and consequences in developing world (Muir and Belsey), 913

economic consequences of, in United States (Curran), 848

Pelvic inflammatory disease—cont'd

etiologic factors in, in Sudanese women (Rushwan), 877

etiology of, and contraception: new perspectives (Senanayake and Kramer), 852

experimental, provoked by *Chlamydia trachomatis* and *Mycoplasma hominis* in grivet monkeys (Möller, Freundt, and Mårdh), 990

gonococcal: case-finding observations (Potterat et al.), 1101

infection in women with, in Lusaka, Zambia (Ratnam, Din, and Chatterjee), 965

and gonorrhea, trends for, in England and Wales and for gonorrhea in defined population (Adler), 901

or infertility with tubal obstruction, microbiology of specimens obtained by laparoscopy from controls and from patients with: *Chlamydia trachomatis* and *Ureaplasma urealyticum* (Henry-Suchet et al.), 1022

International Symposium on, 845-1112

microbiologic techniques for diagnosis of, in developing countries (Osoba), 1091

problems and approaches to control and surveillance of sexually transmitted agents associated with, in United States (Brown and Wiesner), 1096

in surveillance and control of sexually transmitted agents associated with, in Africa (Nsanzé), 1088

proposals for surveillance and control of sexually transmitted diseases associated with, in South America (de la Torre), 1078

of surveillance and control of sexually transmitted agents associated with, in Far East (Rajan), 1071

and puerperal sepsis in Ethiopia. I. Etiology (Perine et al.), 969

II. Treatment (Duncan et al.), 1059

risk of, among users of intrauterine devices, irrespective of previous pregnancy (Osser, Liedholm, and Sjöberg), 864

and intrauterine device use (Burkman), 861

and salpingitis, frequency and distribution of, in short-stay hospitals in United States (Jones, Zaidi, and St. John), 905

surveillance, prevention, and control of sexually transmitted agents associated with (Meheus), 1064

treatment of (Rees), 1042

kidney, accidental puncture of: Rare complication of culdoscopies (Granat et al.), 233 (Comm. in brief)

surgery, technical progress in, via operative laparoscopy (Semm and Mettler), 121 (Clinical opinion)

Perinatal distribution, human, of butorphanol (Pittman et al.), 797

outcome, blind oxytocin challenge test and (Staisch, Westlake, and Bashore), 399

transport to regional perinatal center in metropolitan area: Maternal versus neonatal transport (Modanlou et al.), 1157

Peritonitis, *Pasteurella multocida* septicemia and, first reported case of, during pregnancy: Human pasteurellosis (Kam et al.), 351 (Comm. in brief)

Permeability, human and sheep chorion laeve, to glucose,  $\beta$ -hydroxybutyrate, and glycerol, comparison of (Seeds et al.), 604

Peroxidase activity in glands and stroma of human endometrium (Holinka and Gupride), 599

Phenotypes, *Neisseria gonorrhoeae* colony, scanning electron microscopy of attachment of, to surfaces of human genital epithelia (Draper et al.), 818

Phosphatidylglycerol, effect of blood in amniotic fluid on detection of (Strassner et al.), 697

Photography method, multiple-exposure, effect of copper on spermatozoal motility and viability evaluated objectively with aid of (Makler and Zinder), 156

Physical anomalies, minor, birth weight, and maternal alcohol consumption (Tennes and Blackard), 774

Pitocin, buccal, plasma oxytocin levels and disappearance rate after (Dawood, Ylikorkala, and Fuchs), 20

Pituitary adenoma, human prolactin-secreting, monolayer and suspension culture of (Kletzky et al.), 660

prolactin-secreting, use of thyrotropin-releasing hormone in distinguishing (Marrs, Bertoli, and Kletzky), 620

disease, hypothalamic and, response to repetitive luteinizing hormone-releasing hormone stimulation in (Wentz and Andersen), 364

function, anterior, impact of acute surgical stress on, in female subjects (Adashi et al.), 609

Placenta(s), diabetic and toxic term, glycosaminoglycan patterns in (Wasserman et al.), 769

Placenta(s)—cont'd  
 human, early steps in prostaglandin metabolism in (Jarabak), 534  
 steroid concentrations and  $\Delta^3,3\beta$ -hydroxysteroid dehydrogenase activity in (Ferre et al.), 500  
 normal human, changes in glycosaminoglycan composition of, with maturation (Wasserman et al.), 763

Placental cells, human, in culture, effect of adrenergic agonists on progesterone production by (Caritis and Zelezniak), 677  
 and endometrial  $17\beta$ -estradiol dehydrogenase, human, apparent immunologic nonidentity of (Marovitz et al.), 643

lactogen, human, pregnancy-specific  $\beta_1$ -glycoprotein, and human chorionic gonadotropin, interrelationships of, throughout normal human gestation (Braunstein et al.), 1205

size during early pregnancy and fetal outcome: Preliminary report of sequential ultrasonographic study (Hoogland, de Haan, and Martin), 441

Planning, natural family, in Colombia, comparative evaluation of two methods of (Medina et al.), 1142

Plasma estradiol- $17\beta$ , luteinizing hormone, follicle-stimulating hormone, and progesterone, temporal relationships between ovulation and defined changes in concentration of. I. Probit analysis (World Health Organization Task Force), 383

estriol and its conjugates following oral and vaginal administration of estriol in postmenopausal women: Correlations with gonadotropin levels (Schiff et al.), 1137

incubated, of pregnant rabbits, increased pressor activity in (Katz, Gordon, and Creasy), 741

levels of deoxycorticosterone throughout pregnancy of normal women and women who developed pregnancy-induced hypertension, II. Hormone production during pregnancy in primigravid patient (Parker et al.), 626

maternal, cord blood, and amniotic fluid, analysis of, for human breast gross cystic disease fluid protein (Haagensen et al.), 25

oxytocin levels and disappearance rate after buccal Pitocin (Dawood, Ylikorkala, and Fuchs), 20

protein A, pregnancy-associated, relationship of obstetric parameters to concentration of (Bischof, Hughes, and Klopper), 494

and urine, prostaglandin  $F_2\alpha$  metabolites in, during pseudopregnancy in rabbit (Satoh et al.), 748

volume expansion in treatment of pre-eclampsia (Sehgal and Hitt), 165

Pneumonia, fatal influenza, in pregnancy: Failure to demonstrate transplacental transmission of influenza virus (Rampal, Donnelly, and Small), 347 (Comm. in brief)

$Po_2$  measurement, continuous transcutaneous and continuous intravascular, comparison of, in fetal sheep (Jansen et al.), 670

Polycystic ovarian disease, incomplete 21-hydroxylase deficiency mimicking, adult manifestation of congenital adrenal hyperplasia due to (Lobo and Goebelsmann), 720

Polymorphonuclear leukocytes, neutrophilic, morphologic and histochemical evidence for occurrence of collagenolysis and for role of, during cervical dilation (Junqueira et al.), 273

Polypeptide, neuropeptide vasoactive intestinal, relaxation of human female genital sphincters by (Walles et al.), 337

Position, Trendelenburg, for obstetric ultrasound (Hill and Breckle), 1229 (Comm. in brief)

Postmenopausal ovary, steroid secretion by (Longcope, Hunter, and Franz), 564

women, benign cystic teratomas in (Gordon et al.), 1120

plasma estriol and its conjugates following oral and vaginal administration of estriol to: Correlations with gonadotropin levels (Schiff et al.), 1137

with and without endometrial carcinoma, serum sex hormone-binding globulin capacity and percentage of free estradiol in (Nisker et al.), 637

Postpartum lymphocytic thyroiditis in American women: Spectrum of thyroid dysfunction (Fein, Goldman, and Weintraub), 504

Postural blood pressure differences in pregnancy (Van Dongen et al.), 1

Pre-eclampsia, plasma volume expansion in treatment of (Sehgal and Hitt), 165

Pregnancy (pregnancies)-associated plasma protein A, relationship of obstetric parameters to concentration of (Bischof, Hughes, and Klopper), 494

Pregnancy (pregnancies)—cont'd  
 automated erythrocytopheresis for sickle cell anemia during (Key et al.), 731  
 complicated by major hemoglobinopathy, red cell exchange in (Keeling et al.), 185

dichorionic twin, study of: Evidence that fetal membranes are not involved in cortisol metabolism (López Bernal et al.), 1168

early, placental size during, and fetal outcome: Preliminary report of sequential ultrasonographic study (Hoogland, de Haan, and Martin), 441

tularemia immunization in (Albrecht, Cefalo, and O'Brien), 1226 (Comm. in brief)

electrocardiographic changes induced by suction curettage for elective termination of (Mabee, Dunn, and Sherrill), 181

fatal influenza pneumonia in: Failure to demonstrate transplacental transmission of influenza virus (Rampal, Donnelly, and Small), 347 (Comm. in brief)

first reported case of *Pasteurella multocida* septicemia and peritonitis during: Human pasteurellosis (Kam et al.), 351 (Comm. in brief)

high-risk, possible acceleration of neurological maturation following (Amiel-Tison), 303

hormone production during, in primigravid patient. II. Plasma levels of deoxycorticosterone throughout pregnancy of normal women and women who developed pregnancy-induced hypertension (Parker et al.), 626

human, prolactin and renin-aldosterone axis in (Ho Yuen and Korn), 738

hypertensive, fluorescein angiography in (Donkers and Jansonius), 461 (Comm. in brief)

molar, hemodynamic observations in evacuation of (Cotton et al.), 6

myomas of uterus in: Ultrasonographic follow-up (Muram, Gillieson, and Walters), 16

outcome of, in sickle cell anemia and sickle cell-hemoglobin C disease (Milner, Jones, and Döbler), 239

postural blood pressure differences in (Van Dongen et al.), 1

previous, risk of pelvic inflammatory disease among users of intrauterine devices, irrespective of (Osser, Liedholm, and Sjöberg), 864

-specific  $\beta_1$ -glycoprotein, evaluation of: Trophoblastic disease monitoring (O'Brien et al.), 313

human chorionic gonadotropin, and human placental lactogen, interrelationships of, throughout normal human gestation (Braunstein et al.), 1205

as prognostic indicator in complications of early pregnancy (Ho and Jones), 253

surgery during, and fetal outcome (Brodsky et al.), 1165

and systemic lupus erythematosus (Houser et al.), 409

588 twin, and associated pregnancy loss, description of, 1971 to 1975, I. Northwestern University multihospital twin study (Keith et al.), 781

twin, sonar cephalometry in: Discordancy of biparietal diameter after 28 weeks' gestation (Leveno et al.), 615

Pregnant guinea pig, unstressed, distribution of cardiac output in (Peeters, Grutters, and Martin), 1177

rabbits, increased pressor activity in incubated plasma of (Katz, Gordon, and Creasy), 741

Premature labor, estimation of success in treatment of: Applicability of prolongation index in double-blind, controlled, randomized trial (Penney and Daniell), 345 (Comm. in brief)

threatened, suppression of, by administration of cortisol and  $17\alpha$ -hydroxyprogesterone caproate: Comparison with ritodrine (Kauppinen et al.), 404

rupture of membranes, C-reactive protein as predictor of infectious morbidity with (Evans et al.), 648

Prenatal determination of female fetus by ultrasound: "Female echo" (Schotter and Giese), 463 (Comm. in brief)

Pressor activity, increased, in incubated plasma of pregnant rabbits (Katz, Gordon, and Creasy), 741

Primigravid patient, 1-5 radiculopathy secondary to uterine leiomyoma in (Haffernan, Fraser, and Purdy), 460 (Comm. in brief)

hormone production during pregnancy in. II. Plasma levels of deoxycorticosterone throughout pregnancy of normal women and women who developed pregnancy-induced hypertension (Parker et al.), 626

Progesterational steroids, suppression of human chorionic gonadotropin by (Wilson, Jawad, and Dickson), 708

Progesterone, estradiol-17 $\beta$ , luteinizing hormone, and follicle-stimulating hormone, plasma, temporal relationships between ovulation and defined changes in concentration of. I. Probit analysis (World Health Organization Task Force), 383  
production by human placental cells in culture, effect of adrenergic agonists on (Caritis and Zelezniak), 677  
receptor, human ovarian, evidence for (Jacobs, Schecki, and Smith), 332  
testosterone and, receptor-like binding proteins for, in human ovary (Milwidsky et al.), 93  
Progesterone-dependent endometrial protein in women: Tissue concentration in relation to developmental stage and to serum hormone levels (Joshi et al.), 1131  
Prolactin, decidual production of, in late gestation: Further evidence for decidual source of amniotic fluid prolactin (Rosenberg, Maslar, and Riddick), 681  
level, stable, after enhanced estradiol production following dehydroepiandrosterone sulfate (Kauppila and Ylikorkala), 271  
modulation of dehydroepiandrosterone sulfate secretion (Lobo et al.), 632  
production, stimulatory activity of serum on, by human decidua (Luciano et al.), 665  
and renin-aldosterone axis in human pregnancy (Ho Yuen and Korn), 738  
-secreting pituitary adenoma, human, monolayer and suspension culture of (Kletzky et al.), 660  
use of thyrotropin-releasing hormone in distinguishing (Marrs, Bertolli, and Kletzky), 620  
Prolapsed umbilical cord into abdominal cavity in women with previous cesarean section (Lenke and Osterkamp), 1224 (Comm. in brief)  
Prolongation index, applicability of, in double-blind, controlled, randomized trial: Estimation of success in treatment of premature labor (Penney and Daniell), 345 (Comm. in brief)  
Prostaglandin E<sub>2</sub>, vaginal, uterine rupture at term with (Valenzuela et al.), 1223 (Comm. in brief)  
F<sub>2</sub> $\alpha$ , hyperosmolar urea and, midtrimester abortion induced by, in patients with previous cesarean section: Clinical course and potential for uterine rupture (Atienza, Burkman, and King), 55  
metabolites in plasma and urine during pseudopregnancy in rabbit (Satoh et al.), 748  
metabolism, early steps in, in human placenta (Jarabak), 534  
Protein(s) A, pregnancy-associated plasma, relationship of obstetric parameters to concentration of (Bischof, Hughes, and Klopfer), 494  
C-reactive, as predictor of infectious morbidity with premature rupture of membranes (Evans et al.), 648  
human breast gross cystic disease fluid, analysis of amniotic fluid, maternal plasma, and cord blood for (Haagensen et al.), 25  
progestogen-dependent endometrial, in women: Tissue concentration in relation to developmental stage and to serum hormone levels (Joshi et al.), 1131  
receptor-like binding, for testosterone and progesterone in human ovary (Milwidsky et al.), 93  
Pseudocyesis and sonography (Guzinski and Conrad), 230 (Comm. in brief)  
Pseudopregnancy, prostaglandin F<sub>2</sub> $\alpha$  metabolites in plasma and urine during, in rabbit (Satoh et al.), 748  
Puerperal infectious morbidity: relationship to route of delivery and to antepartum *Chlamydia trachomatis* infection (Wager et al.), 1028  
sepsis, group B streptococcus and (Faro), 1219 (Comm. in brief)  
and pelvic inflammatory disease in Ethiopia. I. Etiology (Perine et al.), 969  
II. Treatment (Duncan et al.), 1059  
Pulmonary fibroleiomyomas, multiple (Tedeschi), 468 (Comm. in brief)  
maturation, fetal, effect of maternal dietary fat on, in rats (Nelson et al.), 466 (Comm. in brief)

**R**  
Radical hysterectomy, effect of, on bladder physiology (Forney), 374  
site of recurrence of cervical cancer after (Webb and Symmonds), 813  
Radiculopathy, L-5, secondary to uterine leiomyoma in primigravid patient (Heffernan, Fraser, and Purdy), 460 (Comm. in brief)  
Radioimmunoassay for human ovarian tumor-associated antigen OCA, study of ovarian cancer patients using (Knauf and Urbach), 1222 (Comm. in brief)  
Radiotherapy, significance of residual disease after, in endometrial carcinoma: Clinicopathologic correlation (Macasaet et al.), 557  
Real-time ultrasonography in evaluation of urinary stress incontinence (White et al.), 235 (Comm. in brief)  
Receptor, human ovarian progesterone, evidence for (Jacobs, Schecki, and Smith), 332  
-like binding proteins for testosterone and progesterone in human ovary (Milwidsky et al.), 93  
Red cell exchange in pregnancy complicated by major hemoglobinopathy (Keeling et al.), 185  
Releasing hormone, luteinizing hormone-, stimulation, repetitive, response to, in hypothalamic and pituitary disease (Wentz and Andersen), 364  
thyrotropin-, hormone, use of, in distinguishing prolactin-secreting adenoma (Marrs, Bertolli, and Kletzky), 620  
Renal agenesis, ipsilateral, obstructed hemivagina and, double uterus associated with (Rock and Jones), 339  
Renin-aldosterone axis, prolactin and, in human pregnancy (Ho Yuen and Korn), 738  
Respiratory distress, neonatal, intravenous dexamethasone for prevention of: Prospective controlled study (Young et al.), 203  
Rh incompatibility, further clinical observations in: Significance of fetal and neonatal sinusoidal heart rate pattern (Elliott et al.), 227 (Comm. in brief)  
Ring sterilization, tubal, technical failures in: Incidence, perceived reasons, outcome, and risk factors (Chi, Mumford, and Laufe), 307  
Ritodrine, comparison with: Suppression of threatened premature labor by administration of cortisol and 17 $\alpha$ -hydroxyprogesterone caproate (Kauppila et al.), 404  
infusion, blood anions and electrolytes during, in preterm labor (Kirkpatrick, Quenon, and Desir), 523  
Rupture, premature, of membranes, C-reactive protein as predictor of infectious morbidity with (Evans et al.), 648  
uterine, clinical course and potential for: Midtrimester abortion induced by hyperosmolar urea and prostaglandin F<sub>2</sub> $\alpha$  in patients with previous cesarean section (Atienza, Burkman, and King), 55  
at term with vaginal prostaglandin E<sub>2</sub> (Valenzuela et al.), 1223 (Comm. in brief)

**S**

Sacral colpopexy, abdominal (Cowan and Morgan), 348 (Comm. in brief)  
Sacroiliitis in women—late sequela to acute salpingitis (Hagenfeldt and Szanto), 1039  
Salpingitis, acute, caused by *Neisseria gonorrhoeae*, in vitro modeling of (Draper et al.), 996  
*Chlamydia trachomatis* in (Paavonen), 957  
computer-assisted analysis of therapy of (Bell and James), 1048  
differences in some clinical and laboratory parameters in, related to culture and serologic findings (Svensson et al.), 1017  
late sequela to—sacroiliitis in women (Hagenfeldt and Szanto), 1039  
microbiology and pathogenesis of, as determined by laparoscopy: what is appropriate site to sample? (Sweet et al.), 985  
experimental chlamydial, in guinea pig (Sweet et al.), 952  
gonococcal, is less likely to recur with *Neisseria gonorrhoeae* of same principal outer membrane antigenic type (Buchanan et al.), 978  
infectious agents of, their biology, and recent advances in methods of detection, overview of (Mårdh), 933  
laparoscopically verified acute, *Chlamydia trachomatis* infection in patients with (Ripa et al.), 960  
overview of etiology and epidemiology (Holmes, Eschenbach, and Knapp), 993  
and pelvic inflammatory disease, frequency and distribution of, in short-stay hospitals in United States (Jones, Zaidi, and St. John), 905  
Salpingo-ophoritis, suspected, laparoscopy in diagnosis and management of patients with (Ledger), 1012

Sample, what is appropriate site to? microbiology and pathogenesis of acute salpingitis as determined by laparoscopy (Sweet et al.), 985

Scanning electron microscopy of attachment of *Neisseria gonorrhoeae* colony phenotypes to surfaces of human genital epithelia (Draper et al.), 818

Scoring system, simplified intrapartum numerical (Morrison et al.), 175

Secreting, prolactin-, pituitary adenoma, human, monolayer and suspension culture of (Kletzky et al.), 660

use of thyrotropin-releasing hormone in distinguishing (Marrs, Bertelli, and Kletzky), 620

Secretion, dehydroepiandrosterone sulfate, prolactin modulation of (Lobo et al.), 632

steroid, by postmenopausal ovary (Longcope, Hunter, and Franz), 564

Sepsis, puerperal, group B streptococcus and (Faro), 1219 (Comm. in brief)

and pelvic inflammatory disease in Ethiopia. I. Etiology (Perine et al.), 969

II. Treatment (Duncan et al.), 1059

*Streptococcus sanguis*, and meningitis: Complication of vacuum extraction (Heath et al.), 343 (Comm. in brief)

Septicemia, *Pasteurella multocida*, and peritonitis, first reported case of, during pregnancy: Human pasteurellosis (Kam et al.), 351 (Comm. in brief)

Serologic and culture findings, differences in some clinical and laboratory parameters in acute salpingitis related to (Svensson et al.), 1017

Serum cystine aminopeptidase assay, early primary diagnosis of ovarian cancer and detection of recurrence by (Kalinkov and Buchholz), 1148

hormone levels, tissue concentration in relation to developmental stage and to: Progestogen-dependent endometrial protein in women (Johsi et al.), 1131

neonatal, inhibitory concentrations in: Transplacental ampicillin (Kraybill, Chaney, and McCarthy), 793

sex hormone-binding globulin capacity and percentage of free estradiol in postmenopausal women with and without endometrial carcinoma (Nisker et al.), 637

steroid concentrations, maternal, estimation of gestational age and: Total estriol (Penney), 745

stimulatory activity of, on prolactin production by human decidua (Luciano et al.), 665

Sex hormone-binding globulin capacity, serum, and percentage of free estradiol in postmenopausal women with and without endometrial carcinoma (Nisker et al.), 637

Sexually transmitted agents associated with pelvic inflammatory disease, problems and approaches to control and surveillance of, in United States (Brown and Wiesner), 1096

in surveillance and control of, in Africa (Nsanzé), 1088

in Far East, problems of surveillance and control of (Rajan), 1071

diseases associated with pelvic inflammatory disease in South America, problems and proposals for control and surveillance of (de la Torre), 1078

problem(s)-oriented gynecology clinic for patients with (Spence, Smith, and Vaeth), 1109

and approaches in surveillance and control of: Cuban experience (Werthen, Abreu, and Valdes-Vivo), 1082

Sickle cell anemia, automated erythrocytapheresis for, during pregnancy (Key et al.), 731

and sickle cell-hemoglobin C disease, outcome of pregnancy in (Milner, Jones, and Döbler), 239

Sinusoidal heart rate pattern, fetal and neonatal, significance of: Further clinical observations in Rh incompatibility (Elliott et al.), 227 (Comm. in brief)

Sleep state and breathing, myometrial activity and, relationship between, in fetal sheep throughout last third of gestation (Nathanielsz et al.), 653

Smoking, cigarette, obesity, and energy consumption, maternal, relation of to, infant size (Haworth et al.), 1185

maternal cigarette, effects of, on fetal breathing and fetal movements (Thaler, Goodman, and Dawes), 282

Society for Gynecologic Investigation, papers of, 599-726

Solution, cefamandole nafate, intrauterine irrigation with, at cesarean section: Preliminary report (Long, Rudd, and Dillon), 755

Sonar cephalometry in twin pregnancy: Discordancy of biparietal diameter after 28 weeks' gestation (Leveno et al.), 615

Sonar—cont'd

fetal abdominal circumference measurements, percentile ranks of (Tamura and Sabbagh), 475 (Clinical opinion)

Sonography, pseudocyesis and (Guzinski and Conrad), 230 (Comm. in brief)

South America, problems and proposals for surveillance and control of sexually transmitted diseases associated with pelvic inflammatory disease in (de la Torre), 1078

Spermatozoal motility and viability, effect of copper on, evaluated objectively with aid of multiple-exposure photography method (Makler and Zinder), 156

Sphincters, human female genital, relaxation of, by neuropeptide va- soactive intestinal polypeptide (Walles et al.), 337

Sphingomyelin, lecithin/, ratio in amniotic fluid obtained vaginally (Goldstein et al.), 232 (Comm. in brief)

lung fluid, effect of in utero intravenous administration of thyroxine and other hormones on, in fetal lamb (Nwosu et al.), 459 (Comm. in brief)

Standing cystometrogram (Weprin and Zuspan), 369

Sterilization, tubal lesions subsequent to, and their relation to fertility after attempts at reversal (Vasquez et al.), 86

ring, technical failures in: Incidence, perceived reasons, outcome, and risk factors (Chi, Mumford, and Laufe), 307

Steroid(s) concentrations and  $\Delta^5,3\beta$ -hydroxysteroid dehydrogenase activity in human placenta (Ferre et al.), 500

maternal serum, estimation of gestational age and: Total estriol (Penney), 745

progestational, suppression of human chorionic gonadotropin by (Wilson, Jawad, and Dickson), 708

secretion by postmenopausal ovary (Longcope, Hunter, and Franz), 564

Strength, contraction, measure of, in labor: Area and amplitude (Seitchik), 727

Streptococcal infection, group B, selective maternal culturing to identify (Pasnick, Mead, and Philip), 480

Streptococcus, group B, and puerperal sepsis (Faro), 1219 (Comm. in brief)

*sanguis* sepsis and meningitis: Complication of vacuum extraction (Heath et al.), 343 (Comm. in brief)

Stress, acute surgical, impact of, on anterior pituitary function in female subjects (Adashi et al.), 609

incontinence, urinary, real-time ultrasonography in evaluation of (White et al.), 235 (Comm. in brief)

Stressed (non-) antepartum heart rate monitoring: Implications of decelerations after spontaneous contractions (Visser et al.), 429

(un-) pregnant guinea pig, distribution of cardiac output in (Peeters, Grutters, and Martin), 1177

Stroma, glands and, of human endometrium, peroxidase activity in (Holinka and Gupride), 599

Subdermal estradiol pellets following hysterectomy and oophorectomy (Lobo et al.), 714

Suction curettage for elective termination of pregnancy, electrocardiographic changes induced by (Mabee, Dunn, and Sherrer), 181

Sudanese women, etiologic factors in pelvic inflammatory disease in (Rushwan), 877

Surgery during pregnancy and fetal outcome (Brodsky et al.), 1165

pelvic, technical progress in, via operative laparoscopy (Senn and Mettler), 121 (Clinical opinion)

Surgical stress, acute, impact of, on anterior pituitary function in female subjects (Adashi et al.), 609

Survival in patients and matched controls, comparison of: Granulosa cell tumors (Björkholm), 329

Suspension culture, monolayer and, of human prolactin-secreting pituitary adenoma (Kletzky et al.), 660

Syndrome, Fitz-Hugh-Curtis, *Chlamydia trachomatis* infection in (Wager et al.), 1034

Systemic lupus erythematosus, pregnancy and (Houser et al.), 409

T

Tachyphylaxis, stimulus summation and, in estrogen response in sheep (Clewell, Sty, and Meschia), 485

Teratomas, benign cystic, in postmenopausal women (Gordon et al.), 1120

Term (pre-) labor, blood anions and electrolytes during ritodrine infusion in (Kirkpatrick, Quenon, and Desir), 523

placentas, diabetic and toxicemic, glycosaminoglycan patterns in (Wasserman et al.), 769

Term—cont'd

uterine and ovarian artery blood flow in rhesus monkey near (Abitbol, Demeter, and Benarosh), 414  
rupture at, with vaginal prostaglandin E<sub>2</sub> (Valenzuela et al.), 1223 (Comm. in brief)  
Test, blind oxytocin challenge, and perinatal outcome (Staisch, Westlake, and Bashore), 399  
Testing, antepartum fetal heart rate, alternative to (Rayburn et al.), 223 (Current investigation)  
nonstress (Weingold, Yonekura, and O'Kieffe), 195  
Testosterone and progesterone, receptor-like binding proteins for, in human ovary (Milwidsky et al.), 93  
Thyroid dysfunction, spectrum of: Postpartum lymphocytic thyroiditis in American women (Fein, Goldman, and Weintraub), 504  
function in gestational trophoblastic neoplasia: Evidence that thyrotropic activity of chorionic gonadotropin mediates thyrotoxicosis of choriocarcinoma (Nisula and Taliadouros), 77  
Thyroiditis, postpartum lymphocytic, in American women: Spectrum of thyroid dysfunction (Fein, Goldman, and Weintraub), 504  
Thyrotoxicosis of choriocarcinoma, evidence that thyrotropic activity of chorionic gonadotropin mediates: Thyroid function in gestational trophoblastic neoplasia (Nisula and Taliadouros), 77  
Thyrotropic activity of chorionic gonadotropin mediates thyrotoxicosis of choriocarcinoma, evidence that: Thyroid function in gestational trophoblastic neoplasia (Nisula and Taliadouros), 77  
Thyrotropin-releasing hormone, use of, in distinguishing prolactin-secreting adenoma (Marrs, Bertolli, and Kleitzky), 620  
Thyroxine and other hormones, effect of in utero intravenous administration of, on lung fluid lecithin/sphingomyelin ratio in fetal lamb (Nwosu et al.), 459 (Comm. in brief)  
Time-lapse study of normal human trophoblast in vitro (Lueck and Aladjem), 288  
Tissue concentration in relation to developmental stage and to serum hormone levels: Progestogen-dependent endometrial protein in women (Joshi et al.), 1131  
Topical 5-fluorouracil and carbon dioxide laser, biologic aspects and treatment with: Vaginal intraepithelial neoplasia (Petrilli et al.), 321  
Toxemia, severe, hemodynamics in patients with, during labor and delivery (Rafferty and Berkowitz), 263  
Toxemic term placentas, diabetic and, glycosaminoglycan patterns in (Wasserman et al.), 769  
Toxin for human fallopian tube mucosa: gonococcal lipopolysaccharide (Gregg, Melly, and McGee), 981  
Toxoplasmosis, congenital, what can be done to prevent (Wilson and Remington), 357 (Clinical opinion)  
Transcutaneous, continuous, and continuous intravascular Po<sub>2</sub> measurement, comparison of, in fetal sheep (Jansen et al.), 670  
Transfusion(s), intrauterine, modified technique for monitoring fetal heart rate during (Schifrin and Platt), 1220 (Comm. in brief)  
ultrasound-facilitated (Acker et al.), 1200  
Transplacental ampicillin: Inhibitory concentrations in neonatal serum (Kraybill, Chaney, and McCarthy), 793  
transmission of influenza virus, failure to demonstrate: Fatal influenza pneumonia in pregnancy (Rampthal, Donnelly, and Small), 347 (Comm. in brief)  
Transport, perinatal, to regional perinatal center in metropolitan area: Maternal versus neonatal transport (Modanliou et al.), 1157  
Trendelenburg position for obstetric ultrasound (Hill and Breckle), 1229 (Comm. in brief)  
Triacylglycerol lipase activity, characterization of, in human amniotic fluid (Merger et al.), 68  
Trichomonas vaginalis, three metronidazole-resistant strains of, from United States (Müller et al.), 808  
Trimester, first-, fetal chromosomal diagnosis using endocervical lavage: Negative evaluation (Goldberg et al.), 436  
second-, induced abortion, epidural morphine analgesia in (Magora et al.), 260  
Tritiated water exchange in human uterine cavity (Azar, Bernstein, and Shaw), 833  
Trophoblast antigens, human, maternal and fetal immune responses to (Taylor), 293  
normal human, time-lapse study of, in vitro (Lueck and Aladjem), 288  
Trophoblastic disease monitoring: Evaluation of pregnancy-specific  $\beta_1$ -glycoprotein (O'Brien et al.), 313  
malignancies, gestational, utility of assay of alpha subunit of human chorionic gonadotropin in management of (Quigley, Tyrey, and Hammond), 545  
neoplasia, gestational, late recurrences of (Vaughn, Surwit, and Hammond), 73  
thyroid function in: Evidence that thyrotropic activity of chorionic gonadotropin mediates thyrotoxicosis of choriocarcinoma (Nisula and Taliadouros), 77  
Tubal lesions subsequent to sterilization and their relation to fertility after attempts at reversal (Vasquez et al.), 86  
obstruction, microbiology of specimens obtained by laparoscopy from controls and from patients with pelvic inflammatory disease and infertility with: *Chlamydia trachomatis* and *Ureaplasma urealyticum* (Henry-Suchet et al.), 1022  
ring sterilization, technical failures in: Incidence, perceived reasons, outcome, and risk factors (Chi, Mumford, and Laufe), 307  
Tube mucosa, human fallopian, toxin for: gonococcal lipopolysaccharide (Gregg, Melly, and McGee), 981  
Tuberculosis, genital, in women (Falk, Ludviksson, and Agren), 974  
Tuboovarian abscess, contraceptive practice and (Edelman and Berger), 541  
retrospective review (Ginsburg et al.), 1055  
Tularemia immunization in early pregnancy (Albrecht, Cefalo, and O'Brien), 1226 (Comm. in brief)  
Tumor(s), granulosa cell: Comparison of survival in patients and matched controls (Björkholm), 329  
Tumor, human ovarian, -associated antigen OCA, study of ovarian cancer patients using radioimmunoassay for (Knauf and Urbach), 1222 (Comm. in brief)  
Twin gestations, genetic amniocentesis in (Elias et al.), 169  
pregnancy (pregnancies), dichorionic, study of: Evidence that fetal membranes are not involved in cortisol metabolism (López Bernal et al.), 1168  
sonar cephalometry in: Discordancy of biparietal diameter after 28 weeks' gestation (Leveno et al.), 615  
study, Northwestern University multihospital. I. Description of 588 twin pregnancies and associated pregnancy loss, 1971 to 1975 (Keith et al.), 781

U

Uganda, rural, gonorrhea and female infertility in (Arya, Taber, and Nsanze), 929  
Ultrasonic diagnosis of excessive fetal growth, detection of gestational diabetes by means of (Grandjean et al.), 790  
Ultrasonographic biparietal diameters, serial, for prediction of estimated date of confinement (O'Brien, Coddington, and Cefalo), 467 (Comm. in brief)  
diagnosis of fetal cystic hygroma (O'Brien, Cefalo, and Bair), 464 (Comm. in brief)  
follow-up: Myomas of uterus in pregnancy (Muram, Gillieson, and Walters), 16  
study, sequential, preliminary report of: Placental size during early pregnancy and fetal outcome (Hoogland, de Haan, and Martin), 441  
Ultrasonography, real-time, in evaluation of urinary stress incontinence (White et al.), 235 (Comm. in brief)  
Ultrasound characteristics and differential diagnosis: Fetal cranial and craniocervical masses (Sabbagh et al.), 511  
-facilitated intrauterine transfusions (Acker et al.), 1200  
measurement of fetal limb bones (Queenan, O'Brien, and Campbell), 297  
obstetric, Trendelenburg position for (Hill and Breckle), 1229 (Comm. in brief)  
prenatal determination of female fetus by: "Female echo" (Schotten and Giese), 463 (Comm. in brief)  
Umbilical blood flow response to embolization of uterine circulation (Clapp et al.), 60  
cord, prolapsed, into abdominal cavity in woman with previous cesarean section (Lenke and Osterkamp), 1224 (Comm. in brief)  
pure fetal blood from, obtained at fetoscopy: Experience with 125 consecutive cases (MacKenzie and Maclean), 1214  
venous blood flow and its distribution before and during autonomic blockade in fetal lambs (Edelstone et al.), 703  
United States, economic consequences of pelvic inflammatory disease in (Curran), 848

United States—cont'd  
 frequency and distribution of salpingitis and pelvic inflammatory disease in short-stay hospitals in (Jones, Zaidi, and St. John), 905  
 problems and approaches to control and surveillance of sexually transmitted agents associated with pelvic inflammatory disease in (Brown and Wiesner), 1096  
 three metronidazole-resistant strains of *Trichomonas vaginalis* from (Müller et al.), 808

Urban hospital, acceptance of amniocentesis by low-income patients in (Marion et al.), 11

Urea, hyperosmolar, and prostaglandin F<sub>2α</sub>, midtrimester abortion induced by, in patients with previous cesarean section: Clinical course and potential for uterine rupture (Atienza, Burkman, and King), 55

Urinary bladder fullness, effect of, on fundal height measurements (Worthen and Bustillo), 759  
 stress incontinence, real-time ultrasonography in evaluation of (White et al.), 235 (Comm. in brief)

Urine, plasma and, prostaglandin F<sub>2α</sub> metabolites in, during pseudopregnancy in rabbit (Satoh et al.), 748

Uterine cavity, human, tritiated water exchange in (Azar, Bernstein, and Shaw), 833  
 circulation, umbilical blood flow response to embolization of (Clapp et al.), 60  
 leiomyoma, L-5 radiculopathy secondary to, in primigravid patient (Heffernan, Fraser, and Purdy), 460 (Comm. in brief)  
 and ovarian artery blood flow in rhesus monkey near term (Abitbol, Demeter, and Benarosh), 414  
 rupture, clinical course and potential for: Midtrimester abortion induced by hyperosmolar urea and prostaglandin F<sub>2α</sub> in patients with previous cesarean section (Atienza, Burkman, and King), 55  
 at term with vaginal prostaglandin E<sub>2</sub> (Valenzuela et al.), 1223 (Comm. in brief)

Utero, fetal death in, diagnosis of, with amniotic fluid creatine kinase (Stempel and Lott), 1173  
 intravenous administration in, of thyroxine and other hormones, effect of, on lung fluid lecithin/sphingomyelin ratio in fetal lamb (Nwosu et al.), 459 (Comm. in brief)

Uterus, double, associated with obstructed hemivagina and ipsilateral renal agenesis (Rock and Jones), 339  
 (*Macaca mulatta*), primate, biorhythms of, during labor and delivery (Harber and Spisso), 686

myomas of, in pregnancy: Ultrasonographic follow-up (Muram, Gillieson, and Walters), 16  
 and oviduct, murine, bacterial clearance in, I. Host defenses in acute pelvic inflammatory disease (Chow, Carlson, and Sorrell), 1003

V  
 Vacuum extraction, complication of: *Streptococcus sanguis* sepsis and meningitis (Heath et al.), 343 (Comm. in brief)

Vaginal administration, oral and, of estriol to postmenopausal women, plasma estriol and its conjugates following: Correlations with gonadotropin levels (Schiff et al.), 1137  
 intraepithelial neoplasia: Biologic aspects and treatment with topical 5-fluorouracil and carbon dioxide laser (Petrilli et al.), 321  
 prostaglandin E<sub>2</sub>, uterine rupture at term with (Valenzuela et al.), 1223 (Comm. in brief)

Vaginally, lecithin/sphingomyelin ratio in amniotic fluid obtained (Goldstein et al.), 232 (Comm. in brief)

Variability, beat-to-beat, heart rate and, analysis of: Interval difference index (van Geijn et al.), 246  
 mechanisms of, in heart rate of neonatal lamb. I. Influence of autonomic nervous system (Zugab et al.), 444  
 II. Effects of hypoxia (Zugab et al.), 453

Vasoactive intestinal polypeptide, neuropeptide, relaxation of human female genital sphincters by (Welles et al.), 337

Venous blood flow, umbilical, and its distribution before and during autonomic blockade in fetal lambs (Edelstone et al.), 703

Viability, spermatozoal motility and, effect of copper on, evaluated objectively with aid of multiple-exposure photography method (Makler and Zinder), 156

Virus, influenza, failure to demonstrate transplacental transmission of: Fatal influenza pneumonia in pregnancy (Rampthal, Donnelly, and Small), 347 (Comm. in brief)

Vulvar cancer, progressive histobiologic alterations in development of (Buscema and Woodruff), 146

W  
 Wales and England, trends for gonorrhea and pelvic inflammatory disease in, and for gonorrhea in defined population (Adler), 901

Water exchange, tritiated, in human uterine cavity (Azar, Bernstein, and Shaw), 833  
 Weight(s), birth, at high altitude, re-evaluation of (Cotton et al.), 220  
 minor physical anomalies, and maternal alcohol consumption (Tennes and Blackard), 774

World, developing, pelvic inflammatory disease and consequences in (Muir and Belsey), 913

X  
 XY gonadal dysgenesis in three siblings (Phansey et al.), 133

Y  
 Young infertile patients with unsuspected endometrial adenocarcinoma, hysterosalpingography in (Menczer, Frenkel, and Serr), 352 (Comm. in brief)

Z  
 Zambia, Lusaka, gonococcal infection in women with pelvic inflammatory disease in (Ratnam, Din, and Chatterjee), 965

